



# Fission

URANIUM CORP.

## Drill Core Assay Summary: R1620E - Patterson Lake South

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS14-196	97.00	97.50	0.50	0.005
PLS14-196	97.50	98.00	0.50	0.005
PLS14-196	98.00	98.50	0.50	0.016
PLS14-196	98.50	99.00	0.50	0.020
PLS14-196	99.00	99.50	0.50	0.022
PLS14-196	99.50	100.00	0.50	0.041
PLS14-196	100.00	100.50	0.50	0.212
PLS14-196	100.50	101.00	0.50	0.268
PLS14-196	101.00	101.50	0.50	0.333
<b>PLS14-196</b>	<b>101.50</b>	<b>102.00</b>	<b>0.50</b>	<b>1.040</b>
PLS14-196	102.00	102.50	0.50	0.138
PLS14-196	102.50	103.00	0.50	0.073
PLS14-196	103.00	103.50	0.50	0.108
PLS14-196	103.50	104.00	0.50	0.080
PLS14-196	104.00	104.50	0.50	0.108
PLS14-196	104.50	105.00	0.50	0.144
PLS14-196	105.00	105.50	0.50	0.061
PLS14-196	105.50	106.00	0.50	0.037
PLS14-196	106.00	106.50	0.50	0.025
PLS14-196	106.50	107.00	0.50	0.053
PLS14-196	107.00	107.50	0.50	0.045
PLS14-196	107.50	108.00	0.50	0.072
PLS14-196	108.00	108.50	0.50	0.132
PLS14-196	108.50	109.00	0.50	0.378
PLS14-196	109.00	109.50	0.50	0.238
PLS14-196	109.50	110.00	0.50	0.356
PLS14-196	110.00	110.50	0.50	0.203
PLS14-196	110.50	111.00	0.50	0.058
PLS14-196	111.00	111.50	0.50	0.054
PLS14-196	111.50	112.00	0.50	0.054
PLS14-196	112.00	112.50	0.50	0.049
PLS14-196	112.50	113.00	0.50	0.095
PLS14-196	113.00	113.50	0.50	0.059
PLS14-196	113.50	114.00	0.50	0.035
PLS14-196	114.00	114.50	0.50	0.042
PLS14-196	114.50	115.00	0.50	0.013

PLS14-196	115.00	115.50	0.50	0.069
PLS14-196	115.50	116.00	0.50	0.602
PLS14-196	116.00	116.50	0.50	0.033
PLS14-196	116.50	117.00	0.50	0.169
PLS14-196	117.00	117.50	0.50	0.198
PLS14-196	117.50	118.00	0.50	0.242
PLS14-196	118.00	118.50	0.50	0.259
PLS14-196	118.50	119.00	0.50	0.067
PLS14-196	119.00	119.50	0.50	0.564
PLS14-196	119.50	120.00	0.50	0.385
PLS14-196	120.00	120.50	0.50	0.082
PLS14-196	120.50	121.00	0.50	0.037
PLS14-196	121.00	121.50	0.50	0.111
PLS14-196	121.50	122.00	0.50	0.103
PLS14-196	122.00	122.50	0.50	0.225
PLS14-196	122.50	123.00	0.50	0.335
PLS14-196	123.00	123.50	0.50	0.074
PLS14-196	123.50	124.00	0.50	0.166
PLS14-196	124.00	124.50	0.50	0.125
PLS14-196	124.50	125.00	0.50	0.209
PLS14-196	125.00	125.50	0.50	0.124
PLS14-196	125.50	126.00	0.50	0.068
PLS14-196	126.00	126.50	0.50	0.057
PLS14-196	126.50	127.00	0.50	0.288
PLS14-196	127.00	127.50	0.50	0.381
PLS14-196	127.50	128.00	0.50	0.069
PLS14-196	128.00	128.50	0.50	0.094
PLS14-196	128.50	129.00	0.50	0.020
PLS14-196	129.00	129.50	0.50	0.002
PLS14-196	129.50	130.00	0.50	0.002
PLS14-196	130.00	130.50	0.50	0.015
PLS14-196	130.50	131.00	0.50	0.014
PLS14-196	131.00	131.50	0.50	0.008
PLS14-196	131.50	132.00	0.50	0.008
PLS14-196	132.00	132.50	0.50	0.003
PLS14-196	132.50	133.00	0.50	0.004
PLS14-196	133.00	133.50	0.50	0.016
PLS14-196	133.50	134.00	0.50	0.008
PLS14-196	134.00	134.50	0.50	0.002
PLS14-196	134.50	135.00	0.50	0.001
PLS14-196	135.00	135.50	0.50	0.002
PLS14-196	135.50	136.00	0.50	0.003
PLS14-196	136.00	136.50	0.50	0.002
PLS14-196	136.50	137.00	0.50	0.009
PLS14-196	137.00	137.50	0.50	0.042
PLS14-196	137.50	138.00	0.50	0.003
PLS14-196	138.00	138.50	0.50	0.005

PLS14-196	138.50	139.00	0.50	0.003
PLS14-196	139.00	139.50	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS14-208	71.00	74.00	3.00	0.001
PLS14-208	74.00	77.00	3.00	0.001
PLS14-208	77.00	77.50	0.50	0.013
PLS14-208	77.50	78.00	0.50	0.015
PLS14-208	78.00	78.50	0.50	0.016
PLS14-208	78.50	79.00	0.50	0.020
PLS14-208	79.00	79.50	0.50	0.020
PLS14-208	79.50	80.00	0.50	0.018
PLS14-208	80.00	80.50	0.50	0.013
PLS14-208	80.50	81.00	0.50	0.018
PLS14-208	81.00	81.50	0.50	0.006
PLS14-208	81.50	82.00	0.50	0.008
PLS14-208	82.00	82.50	0.50	0.338
PLS14-208	82.50	83.00	0.50	0.515
PLS14-208	83.00	83.50	0.50	0.310
PLS14-208	83.50	84.00	0.50	0.128
PLS14-208	84.00	84.50	0.50	0.697
PLS14-208	84.50	85.00	0.50	0.079
PLS14-208	85.00	85.50	0.50	0.224
PLS14-208	85.50	86.00	0.50	0.017
PLS14-208	86.00	86.50	0.50	0.016
PLS14-208	86.50	87.00	0.50	0.020
PLS14-208	87.00	87.50	0.50	0.197
PLS14-208	87.50	88.00	0.50	0.054
PLS14-208	88.00	88.50	0.50	0.019
PLS14-208	88.50	89.00	0.50	0.018
PLS14-208	89.00	89.50	0.50	0.033
PLS14-208	89.50	90.00	0.50	0.210
PLS14-208	90.00	90.50	0.50	0.005
PLS14-208	90.50	91.00	0.50	0.006
PLS14-208	91.00	91.50	0.50	0.023
PLS14-208	91.50	92.00	0.50	0.064
PLS14-208	92.00	92.50	0.50	0.017
PLS14-208	92.50	93.00	0.50	0.024
PLS14-208	93.00	93.50	0.50	0.011
PLS14-208	93.50	94.00	0.50	0.015
PLS14-208	94.00	94.50	0.50	0.013
PLS14-208	94.50	95.00	0.50	0.015
PLS14-208	95.00	95.50	0.50	0.049
PLS14-208	95.50	96.00	0.50	0.009
PLS14-208	96.00	96.50	0.50	0.007
PLS14-208	96.50	97.00	0.50	0.004
PLS14-208	97.00	97.50	0.50	0.018

PLS14-208	97.50	98.00	0.50	0.017
PLS14-208	98.00	98.50	0.50	0.682
PLS14-208	98.50	99.00	0.50	0.149
PLS14-208	99.00	99.50	0.50	0.014
PLS14-208	99.50	100.00	0.50	0.024
PLS14-208	100.00	100.50	0.50	0.003
PLS14-208	100.50	101.00	0.50	0.002
PLS14-208	101.00	101.50	0.50	0.003
PLS14-208	101.50	102.00	0.50	0.011
PLS14-208	102.00	102.50	0.50	0.041
PLS14-208	102.50	103.00	0.50	0.016
PLS14-208	103.00	103.50	0.50	0.021
PLS14-208	103.50	104.00	0.50	0.259
PLS14-208	104.00	104.50	0.50	0.008
PLS14-208	104.50	105.00	0.50	0.044
PLS14-208	105.00	105.50	0.50	0.036
PLS14-208	105.50	106.00	0.50	0.103
PLS14-208	106.00	106.50	0.50	0.045
PLS14-208	106.50	107.00	0.50	0.028
PLS14-208	107.00	107.50	0.50	0.010
PLS14-208	107.50	108.00	0.50	0.013
PLS14-208	108.00	108.50	0.50	0.082
PLS14-208	108.50	109.00	0.50	0.238
PLS14-208	109.00	109.50	0.50	0.138
PLS14-208	109.50	110.00	0.50	0.264
PLS14-208	110.00	110.50	0.50	0.045
PLS14-208	110.50	111.00	0.50	0.166
PLS14-208	111.00	111.50	0.50	0.109
PLS14-208	111.50	112.00	0.50	0.130
PLS14-208	112.00	112.50	0.50	0.137
PLS14-208	112.50	113.00	0.50	0.091
PLS14-208	113.00	113.50	0.50	0.116
PLS14-208	113.50	114.00	0.50	0.041
PLS14-208	114.00	114.50	0.50	0.247
PLS14-208	114.50	115.00	0.50	0.050
PLS14-208	115.00	115.50	0.50	0.014
PLS14-208	115.50	116.00	0.50	0.159
PLS14-208	116.00	116.50	0.50	0.016
PLS14-208	116.50	117.00	0.50	0.007
PLS14-208	117.00	117.50	0.50	0.023
PLS14-208	117.50	118.00	0.50	0.019
PLS14-208	118.00	118.50	0.50	0.008
PLS14-208	131.00	131.50	0.50	0.007
PLS14-208	131.50	132.00	0.50	0.009
PLS14-208	132.00	132.50	0.50	0.001
PLS14-208	132.50	133.00	0.50	0.002
PLS14-208	133.00	133.50	0.50	0.005

PLS14-208	133.50	134.00	0.50	0.621
PLS14-208	134.00	134.50	0.50	0.007
PLS14-208	134.50	135.00	0.50	0.002
PLS14-208	135.00	135.50	0.50	0.004
PLS14-208	135.50	136.00	0.50	0.001
PLS14-208	136.00	136.50	0.50	0.003
PLS14-208	303.00	303.50	0.50	0.002
PLS14-208	303.50	304.00	0.50	0.001
PLS14-208	304.00	304.50	0.50	0.001
PLS14-208	304.50	305.00	0.50	0.001
PLS14-208	305.00	305.50	0.50	0.062
PLS14-208	305.50	306.00	0.50	0.004
PLS14-208	306.00	306.50	0.50	0.002
PLS14-208	306.50	307.00	0.50	0.002
PLS14-208	307.00	307.50	0.50	0.009
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS15-357	102.00	102.50	0.50	0.001
PLS15-357	102.50	103.00	0.50	0.001
PLS15-357	103.00	103.50	0.50	0.004
PLS15-357	103.50	104.00	0.50	0.006
PLS15-357	104.00	104.50	0.50	0.035
PLS15-357	104.50	105.00	0.50	0.046
PLS15-357	105.00	105.50	0.50	0.030
PLS15-357	105.50	106.00	0.50	0.018
PLS15-357	106.00	106.50	0.50	0.009
PLS15-357	106.50	107.00	0.50	0.011
PLS15-357	107.00	107.50	0.50	0.021
PLS15-357	107.50	108.00	0.50	0.051
PLS15-357	108.00	108.50	0.50	0.049
PLS15-357	108.50	109.00	0.50	0.034
PLS15-357	109.00	109.50	0.50	0.163
PLS15-357	109.50	110.00	0.50	0.358
PLS15-357	110.00	110.50	0.50	0.733
PLS15-357	110.50	111.00	0.50	0.250
PLS15-357	111.00	111.50	0.50	0.041
PLS15-357	111.50	112.00	0.50	0.011
PLS15-357	112.00	112.50	0.50	0.011
PLS15-357	112.50	113.00	0.50	0.012
PLS15-357	113.00	113.50	0.50	0.014
PLS15-357	113.50	114.00	0.50	0.099
PLS15-357	114.00	114.50	0.50	0.031
PLS15-357	114.50	115.00	0.50	0.002
PLS15-357	115.00	115.50	0.50	0.003
PLS15-357	115.50	116.00	0.50	0.002
PLS15-357	116.00	116.50	0.50	0.005
PLS15-357	116.50	117.00	0.50	0.002

PLS15-357	117.00	117.50	0.50	0.045
PLS15-357	117.50	118.00	0.50	0.047
PLS15-357	118.00	118.50	0.50	0.030
PLS15-357	118.50	119.00	0.50	0.003
PLS15-357	119.00	119.50	0.50	0.003
PLS15-357	119.50	120.00	0.50	0.002
PLS15-357	120.00	120.50	0.50	0.004
PLS15-357	120.50	121.00	0.50	0.086
PLS15-357	121.00	121.50	0.50	0.053
PLS15-357	121.50	122.00	0.50	0.058
PLS15-357	122.00	122.50	0.50	0.003
PLS15-357	122.50	123.00	0.50	0.003
PLS15-357	123.00	123.50	0.50	0.003
PLS15-357	123.50	124.00	0.50	0.028
PLS15-357	124.00	124.50	0.50	0.052
PLS15-357	124.50	125.00	0.50	0.011
PLS15-357	125.00	125.50	0.50	0.009
PLS15-357	125.50	126.00	0.50	0.034
PLS15-357	126.00	126.50	0.50	0.040
PLS15-357	126.50	127.00	0.50	0.038
PLS15-357	127.00	127.50	0.50	0.078
PLS15-357	127.50	128.00	0.50	0.019
PLS15-357	128.00	128.50	0.50	0.009
PLS15-357	128.50	129.00	0.50	0.002
PLS15-357	129.00	129.50	0.50	0.003
PLS15-357	129.50	130.00	0.50	0.001
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS15-394	118.00	118.50	0.50	0.002
PLS15-394	118.50	119.00	0.50	0.002
PLS15-394	119.00	119.50	0.50	0.003
PLS15-394	119.50	120.00	0.50	0.017
PLS15-394	120.00	120.50	0.50	0.322
PLS15-394	120.50	121.00	0.50	0.034
PLS15-394	121.00	121.50	0.50	0.021
PLS15-394	121.50	122.00	0.50	0.054
<b>PLS15-394</b>	<b>122.00</b>	<b>122.50</b>	<b>0.50</b>	<b>2.130</b>
PLS15-394	122.50	123.00	0.50	0.471
PLS15-394	123.00	123.50	0.50	0.437
PLS15-394	123.50	124.00	0.50	0.412
PLS15-394	124.00	124.50	0.50	0.105
<b>PLS15-394</b>	<b>124.50</b>	<b>125.00</b>	<b>0.50</b>	<b>4.200</b>
PLS15-394	125.00	125.50	0.50	0.232
PLS15-394	125.50	126.00	0.50	0.194
PLS15-394	126.00	126.50	0.50	0.668
PLS15-394	126.50	127.00	0.50	0.324
PLS15-394	127.00	127.50	0.50	0.031

PLS15-394	127.50	128.00	0.50	0.010
PLS15-394	128.00	128.50	0.50	0.012
PLS15-394	128.50	129.00	0.50	0.011
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS15-400	88.50	89.00	0.50	0.005
PLS15-400	89.00	89.50	0.50	0.004
PLS15-400	89.50	90.00	0.50	0.009
PLS15-400	90.00	90.50	0.50	0.006
PLS15-400	90.50	91.00	0.50	0.046
PLS15-400	91.00	91.50	0.50	0.038
PLS15-400	91.50	92.00	0.50	0.007
PLS15-400	92.00	92.50	0.50	0.016
PLS15-400	92.50	93.00	0.50	0.022
PLS15-400	93.00	93.50	0.50	0.009
PLS15-400	93.50	94.00	0.50	0.004
PLS15-400	94.00	94.50	0.50	0.005
PLS15-400	94.50	95.00	0.50	0.006
PLS15-400	95.00	95.50	0.50	0.012
PLS15-400	95.50	96.00	0.50	0.004
PLS15-400	96.00	96.50	0.50	0.006
PLS15-400	96.50	97.00	0.50	0.023
PLS15-400	97.00	97.50	0.50	0.031
PLS15-400	97.50	98.00	0.50	0.035
PLS15-400	98.00	98.50	0.50	0.013
PLS15-400	98.50	99.00	0.50	0.002
PLS15-400	99.00	99.50	0.50	0.005
PLS15-400	99.50	100.00	0.50	0.005
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS15-405	64.00	64.50	0.50	<0.001
PLS15-405	65.00	65.50	0.50	0.002
PLS15-405	65.50	66.00	0.50	0.003
PLS15-405	66.00	66.50	0.50	0.001
PLS15-405	66.50	67.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS15-413	114.50	115.00	0.50	0.002
PLS15-413	115.00	115.50	0.50	<0.001
PLS15-413	115.50	116.00	0.50	0.004
PLS15-413	116.00	116.50	0.50	0.007
PLS15-413	116.50	117.00	0.50	0.060
PLS15-413	117.00	117.50	0.50	0.020
PLS15-413	117.50	118.00	0.50	0.047
PLS15-413	118.00	118.50	0.50	0.132
PLS15-413	118.50	119.00	0.50	0.115
PLS15-413	119.00	119.50	0.50	0.478
PLS15-413	119.50	120.00	0.50	0.085
PLS15-413	120.00	120.50	0.50	0.064

PLS15-413	120.50	121.00	0.50	0.013
PLS15-413	121.00	121.50	0.50	0.199
PLS15-413	121.50	122.00	0.50	0.211
PLS15-413	122.00	122.50	0.50	0.094
PLS15-413	122.50	123.00	0.50	0.257
PLS15-413	123.00	123.50	0.50	0.432
PLS15-413	123.50	124.00	0.50	0.035
PLS15-413	124.00	124.50	0.50	0.031
PLS15-413	124.50	125.00	0.50	0.074
PLS15-413	125.00	125.50	0.50	0.042
PLS15-413	125.50	126.00	0.50	0.031
PLS15-413	126.00	126.50	0.50	0.010
PLS15-413	126.50	127.00	0.50	0.005
PLS15-413	127.00	127.50	0.50	0.026
PLS15-413	127.50	128.00	0.50	0.002
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-459	No Significant Mineralization			
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-460	65.50	66.00	0.50	0.007
PLS16-460	66.00	66.50	0.50	0.107
PLS16-460	66.50	67.00	0.50	0.214
PLS16-460	67.00	67.50	0.50	0.373
PLS16-460	67.50	68.00	0.50	0.021
PLS16-460	68.00	68.50	0.50	0.026
PLS16-460	68.50	69.00	0.50	0.111
PLS16-460	69.00	69.50	0.50	0.049
PLS16-460	69.50	70.00	0.50	0.225
PLS16-460	70.00	70.50	0.50	0.016
PLS16-460	70.50	71.00	0.50	0.026
PLS16-460	71.00	71.50	0.50	0.012
PLS16-460	71.50	72.00	0.50	0.036
PLS16-460	72.00	72.50	0.50	0.154
PLS16-460	72.50	73.00	0.50	0.372
PLS16-460	73.00	73.50	0.50	0.035
PLS16-460	73.50	74.00	0.50	0.013
PLS16-460	74.00	74.50	0.50	0.004
PLS16-460	74.50	75.00	0.50	0.036
PLS16-460	75.00	75.50	0.50	0.098
PLS16-460	75.50	76.00	0.50	0.124
PLS16-460	76.00	76.50	0.50	0.073
PLS16-460	76.50	77.00	0.50	0.041
PLS16-460	77.00	77.50	0.50	0.292
PLS16-460	77.50	78.00	0.50	0.112
PLS16-460	78.00	78.50	0.50	0.012
PLS16-460	78.50	79.00	0.50	0.843
<b>PLS16-460</b>	<b>79.00</b>	<b>79.50</b>	<b>0.50</b>	<b>2.220</b>



PLS16-460	79.50	80.00	0.50	6.530
PLS16-460	80.00	80.50	0.50	12.900
PLS16-460	80.50	81.00	0.50	7.610
PLS16-460	81.00	81.50	0.50	3.580
PLS16-460	81.50	82.00	0.50	3.540
PLS16-460	82.00	82.50	0.50	11.200
PLS16-460	82.50	83.00	0.50	2.000
PLS16-460	83.00	83.50	0.50	1.000
PLS16-460	83.50	84.00	0.50	1.300
PLS16-460	84.00	84.50	0.50	0.200
PLS16-460	84.50	85.00	0.50	0.128
PLS16-460	85.00	85.50	0.50	0.276
PLS16-460	85.50	86.00	0.50	1.420
PLS16-460	86.00	86.50	0.50	3.920
PLS16-460	86.50	87.00	0.50	6.110
PLS16-460	87.00	87.50	0.50	4.050
PLS16-460	87.50	88.00	0.50	0.255
PLS16-460	88.00	88.50	0.50	1.170
PLS16-460	88.50	89.00	0.50	0.250
PLS16-460	89.00	89.50	0.50	0.718
PLS16-460	89.50	90.00	0.50	1.200
PLS16-460	90.00	90.50	0.50	0.354
PLS16-460	90.50	91.00	0.50	0.266
PLS16-460	91.00	91.50	0.50	0.122
PLS16-460	91.50	92.00	0.50	0.086
PLS16-460	92.00	92.50	0.50	0.032
PLS16-460	92.50	93.00	0.50	1.120
PLS16-460	93.00	93.50	0.50	5.270
PLS16-460	93.50	94.00	0.50	1.620
PLS16-460	94.00	94.50	0.50	0.014
PLS16-460	94.50	95.00	0.50	0.091
PLS16-460	95.00	95.50	0.50	0.669
PLS16-460	95.50	96.00	0.50	3.600
PLS16-460	96.00	96.50	0.50	0.126
PLS16-460	96.50	97.00	0.50	0.047
PLS16-460	97.00	97.50	0.50	0.410
PLS16-460	97.50	98.00	0.50	2.850
PLS16-460	98.00	98.50	0.50	3.800
PLS16-460	98.50	99.00	0.50	1.290
PLS16-460	99.00	99.50	0.50	0.757
PLS16-460	99.50	100.00	0.50	2.830
PLS16-460	100.00	100.50	0.50	6.980
PLS16-460	100.50	101.00	0.50	12.000
PLS16-460	101.00	101.50	0.50	22.700
PLS16-460	101.50	102.00	0.50	15.700
PLS16-460	102.00	102.50	0.50	25.200
PLS16-460	102.50	103.00	0.50	0.492

PLS16-460	103.00	103.50	0.50	0.996
<b>PLS16-460</b>	<b>103.50</b>	<b>104.00</b>	<b>0.50</b>	<b>12.200</b>
<b>PLS16-460</b>	<b>104.00</b>	<b>104.50</b>	<b>0.50</b>	<b>8.480</b>
<b>PLS16-460</b>	<b>104.50</b>	<b>105.00</b>	<b>0.50</b>	<b>4.750</b>
<b>PLS16-460</b>	<b>105.00</b>	<b>105.50</b>	<b>0.50</b>	<b>1.060</b>
PLS16-460	105.50	106.00	0.50	0.261
PLS16-460	106.00	106.50	0.50	0.044
PLS16-460	106.50	107.00	0.50	0.018
PLS16-460	107.00	107.50	0.50	0.019
PLS16-460	107.50	108.00	0.50	0.021
PLS16-460	108.00	108.50	0.50	0.013
PLS16-460	108.50	109.00	0.50	0.010
PLS16-460	109.00	109.50	0.50	0.014
PLS16-460	109.50	110.00	0.50	0.094
PLS16-460	110.00	110.50	0.50	0.120
PLS16-460	110.50	111.00	0.50	0.049
PLS16-460	111.00	111.50	0.50	0.131
PLS16-460	111.50	112.00	0.50	0.048
PLS16-460	112.00	112.50	0.50	0.083
PLS16-460	112.50	113.00	0.50	0.318
<b>PLS16-460</b>	<b>113.00</b>	<b>113.50</b>	<b>0.50</b>	<b>2.560</b>
<b>PLS16-460</b>	<b>113.50</b>	<b>114.00</b>	<b>0.50</b>	<b>6.800</b>
PLS16-460	114.00	114.50	0.50	0.425
PLS16-460	114.50	115.00	0.50	0.009
PLS16-460	115.00	115.50	0.50	0.006
PLS16-460	115.50	116.00	0.50	0.001
PLS16-460	116.00	116.50	0.50	0.002
PLS16-460	116.50	117.00	0.50	0.004
PLS16-460	117.00	117.50	0.50	0.020
PLS16-460	117.50	118.00	0.50	0.016
PLS16-460	118.00	118.50	0.50	0.825
<b>PLS16-460</b>	<b>118.50</b>	<b>119.00</b>	<b>0.50</b>	<b>1.190</b>
PLS16-460	119.00	119.50	0.50	0.471
PLS16-460	119.50	120.00	0.50	0.167
PLS16-460	120.00	120.50	0.50	0.006
PLS16-460	120.50	121.00	0.50	0.021
PLS16-460	121.00	121.50	0.50	0.018
PLS16-460	121.50	122.00	0.50	0.022
PLS16-460	132.00	132.50	0.50	0.003
PLS16-460	132.50	133.00	0.50	0.010
PLS16-460	133.00	133.50	0.50	0.009
PLS16-460	133.50	134.00	0.50	0.007
PLS16-460	134.00	134.50	0.50	0.019
PLS16-460	134.50	135.00	0.50	0.020
PLS16-460	135.00	135.50	0.50	0.041
PLS16-460	135.50	136.00	0.50	0.079
PLS16-460	136.00	136.50	0.50	0.018

PLS16-460	136.50	137.00	0.50	0.002
PLS16-460	137.00	137.50	0.50	0.003
PLS16-460	137.50	138.00	0.50	0.003
PLS16-460	144.50	145.00	0.50	0.004
PLS16-460	145.00	145.50	0.50	0.004
PLS16-460	145.50	146.00	0.50	0.003
PLS16-460	146.00	146.50	0.50	0.004
PLS16-460	146.50	147.00	0.50	0.036
PLS16-460	147.00	147.50	0.50	0.082
PLS16-460	147.50	148.00	0.50	0.263
PLS16-460	148.00	148.50	0.50	0.017
PLS16-460	148.50	149.00	0.50	0.002
PLS16-460	149.00	149.50	0.50	0.002
PLS16-460	149.50	150.00	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-464	67.50	68.00	0.50	<0.001
PLS16-464	68.00	68.50	0.50	<0.001
PLS16-464	68.50	69.00	0.50	0.001
PLS16-464	69.00	69.50	0.50	0.004
PLS16-464	69.50	70.00	0.50	0.009
PLS16-464	70.00	70.50	0.50	0.043
PLS16-464	70.50	71.00	0.50	0.037
PLS16-464	71.00	71.50	0.50	0.142
PLS16-464	71.50	72.00	0.50	0.108
PLS16-464	72.00	72.50	0.50	0.082
PLS16-464	72.50	73.00	0.50	0.224
PLS16-464	73.00	73.50	0.50	0.302
PLS16-464	73.50	74.00	0.50	0.633
PLS16-464	74.00	74.50	0.50	0.728
PLS16-464	74.50	75.00	0.50	0.793
<b>PLS16-464</b>	<b>75.00</b>	<b>75.50</b>	<b>0.50</b>	<b>1.180</b>
PLS16-464	75.50	76.00	0.50	0.217
PLS16-464	76.00	76.50	0.50	0.405
PLS16-464	76.50	77.00	0.50	0.240
PLS16-464	77.00	77.50	0.50	0.075
PLS16-464	77.50	78.00	0.50	0.313
PLS16-464	78.00	78.50	0.50	0.196
PLS16-464	78.50	79.00	0.50	0.150
PLS16-464	79.00	79.50	0.50	0.067
PLS16-464	79.50	80.00	0.50	0.029
PLS16-464	80.00	80.50	0.50	0.405
PLS16-464	80.50	81.00	0.50	0.124
PLS16-464	81.00	81.50	0.50	0.214
PLS16-464	82.00	82.50	0.50	0.210
PLS16-464	82.50	83.00	0.50	0.360
PLS16-464	83.00	83.50	0.50	0.060

PLS16-464	83.50	84.00	0.50	0.054
PLS16-464	84.00	84.50	0.50	0.388
PLS16-464	84.50	85.00	0.50	0.385
PLS16-464	85.00	85.50	0.50	0.412
PLS16-464	85.50	86.00	0.50	0.453
PLS16-464	86.00	86.50	0.50	0.271
PLS16-464	86.50	87.00	0.50	0.176
PLS16-464	87.00	87.50	0.50	0.279
<b>PLS16-464</b>	<b>87.50</b>	<b>88.00</b>	<b>0.50</b>	<b>2.470</b>
<b>PLS16-464</b>	<b>88.00</b>	<b>88.50</b>	<b>0.50</b>	<b>7.520</b>
<b>PLS16-464</b>	<b>88.50</b>	<b>89.00</b>	<b>0.50</b>	<b>3.390</b>
PLS16-464	89.00	89.50	0.50	0.188
<b>PLS16-464</b>	<b>89.50</b>	<b>90.00</b>	<b>0.50</b>	<b>7.560</b>
PLS16-464	90.00	90.50	0.50	0.541
<b>PLS16-464</b>	<b>90.50</b>	<b>91.00</b>	<b>0.50</b>	<b>2.280</b>
<b>PLS16-464</b>	<b>91.00</b>	<b>91.50</b>	<b>0.50</b>	<b>6.290</b>
<b>PLS16-464</b>	<b>91.50</b>	<b>92.00</b>	<b>0.50</b>	<b>5.730</b>
PLS16-464	92.00	92.50	0.50	0.712
PLS16-464	92.50	93.00	0.50	0.441
PLS16-464	93.00	93.50	0.50	0.523
PLS16-464	93.50	94.00	0.50	0.726
<b>PLS16-464</b>	<b>94.00</b>	<b>94.50</b>	<b>0.50</b>	<b>2.750</b>
<b>PLS16-464</b>	<b>94.50</b>	<b>95.00</b>	<b>0.50</b>	<b>5.170</b>
<b>PLS16-464</b>	<b>95.00</b>	<b>95.50</b>	<b>0.50</b>	<b>9.160</b>
<b>PLS16-464</b>	<b>95.50</b>	<b>96.00</b>	<b>0.50</b>	<b>1.460</b>
<b>PLS16-464</b>	<b>96.00</b>	<b>96.50</b>	<b>0.50</b>	<b>4.000</b>
PLS16-464	96.50	97.00	0.50	0.122
PLS16-464	97.00	97.50	0.50	0.264
PLS16-464	97.50	98.00	0.50	0.168
<b>PLS16-464</b>	<b>98.00</b>	<b>98.50</b>	<b>0.50</b>	<b>9.450</b>
<b>PLS16-464</b>	<b>98.50</b>	<b>99.00</b>	<b>0.50</b>	<b>5.120</b>
<b>PLS16-464</b>	<b>99.00</b>	<b>99.50</b>	<b>0.50</b>	<b>7.640</b>
<b>PLS16-464</b>	<b>99.50</b>	<b>100.00</b>	<b>0.50</b>	<b>1.530</b>
<b>PLS16-464</b>	<b>100.00</b>	<b>100.50</b>	<b>0.50</b>	<b>3.320</b>
<b>PLS16-464</b>	<b>100.50</b>	<b>101.00</b>	<b>0.50</b>	<b>3.050</b>
<b>PLS16-464</b>	<b>101.00</b>	<b>101.50</b>	<b>0.50</b>	<b>3.140</b>
<b>PLS16-464</b>	<b>101.50</b>	<b>102.00</b>	<b>0.50</b>	<b>2.430</b>
<b>PLS16-464</b>	<b>102.00</b>	<b>102.50</b>	<b>0.50</b>	<b>1.860</b>
<b>PLS16-464</b>	<b>102.50</b>	<b>103.00</b>	<b>0.50</b>	<b>1.340</b>
<b>PLS16-464</b>	<b>103.00</b>	<b>103.50</b>	<b>0.50</b>	<b>2.330</b>
PLS16-464	103.50	104.00	0.50	0.508
PLS16-464	104.00	104.50	0.50	0.883
PLS16-464	104.50	105.00	0.50	0.176
PLS16-464	105.00	105.50	0.50	0.621
<b>PLS16-464</b>	<b>105.50</b>	<b>106.00</b>	<b>0.50</b>	<b>1.080</b>
<b>PLS16-464</b>	<b>106.00</b>	<b>106.50</b>	<b>0.50</b>	<b>3.760</b>
<b>PLS16-464</b>	<b>106.50</b>	<b>107.00</b>	<b>0.50</b>	<b>6.630</b>

PLS16-464	107.00	107.50	0.50	13.000
PLS16-464	107.50	108.00	0.50	13.400
PLS16-464	108.00	108.50	0.50	14.200
PLS16-464	108.50	109.00	0.50	4.370
PLS16-464	109.00	109.50	0.50	1.700
PLS16-464	109.50	110.00	0.50	1.400
PLS16-464	110.00	110.50	0.50	17.100
PLS16-464	110.50	111.00	0.50	26.500
PLS16-464	111.00	111.50	0.50	6.550
PLS16-464	111.50	112.00	0.50	3.230
PLS16-464	112.00	112.50	0.50	0.991
PLS16-464	112.50	113.00	0.50	0.615
PLS16-464	113.00	113.50	0.50	0.936
PLS16-464	113.50	114.00	0.50	0.169
PLS16-464	114.00	114.50	0.50	0.569
PLS16-464	114.50	115.00	0.50	5.030
PLS16-464	115.00	115.50	0.50	8.720
PLS16-464	115.50	116.00	0.50	19.000
PLS16-464	116.00	116.50	0.50	2.190
PLS16-464	116.50	117.00	0.50	0.171
PLS16-464	117.00	117.50	0.50	0.052
PLS16-464	117.50	118.00	0.50	0.027
PLS16-464	118.00	118.50	0.50	0.030
PLS16-464	118.50	119.00	0.50	0.032
PLS16-464	119.00	119.50	0.50	0.050
PLS16-464	119.50	120.00	0.50	0.098
PLS16-464	120.00	120.50	0.50	0.137
PLS16-464	120.50	121.00	0.50	0.173
PLS16-464	121.00	121.50	0.50	0.022
PLS16-464	121.50	122.00	0.50	0.015
PLS16-464	122.00	122.50	0.50	0.007
PLS16-464	122.50	123.00	0.50	0.010
PLS16-464	123.00	123.50	0.50	0.006
PLS16-464	123.50	124.00	0.50	0.012
PLS16-464	124.00	124.50	0.50	0.019
PLS16-464	124.50	125.00	0.50	0.071
PLS16-464	125.00	125.50	0.50	0.096
PLS16-464	125.50	126.00	0.50	0.009
PLS16-464	126.00	126.50	0.50	0.002
PLS16-464	126.50	127.00	0.50	0.002
PLS16-464	127.00	127.50	0.50	0.005
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-466	No Significant Mineralization			
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-468	70.00	70.50	0.50	0.001
PLS16-468	70.50	71.00	0.50	0.002

PLS16-468	71.00	71.50	0.50	0.002
PLS16-468	71.50	72.00	0.50	0.008
PLS16-468	72.00	72.50	0.50	0.040
PLS16-468	72.50	73.00	0.50	0.157
PLS16-468	73.00	73.50	0.50	0.733
PLS16-468	73.50	74.00	0.50	0.066
PLS16-468	74.00	74.50	0.50	0.150
PLS16-468	74.50	75.00	0.50	0.063
PLS16-468	75.00	75.50	0.50	0.049
PLS16-468	75.50	76.00	0.50	0.012
PLS16-468	76.00	76.50	0.50	0.078
PLS16-468	76.50	77.00	0.50	0.153
PLS16-468	77.00	77.50	0.50	0.307
PLS16-468	77.50	78.00	0.50	0.522
PLS16-468	78.00	78.50	0.50	0.147
PLS16-468	78.50	79.00	0.50	0.084
PLS16-468	79.00	79.50	0.50	0.027
PLS16-468	79.50	80.00	0.50	0.053
PLS16-468	80.00	80.50	0.50	0.007
PLS16-468	80.50	81.00	0.50	0.010
PLS16-468	81.00	81.50	0.50	0.037
PLS16-468	81.50	82.00	0.50	0.004
PLS16-468	82.00	82.50	0.50	0.001
PLS16-468	82.50	83.00	0.50	<0.001
PLS16-468	83.00	83.50	0.50	<0.001
PLS16-468	83.50	84.00	0.50	0.001
PLS16-468	84.00	84.50	0.50	0.001
PLS16-468	84.50	85.00	0.50	<0.001
PLS16-468	85.00	85.50	0.50	0.003
PLS16-468	85.50	86.00	0.50	0.002
PLS16-468	86.00	86.50	0.50	0.001
PLS16-468	86.50	87.00	0.50	0.007
PLS16-468	87.00	87.50	0.50	0.058
PLS16-468	87.50	88.00	0.50	0.066
PLS16-468	88.00	88.50	0.50	0.030
PLS16-468	88.50	89.00	0.50	0.028
PLS16-468	89.00	89.50	0.50	0.021
PLS16-468	89.50	90.00	0.50	0.059
PLS16-468	90.00	90.50	0.50	0.067
PLS16-468	90.50	91.00	0.50	0.246
PLS16-468	91.00	91.50	0.50	0.247
PLS16-468	91.50	92.00	0.50	0.073
PLS16-468	92.00	92.50	0.50	0.342
PLS16-468	92.50	93.00	0.50	0.183
PLS16-468	93.00	93.50	0.50	0.128
PLS16-468	93.50	94.00	0.50	0.022
PLS16-468	94.00	94.50	0.50	0.020

PLS16-468	94.50	95.00	0.50	0.020
PLS16-468	95.00	95.50	0.50	0.097
PLS16-468	95.50	96.00	0.50	0.087
PLS16-468	96.00	96.50	0.50	0.232
PLS16-468	96.50	97.00	0.50	0.065
PLS16-468	97.00	97.50	0.50	0.196
PLS16-468	97.50	98.00	0.50	0.060
PLS16-468	98.00	98.50	0.50	0.084
PLS16-468	98.50	99.00	0.50	0.488
PLS16-468	99.00	99.50	0.50	0.189
PLS16-468	99.50	100.00	0.50	0.114
PLS16-468	100.00	100.50	0.50	0.059
PLS16-468	100.50	101.00	0.50	0.056
PLS16-468	101.00	101.50	0.50	0.068
PLS16-468	101.50	102.00	0.50	0.007
PLS16-468	102.00	102.50	0.50	0.002
PLS16-468	102.50	103.00	0.50	0.004
PLS16-468	103.00	103.50	0.50	0.004
PLS16-468	103.50	104.00	0.50	0.005
PLS16-468	104.00	104.50	0.50	0.005
PLS16-468	104.50	105.00	0.50	0.021
PLS16-468	105.00	105.50	0.50	0.029
PLS16-468	105.50	106.00	0.50	0.141
PLS16-468	106.00	106.50	0.50	0.222
PLS16-468	106.50	107.00	0.50	0.580
PLS16-468	107.00	107.50	0.50	0.720
PLS16-468	107.50	108.00	0.50	0.127
PLS16-468	108.00	108.50	0.50	0.054
PLS16-468	108.50	109.00	0.50	0.052
PLS16-468	109.00	109.50	0.50	0.258
PLS16-468	109.50	110.00	0.50	0.265
PLS16-468	110.00	110.50	0.50	0.038
PLS16-468	110.50	111.00	0.50	0.102
PLS16-468	111.00	111.50	0.50	0.054
PLS16-468	111.50	112.00	0.50	0.033
PLS16-468	112.00	112.50	0.50	0.042
PLS16-468	112.50	113.00	0.50	0.099
PLS16-468	113.00	113.50	0.50	0.053
PLS16-468	113.50	114.00	0.50	0.149
PLS16-468	114.00	114.50	0.50	0.076
PLS16-468	114.50	115.00	0.50	0.055
PLS16-468	115.00	115.50	0.50	0.013
PLS16-468	115.50	116.00	0.50	0.016
PLS16-468	116.00	116.50	0.50	0.013
PLS16-468	116.50	117.00	0.50	0.007
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)

PLS16-474	69.50	70.00	0.50	0.050
PLS16-474	70.00	70.50	0.50	0.100
PLS16-474	70.50	71.00	0.50	0.184
PLS16-474	71.00	71.50	0.50	0.061
PLS16-474	71.50	72.00	0.50	0.021
PLS16-474	72.00	72.50	0.50	0.223
PLS16-474	72.50	73.00	0.50	0.026
PLS16-474	73.00	73.50	0.50	0.008
PLS16-474	73.50	74.00	0.50	0.005
PLS16-474	74.00	74.50	0.50	0.004
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-481	80.00	80.50	0.50	0.001
PLS16-481	80.50	81.00	0.50	0.002
PLS16-481	81.00	81.50	0.50	<0.001
PLS16-481	81.50	82.00	0.50	0.008
PLS16-481	82.00	82.50	0.50	0.032
PLS16-481	82.50	83.00	0.50	0.022
PLS16-481	83.00	83.50	0.50	0.004
PLS16-481	83.50	84.00	0.50	0.012
PLS16-481	84.00	84.50	0.50	<0.001
PLS16-481	84.50	85.00	0.50	0.004
PLS16-481	85.00	85.50	0.50	0.001
PLS16-481	85.50	86.00	0.50	0.005
PLS16-481	86.00	86.50	0.50	0.023
PLS16-481	86.50	87.00	0.50	0.006
PLS16-481	87.00	87.50	0.50	0.005
PLS16-481	87.50	88.00	0.50	0.051
PLS16-481	88.00	88.50	0.50	0.008
PLS16-481	88.50	89.00	0.50	0.024
PLS16-481	89.00	89.50	0.50	0.046
PLS16-481	89.50	90.00	0.50	0.092
PLS16-481	90.00	90.50	0.50	0.346
PLS16-481	90.50	91.00	0.50	0.119
PLS16-481	91.00	91.50	0.50	0.118
PLS16-481	91.50	92.00	0.50	0.175
PLS16-481	92.00	92.50	0.50	0.074
PLS16-481	92.50	93.00	0.50	0.086
PLS16-481	93.00	93.50	0.50	0.064
PLS16-481	93.50	94.00	0.50	0.072
PLS16-481	94.00	94.50	0.50	0.176
PLS16-481	94.50	95.00	0.50	0.362
PLS16-481	95.00	95.50	0.50	0.039
PLS16-481	95.50	96.00	0.50	0.381
PLS16-481	96.00	96.50	0.50	0.174
<b>PLS16-481</b>	<b>96.50</b>	<b>97.00</b>	<b>0.50</b>	<b>1.030</b>
PLS16-481	97.00	97.50	0.50	0.165



PLS16-481	97.50	98.00	0.50	0.239
PLS16-481	98.00	98.50	0.50	0.138
PLS16-481	98.50	99.00	0.50	0.146
PLS16-481	99.00	99.50	0.50	0.068
PLS16-481	99.50	100.00	0.50	0.044
PLS16-481	100.00	100.50	0.50	0.013
PLS16-481	100.50	101.00	0.50	0.037
PLS16-481	101.00	101.50	0.50	0.003
PLS16-481	101.50	102.00	0.50	0.002
PLS16-481	102.00	102.50	0.50	<0.001
PLS16-481	102.50	103.00	0.50	0.003
PLS16-481	103.00	103.50	0.50	0.002
PLS16-481	103.50	104.00	0.50	<0.001
PLS16-481	104.00	104.50	0.50	0.006
PLS16-481	104.50	105.00	0.50	<0.001
PLS16-481	105.00	105.50	0.50	0.002
PLS16-481	105.50	106.00	0.50	<0.001
PLS16-481	106.00	106.50	0.50	<0.001
PLS16-481	106.50	107.00	0.50	<0.001
PLS16-481	107.00	107.50	0.50	0.001
PLS16-481	107.50	108.00	0.50	0.003
PLS16-481	108.00	108.50	0.50	0.161
PLS16-481	108.50	109.00	0.50	0.064
PLS16-481	109.00	109.50	0.50	0.010
PLS16-481	109.50	110.00	0.50	0.012
PLS16-481	110.00	110.50	0.50	0.044
PLS16-481	110.50	111.00	0.50	0.008
PLS16-481	111.00	111.50	0.50	0.032
PLS16-481	111.50	112.00	0.50	0.055
PLS16-481	112.00	112.50	0.50	0.084
PLS16-481	112.50	113.00	0.50	0.126
PLS16-481	113.00	113.50	0.50	0.198
<b>PLS16-481</b>	<b>113.50</b>	<b>114.00</b>	<b>0.50</b>	<b>1.070</b>
PLS16-481	114.00	114.50	0.50	0.124
PLS16-481	114.50	115.00	0.50	0.086
PLS16-481	115.00	115.50	0.50	0.103
PLS16-481	115.50	116.00	0.50	0.094
PLS16-481	116.00	116.50	0.50	0.134
PLS16-481	116.50	117.00	0.50	0.063
PLS16-481	117.00	117.50	0.50	0.077
PLS16-481	117.50	118.00	0.50	0.032
PLS16-481	118.00	118.50	0.50	0.006
PLS16-481	118.50	119.00	0.50	0.008
PLS16-481	119.00	119.50	0.50	0.003
PLS16-481	119.50	120.00	0.50	0.006
PLS16-481	120.00	120.50	0.50	0.007
PLS16-481	120.50	121.00	0.50	0.009

PLS16-481	121.00	121.50	0.50	0.011
PLS16-481	121.50	122.00	0.50	0.005
PLS16-481	122.00	122.50	0.50	0.004
PLS16-481	122.50	123.00	0.50	0.003
PLS16-481	123.00	123.50	0.50	0.002
PLS16-481	123.50	124.00	0.50	0.001
PLS16-481	124.00	124.50	0.50	0.002
PLS16-481	124.50	125.00	0.50	0.002
PLS16-481	125.00	125.50	0.50	0.008
PLS16-481	125.50	126.00	0.50	0.026
PLS16-481	126.00	126.50	0.50	0.079
PLS16-481	126.50	127.00	0.50	0.007
PLS16-481	127.00	127.50	0.50	0.014
PLS16-481	127.50	128.00	0.50	0.008
PLS16-481	128.00	128.50	0.50	0.011
PLS16-481	128.50	129.00	0.50	0.005
PLS16-481	129.00	129.50	0.50	0.006
PLS16-481	129.50	130.00	0.50	0.001
PLS16-481	130.00	130.50	0.50	0.002
PLS16-481	130.50	131.00	0.50	0.001
PLS16-481	131.00	131.50	0.50	0.014
PLS16-481	131.50	132.00	0.50	0.011
PLS16-481	132.00	132.50	0.50	0.002
PLS16-481	132.50	133.00	0.50	0.003
PLS16-481	133.00	133.50	0.50	0.004
PLS16-481	133.50	134.00	0.50	0.010
PLS16-481	134.00	134.50	0.50	0.004
PLS16-481	134.50	135.00	0.50	0.017
PLS16-481	135.00	135.50	0.50	0.003
PLS16-481	135.50	136.00	0.50	0.022
PLS16-481	136.00	136.50	0.50	0.199
PLS16-481	136.50	137.00	0.50	0.148
PLS16-481	137.00	137.50	0.50	0.022
PLS16-481	137.50	138.00	0.50	0.051
PLS16-481	138.00	138.50	0.50	0.052
PLS16-481	138.50	139.00	0.50	0.306
PLS16-481	139.00	139.50	0.50	0.160
PLS16-481	139.50	140.00	0.50	0.190
PLS16-481	140.00	140.50	0.50	0.018
PLS16-481	140.50	141.00	0.50	0.073
PLS16-481	141.00	141.50	0.50	0.098
PLS16-481	141.50	142.00	0.50	0.236
PLS16-481	142.00	142.50	0.50	0.134
PLS16-481	142.50	143.00	0.50	0.061
PLS16-481	143.00	143.50	0.50	0.108
PLS16-481	143.50	144.00	0.50	0.048
PLS16-481	144.00	144.50	0.50	0.002

PLS16-481	144.50	145.00	0.50	0.001
PLS16-481	145.00	145.50	0.50	0.003
PLS16-481	145.50	146.00	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-485	82.00	82.50	0.50	0.002
PLS16-485	82.50	83.00	0.50	0.001
PLS16-485	83.00	83.50	0.50	0.006
PLS16-485	83.50	84.00	0.50	0.013
PLS16-485	84.00	84.50	0.50	0.258
PLS16-485	84.50	85.00	0.50	0.044
PLS16-485	85.00	85.50	0.50	0.024
PLS16-485	85.50	86.00	0.50	0.025
PLS16-485	86.00	86.50	0.50	0.054
PLS16-485	86.50	87.00	0.50	0.048
PLS16-485	87.00	87.50	0.50	0.030
PLS16-485	87.50	88.00	0.50	0.062
PLS16-485	88.00	88.50	0.50	0.078
PLS16-485	88.50	89.00	0.50	0.109
PLS16-485	89.00	89.50	0.50	0.049
PLS16-485	89.50	90.00	0.50	0.055
PLS16-485	90.00	90.50	0.50	0.040
PLS16-485	90.50	91.00	0.50	0.042
PLS16-485	91.00	91.50	0.50	0.416
PLS16-485	91.50	92.00	0.50	0.191
<b>PLS16-485</b>	<b>92.00</b>	<b>92.50</b>	<b>0.50</b>	<b>9.620</b>
<b>PLS16-485</b>	<b>92.50</b>	<b>93.00</b>	<b>0.50</b>	<b>15.300</b>
<b>PLS16-485</b>	<b>93.00</b>	<b>93.50</b>	<b>0.50</b>	<b>30.400</b>
<b>PLS16-485</b>	<b>93.50</b>	<b>94.00</b>	<b>0.50</b>	<b>7.320</b>
<b>PLS16-485</b>	<b>94.00</b>	<b>94.50</b>	<b>0.50</b>	<b>10.800</b>
<b>PLS16-485</b>	<b>94.50</b>	<b>95.00</b>	<b>0.50</b>	<b>17.700</b>
<b>PLS16-485</b>	<b>95.00</b>	<b>95.50</b>	<b>0.50</b>	<b>8.460</b>
<b>PLS16-485</b>	<b>95.50</b>	<b>96.00</b>	<b>0.50</b>	<b>4.700</b>
<b>PLS16-485</b>	<b>96.00</b>	<b>96.50</b>	<b>0.50</b>	<b>8.990</b>
<b>PLS16-485</b>	<b>96.50</b>	<b>97.00</b>	<b>0.50</b>	<b>18.900</b>
<b>PLS16-485</b>	<b>97.00</b>	<b>97.50</b>	<b>0.50</b>	<b>19.400</b>
<b>PLS16-485</b>	<b>97.50</b>	<b>98.00</b>	<b>0.50</b>	<b>17.800</b>
<b>PLS16-485</b>	<b>98.00</b>	<b>98.50</b>	<b>0.50</b>	<b>10.900</b>
<b>PLS16-485</b>	<b>98.50</b>	<b>99.00</b>	<b>0.50</b>	<b>4.580</b>
<b>PLS16-485</b>	<b>99.00</b>	<b>99.50</b>	<b>0.50</b>	<b>8.600</b>
PLS16-485	99.50	100.00	0.50	0.518
PLS16-485	100.00	100.50	0.50	0.296
PLS16-485	100.50	101.00	0.50	0.108
PLS16-485	101.00	101.50	0.50	0.041
PLS16-485	101.50	102.00	0.50	0.033
PLS16-485	102.00	102.50	0.50	<0.001
PLS16-485	102.50	103.00	0.50	0.022

PLS16-485	103.00	103.50	0.50	0.009
PLS16-485	103.50	104.00	0.50	0.030
PLS16-485	104.00	104.50	0.50	0.049
PLS16-485	104.50	105.00	0.50	0.204
PLS16-485	105.00	105.50	0.50	0.763
PLS16-485	105.50	106.00	0.50	0.458
PLS16-485	106.00	106.50	0.50	0.126
PLS16-485	106.50	107.00	0.50	0.055
PLS16-485	107.00	107.50	0.50	0.035
PLS16-485	107.50	108.00	0.50	0.022
PLS16-485	108.00	108.50	0.50	0.056
PLS16-485	108.50	109.00	0.50	0.014
PLS16-485	109.00	109.50	0.50	0.010
PLS16-485	109.50	110.00	0.50	0.012
PLS16-485	110.00	110.50	0.50	0.002
PLS16-485	110.50	111.00	0.50	0.033
PLS16-485	111.00	111.50	0.50	0.024
PLS16-485	111.50	112.00	0.50	0.032
PLS16-485	112.00	112.50	0.50	0.036
PLS16-485	112.50	113.00	0.50	0.064
PLS16-485	113.00	113.50	0.50	0.012
PLS16-485	113.50	114.00	0.50	0.011
PLS16-485	114.00	114.50	0.50	0.018
PLS16-485	114.50	115.00	0.50	0.006
PLS16-485	115.00	115.50	0.50	0.008
PLS16-485	115.50	116.00	0.50	0.005
PLS16-485	116.00	116.50	0.50	0.007
PLS16-485	116.50	117.00	0.50	0.003
PLS16-485	117.00	117.50	0.50	0.002
PLS16-485	117.50	118.00	0.50	0.003
PLS16-485	118.00	118.50	0.50	0.016
PLS16-485	118.50	119.00	0.50	0.007
PLS16-485	119.00	119.50	0.50	0.003
PLS16-485	119.50	120.00	0.50	0.007
PLS16-485	120.00	120.50	0.50	0.001
PLS16-485	120.50	121.00	0.50	0.010
PLS16-485	121.00	121.50	0.50	0.022
PLS16-485	121.50	122.00	0.50	0.012
PLS16-485	122.00	122.50	0.50	0.014
PLS16-485	122.50	123.00	0.50	0.024
PLS16-485	123.00	123.50	0.50	0.036
PLS16-485	123.50	124.00	0.50	0.011
PLS16-485	124.00	124.50	0.50	0.010
PLS16-485	124.50	125.00	0.50	0.072
PLS16-485	125.00	125.50	0.50	0.010
PLS16-485	125.50	126.00	0.50	0.016
PLS16-485	126.00	126.50	0.50	0.015

PLS16-485	126.50	127.00	0.50	0.005
PLS16-485	127.00	127.50	0.50	0.006
PLS16-485	127.50	128.00	0.50	0.018
PLS16-485	128.00	128.50	0.50	0.216
PLS16-485	128.50	129.00	0.50	0.030
PLS16-485	129.00	129.50	0.50	0.024
PLS16-485	129.50	130.00	0.50	0.010
PLS16-485	130.00	130.50	0.50	0.016
PLS16-485	130.50	131.00	0.50	0.006
PLS16-485	131.00	131.50	0.50	0.001
PLS16-485	137.00	137.50	0.50	0.001
PLS16-485	137.50	138.00	0.50	0.002
PLS16-485	138.00	138.50	0.50	0.002
PLS16-485	138.50	139.00	0.50	0.003
PLS16-485	139.00	139.50	0.50	0.037
PLS16-485	139.50	140.00	0.50	0.001
PLS16-485	140.00	140.50	0.50	0.001
PLS16-485	140.50	141.00	0.50	0.001
PLS16-485	141.00	141.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-487	79.50	80.00	0.50	<0.001
PLS16-487	80.00	80.50	0.50	<0.001
PLS16-487	80.50	81.00	0.50	0.001
PLS16-487	81.00	81.50	0.50	0.008
PLS16-487	81.50	82.00	0.50	0.117
PLS16-487	82.00	82.50	0.50	0.279
PLS16-487	82.50	83.00	0.50	0.016
PLS16-487	83.00	83.50	0.50	0.036
PLS16-487	83.50	84.00	0.50	0.045
PLS16-487	84.00	84.50	0.50	0.030
PLS16-487	84.50	85.00	0.50	0.027
PLS16-487	85.00	85.50	0.50	0.028
PLS16-487	85.50	86.00	0.50	0.016
PLS16-487	86.00	86.50	0.50	0.015
PLS16-487	86.50	87.00	0.50	0.008
PLS16-487	87.00	87.50	0.50	0.025
PLS16-487	87.50	88.00	0.50	0.012
PLS16-487	88.00	88.50	0.50	0.007
PLS16-487	88.50	89.00	0.50	0.010
PLS16-487	89.00	89.50	0.50	0.003
PLS16-487	89.50	90.00	0.50	0.009
<b>PLS16-487</b>	<b>90.00</b>	<b>90.50</b>	<b>0.50</b>	<b>1.040</b>
PLS16-487	90.50	91.00	0.50	0.025
PLS16-487	91.00	91.50	0.50	0.201
PLS16-487	91.50	92.00	0.50	0.088
PLS16-487	92.00	92.50	0.50	0.116

PLS16-487	92.50	93.00	0.50	0.051
PLS16-487	93.00	93.50	0.50	0.044
PLS16-487	93.50	94.00	0.50	0.084
PLS16-487	94.00	94.50	0.50	0.071
PLS16-487	94.50	95.00	0.50	0.023
PLS16-487	95.00	95.50	0.50	0.441
PLS16-487	95.50	96.00	0.50	0.747
PLS16-487	96.00	96.50	0.50	0.395
PLS16-487	96.50	97.00	0.50	0.208
PLS16-487	97.00	97.50	0.50	0.502
<b>PLS16-487</b>	<b>97.50</b>	<b>98.00</b>	<b>0.50</b>	<b>2.370</b>
PLS16-487	98.00	98.50	0.50	0.484
PLS16-487	98.50	99.00	0.50	0.250
PLS16-487	99.00	99.50	0.50	0.390
PLS16-487	99.50	100.00	0.50	0.255
PLS16-487	100.00	100.50	0.50	0.239
PLS16-487	100.50	101.00	0.50	0.377
PLS16-487	101.00	101.50	0.50	0.573
PLS16-487	101.50	102.00	0.50	0.545
PLS16-487	102.00	102.50	0.50	0.985
<b>PLS16-487</b>	<b>102.50</b>	<b>103.00</b>	<b>0.50</b>	<b>1.480</b>
PLS16-487	103.00	103.50	0.50	0.978
PLS16-487	103.50	104.00	0.50	0.590
PLS16-487	104.00	104.50	0.50	0.167
PLS16-487	104.50	105.00	0.50	0.110
PLS16-487	105.00	105.50	0.50	0.013
PLS16-487	105.50	106.00	0.50	0.012
PLS16-487	106.00	106.50	0.50	0.005
PLS16-487	106.50	107.00	0.50	0.008
PLS16-487	107.00	107.50	0.50	0.060
PLS16-487	107.50	108.00	0.50	0.046
PLS16-487	108.00	108.50	0.50	0.086
PLS16-487	108.50	109.00	0.50	0.163
PLS16-487	109.00	109.50	0.50	0.231
<b>PLS16-487</b>	<b>109.50</b>	<b>110.00</b>	<b>0.50</b>	<b>1.640</b>
PLS16-487	110.00	110.50	0.50	0.204
PLS16-487	110.50	111.00	0.50	0.522
PLS16-487	111.00	111.50	0.50	0.417
PLS16-487	111.50	112.00	0.50	0.927
PLS16-487	112.00	112.50	0.50	0.229
PLS16-487	112.50	113.00	0.50	0.116
PLS16-487	113.00	113.50	0.50	0.057
PLS16-487	113.50	114.00	0.50	0.134
PLS16-487	114.00	114.50	0.50	0.320
<b>PLS16-487</b>	<b>114.50</b>	<b>115.00</b>	<b>0.50</b>	<b>1.330</b>
PLS16-487	115.00	115.50	0.50	0.572
PLS16-487	115.50	116.00	0.50	0.243

<b>PLS16-487</b>	<b>116.00</b>	<b>116.50</b>	<b>0.50</b>	<b>1.730</b>
<b>PLS16-487</b>	<b>116.50</b>	<b>117.00</b>	<b>0.50</b>	<b>1.370</b>
PLS16-487	117.00	117.50	0.50	0.343
PLS16-487	117.50	118.00	0.50	0.029
PLS16-487	118.00	118.50	0.50	0.103
PLS16-487	118.50	119.00	0.50	0.038
PLS16-487	119.00	119.50	0.50	0.019
PLS16-487	119.50	120.00	0.50	0.093
PLS16-487	120.00	120.50	0.50	0.099
PLS16-487	120.50	121.00	0.50	0.013
PLS16-487	121.00	121.50	0.50	0.026
PLS16-487	121.50	122.00	0.50	0.102
PLS16-487	122.00	122.50	0.50	0.049
PLS16-487	122.50	123.00	0.50	0.122
PLS16-487	123.00	123.50	0.50	0.432
PLS16-487	123.50	124.00	0.50	0.024
PLS16-487	124.00	124.50	0.50	0.004
PLS16-487	124.50	125.00	0.50	0.026
PLS16-487	125.00	125.50	0.50	0.018
PLS16-487	125.50	126.00	0.50	0.086
PLS16-487	126.00	126.50	0.50	0.065
PLS16-487	126.50	127.00	0.50	0.058
PLS16-487	127.00	127.50	0.50	0.016
PLS16-487	127.50	128.00	0.50	0.001
PLS16-487	128.00	128.50	0.50	0.001
PLS16-487	128.50	129.00	0.50	0.003
PLS16-487	129.00	129.50	0.50	0.001
PLS16-487	129.50	130.00	0.50	<0.001
PLS16-487	130.00	130.50	0.50	<0.001
PLS16-487	130.50	131.00	0.50	0.001
PLS16-487	131.00	131.50	0.50	0.016
PLS16-487	131.50	132.00	0.50	0.044
PLS16-487	132.00	132.50	0.50	0.117
PLS16-487	132.50	133.00	0.50	0.011
PLS16-487	133.00	133.50	0.50	0.005
PLS16-487	133.50	134.00	0.50	0.004
PLS16-487	134.00	134.50	0.50	0.005
PLS16-487	134.50	135.00	0.50	0.013
PLS16-487	135.00	135.50	0.50	0.013
PLS16-487	135.50	136.00	0.50	0.059
PLS16-487	136.00	136.50	0.50	0.113
PLS16-487	136.50	137.00	0.50	0.008
PLS16-487	137.00	137.50	0.50	0.046
PLS16-487	137.50	138.00	0.50	0.001
PLS16-487	138.00	138.50	0.50	<0.001
PLS16-487	138.50	139.00	0.50	0.001
PLS16-487	139.00	139.50	0.50	<0.001

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-489	66.60	67.00	0.40	0.001
PLS16-489	67.00	67.50	0.50	<0.001
PLS16-489	67.50	68.00	0.50	<0.001
PLS16-489	68.00	68.50	0.50	0.027
PLS16-489	68.50	69.00	0.50	0.447
PLS16-489	69.00	69.50	0.50	0.040
PLS16-489	69.50	70.00	0.50	0.019
PLS16-489	70.00	70.50	0.50	0.085
<b>PLS16-489</b>	<b>70.50</b>	<b>71.00</b>	<b>0.50</b>	<b>1.410</b>
<b>PLS16-489</b>	<b>71.00</b>	<b>71.50</b>	<b>0.50</b>	<b>1.840</b>
PLS16-489	71.50	72.00	0.50	0.652
PLS16-489	72.00	72.50	0.50	0.113
PLS16-489	72.50	73.00	0.50	0.397
PLS16-489	73.00	73.50	0.50	0.676
<b>PLS16-489</b>	<b>73.50</b>	<b>74.00</b>	<b>0.50</b>	<b>1.760</b>
<b>PLS16-489</b>	<b>74.00</b>	<b>74.50</b>	<b>0.50</b>	<b>3.460</b>
<b>PLS16-489</b>	<b>74.50</b>	<b>75.00</b>	<b>0.50</b>	<b>10.600</b>
<b>PLS16-489</b>	<b>75.00</b>	<b>75.50</b>	<b>0.50</b>	<b>4.550</b>
<b>PLS16-489</b>	<b>75.50</b>	<b>76.00</b>	<b>0.50</b>	<b>4.780</b>
<b>PLS16-489</b>	<b>76.00</b>	<b>76.50</b>	<b>0.50</b>	<b>10.300</b>
<b>PLS16-489</b>	<b>76.50</b>	<b>77.00</b>	<b>0.50</b>	<b>5.580</b>
PLS16-489	77.00	77.50	0.50	0.382
PLS16-489	77.50	78.00	0.50	0.182
<b>PLS16-489</b>	<b>78.00</b>	<b>78.50</b>	<b>0.50</b>	<b>5.180</b>
<b>PLS16-489</b>	<b>78.50</b>	<b>79.00</b>	<b>0.50</b>	<b>2.210</b>
PLS16-489	79.00	79.50	0.50	0.302
PLS16-489	79.50	80.00	0.50	0.088
PLS16-489	80.00	80.50	0.50	0.081
PLS16-489	80.50	81.00	0.50	0.039
PLS16-489	81.00	81.50	0.50	0.164
PLS16-489	81.50	82.00	0.50	0.074
PLS16-489	82.00	82.50	0.50	0.071
PLS16-489	82.50	83.00	0.50	0.037
PLS16-489	83.00	83.50	0.50	0.016
PLS16-489	83.50	84.00	0.50	0.019
PLS16-489	84.00	84.50	0.50	0.012
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-494	No Significant Mineralization			
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-496	66.80	67.00	0.20	0.104
PLS16-496	67.00	67.50	0.50	0.300
PLS16-496	67.50	68.00	0.50	0.968
PLS16-496	68.00	68.50	0.50	0.867
PLS16-496	68.50	69.00	0.50	0.768
<b>PLS16-496</b>	<b>69.00</b>	<b>69.50</b>	<b>0.50</b>	<b>1.250</b>



<b>PLS16-496</b>	<b>69.50</b>	<b>70.00</b>	<b>0.50</b>	<b>1.130</b>
PLS16-496	70.00	70.50	0.50	0.155
PLS16-496	70.50	71.00	0.50	0.247
PLS16-496	71.00	71.50	0.50	0.305
PLS16-496	71.50	72.00	0.50	0.697
PLS16-496	72.00	72.50	0.50	0.911
PLS16-496	72.50	73.00	0.50	0.243
PLS16-496	73.00	73.50	0.50	0.166
<b>PLS16-496</b>	<b>73.50</b>	<b>74.00</b>	<b>0.50</b>	<b>1.460</b>
<b>PLS16-496</b>	<b>74.00</b>	<b>74.50</b>	<b>0.50</b>	<b>1.200</b>
PLS16-496	74.50	75.00	0.50	0.509
PLS16-496	75.00	75.50	0.50	0.678
PLS16-496	75.50	76.00	0.50	0.927
<b>PLS16-496</b>	<b>76.00</b>	<b>76.50</b>	<b>0.50</b>	<b>5.080</b>
<b>PLS16-496</b>	<b>76.50</b>	<b>77.00</b>	<b>0.50</b>	<b>1.140</b>
PLS16-496	77.00	77.50	0.50	0.546
PLS16-496	77.50	78.00	0.50	0.276
PLS16-496	78.00	78.50	0.50	0.935
PLS16-496	78.50	79.00	0.50	0.826
<b>PLS16-496</b>	<b>79.00</b>	<b>79.50</b>	<b>0.50</b>	<b>1.390</b>
PLS16-496	79.50	80.00	0.50	0.597
PLS16-496	80.00	80.50	0.50	0.900
PLS16-496	80.50	81.00	0.50	0.500
PLS16-496	81.00	81.50	0.50	0.662
PLS16-496	81.50	82.00	0.50	0.836
PLS16-496	82.00	82.50	0.50	0.189
PLS16-496	82.50	83.00	0.50	0.233
PLS16-496	83.00	83.50	0.50	0.352
<b>PLS16-496</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>10.400</b>
<b>PLS16-496</b>	<b>84.00</b>	<b>84.50</b>	<b>0.50</b>	<b>9.470</b>
<b>PLS16-496</b>	<b>84.50</b>	<b>85.00</b>	<b>0.50</b>	<b>10.100</b>
<b>PLS16-496</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>5.560</b>
PLS16-496	85.50	86.00	0.50	0.449
PLS16-496	86.00	86.50	0.50	0.442
<b>PLS16-496</b>	<b>86.50</b>	<b>87.00</b>	<b>0.50</b>	<b>1.630</b>
PLS16-496	87.00	87.50	0.50	0.705
<b>PLS16-496</b>	<b>87.50</b>	<b>88.00</b>	<b>0.50</b>	<b>1.930</b>
<b>PLS16-496</b>	<b>88.00</b>	<b>88.50</b>	<b>0.50</b>	<b>9.220</b>
<b>PLS16-496</b>	<b>88.50</b>	<b>89.00</b>	<b>0.50</b>	<b>22.300</b>
<b>PLS16-496</b>	<b>89.00</b>	<b>89.50</b>	<b>0.50</b>	<b>15.700</b>
<b>PLS16-496</b>	<b>89.50</b>	<b>90.00</b>	<b>0.50</b>	<b>3.750</b>
<b>PLS16-496</b>	<b>90.00</b>	<b>90.50</b>	<b>0.50</b>	<b>5.750</b>
<b>PLS16-496</b>	<b>90.50</b>	<b>91.00</b>	<b>0.50</b>	<b>36.400</b>
<b>PLS16-496</b>	<b>91.00</b>	<b>91.50</b>	<b>0.50</b>	<b>3.960</b>
<b>PLS16-496</b>	<b>91.50</b>	<b>92.00</b>	<b>0.50</b>	<b>2.040</b>
PLS16-496	92.00	92.50	0.50	0.427
PLS16-496	92.50	93.00	0.50	0.487

PLS16-496	93.00	93.50	0.50	0.183
PLS16-496	93.50	94.00	0.50	0.019
PLS16-496	94.00	94.50	0.50	0.030
PLS16-496	94.50	95.00	0.50	0.084
PLS16-496	95.00	95.50	0.50	0.215
PLS16-496	95.50	96.00	0.50	0.463
PLS16-496	96.00	96.50	0.50	0.040
PLS16-496	96.50	97.00	0.50	0.055
PLS16-496	97.00	97.50	0.50	0.075
PLS16-496	97.50	98.00	0.50	0.178
PLS16-496	98.00	98.50	0.50	0.134
PLS16-496	98.50	99.00	0.50	0.056
PLS16-496	99.00	99.50	0.50	0.102
PLS16-496	99.50	100.00	0.50	0.182
PLS16-496	100.00	100.50	0.50	0.679
PLS16-496	100.50	101.00	0.50	0.009
PLS16-496	101.00	101.50	0.50	0.004
PLS16-496	101.50	102.00	0.50	0.005
PLS16-496	102.00	102.50	0.50	0.015
PLS16-496	102.50	103.00	0.50	0.010
PLS16-496	103.00	103.50	0.50	0.024
PLS16-496	103.50	104.00	0.50	0.114
PLS16-496	104.00	104.50	0.50	0.407
PLS16-496	104.50	105.00	0.50	0.020
PLS16-496	105.00	105.50	0.50	0.018
PLS16-496	105.50	106.00	0.50	0.006
PLS16-496	106.00	106.50	0.50	0.029
PLS16-496	106.50	107.00	0.50	0.146
PLS16-496	107.00	107.50	0.50	0.124
PLS16-496	107.50	108.00	0.50	0.128
PLS16-496	108.00	109.00	1.00	0.117
PLS16-496	109.00	110.00	1.00	0.155
PLS16-496	110.00	110.50	0.50	0.006
PLS16-496	110.50	111.00	0.50	0.006
PLS16-496	111.00	111.50	0.50	0.015
PLS16-496	111.50	112.00	0.50	0.008
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-498	71.00	71.50	0.50	0.010
PLS16-498	71.50	72.00	0.50	0.013
PLS16-498	72.00	72.50	0.50	0.021
PLS16-498	72.50	73.00	0.50	0.012
PLS16-498	73.00	73.50	0.50	0.083
PLS16-498	73.50	74.00	0.50	0.047
PLS16-498	74.00	74.50	0.50	0.029
PLS16-498	74.50	75.00	0.50	0.052
PLS16-498	75.00	75.50	0.50	0.022

PLS16-498	75.50	76.00	0.50	0.002
PLS16-498	76.00	76.50	0.50	0.004
PLS16-498	76.50	77.00	0.50	0.031
PLS16-498	77.00	77.50	0.50	0.012
PLS16-498	77.50	78.00	0.50	0.018
PLS16-498	78.00	78.50	0.50	0.040
PLS16-498	78.50	79.00	0.50	0.102
PLS16-498	79.00	79.50	0.50	0.829
PLS16-498	79.50	80.00	0.50	0.568
PLS16-498	80.00	80.50	0.50	0.684
PLS16-498	80.50	81.00	0.50	0.066
PLS16-498	81.00	81.50	0.50	0.106
PLS16-498	81.50	82.00	0.50	0.689
<b>PLS16-498</b>	<b>82.00</b>	<b>82.50</b>	<b>0.50</b>	<b>1.430</b>
<b>PLS16-498</b>	<b>82.50</b>	<b>83.00</b>	<b>0.50</b>	<b>1.260</b>
PLS16-498	83.00	83.50	0.50	0.526
PLS16-498	83.50	84.00	0.50	0.742
PLS16-498	84.00	84.50	0.50	0.743
PLS16-498	84.50	85.00	0.50	0.388
<b>PLS16-498</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>1.680</b>
<b>PLS16-498</b>	<b>85.50</b>	<b>86.00</b>	<b>0.50</b>	<b>5.360</b>
<b>PLS16-498</b>	<b>86.00</b>	<b>86.50</b>	<b>0.50</b>	<b>2.880</b>
<b>PLS16-498</b>	<b>86.50</b>	<b>87.00</b>	<b>0.50</b>	<b>3.980</b>
PLS16-498	87.00	87.50	0.50	0.522
PLS16-498	87.50	88.00	0.50	0.272
<b>PLS16-498</b>	<b>88.00</b>	<b>88.50</b>	<b>0.50</b>	<b>1.140</b>
<b>PLS16-498</b>	<b>88.50</b>	<b>89.00</b>	<b>0.50</b>	<b>2.540</b>
<b>PLS16-498</b>	<b>89.00</b>	<b>89.50</b>	<b>0.50</b>	<b>18.000</b>
PLS16-498	89.50	90.00	0.50	0.339
PLS16-498	90.00	90.50	0.50	0.706
PLS16-498	90.50	91.00	0.50	0.342
<b>PLS16-498</b>	<b>91.00</b>	<b>91.50</b>	<b>0.50</b>	<b>4.200</b>
<b>PLS16-498</b>	<b>91.50</b>	<b>92.00</b>	<b>0.50</b>	<b>1.840</b>
<b>PLS16-498</b>	<b>92.00</b>	<b>92.50</b>	<b>0.50</b>	<b>1.560</b>
PLS16-498	92.50	93.00	0.50	0.413
PLS16-498	93.00	93.50	0.50	0.126
<b>PLS16-498</b>	<b>93.50</b>	<b>94.00</b>	<b>0.50</b>	<b>5.080</b>
<b>PLS16-498</b>	<b>94.00</b>	<b>94.50</b>	<b>0.50</b>	<b>7.330</b>
<b>PLS16-498</b>	<b>94.50</b>	<b>95.00</b>	<b>0.50</b>	<b>16.800</b>
<b>PLS16-498</b>	<b>95.00</b>	<b>95.50</b>	<b>0.50</b>	<b>13.300</b>
<b>PLS16-498</b>	<b>95.50</b>	<b>96.00</b>	<b>0.50</b>	<b>27.300</b>
<b>PLS16-498</b>	<b>96.00</b>	<b>96.50</b>	<b>0.50</b>	<b>5.180</b>
<b>PLS16-498</b>	<b>96.50</b>	<b>97.00</b>	<b>0.50</b>	<b>8.140</b>
<b>PLS16-498</b>	<b>97.00</b>	<b>97.50</b>	<b>0.50</b>	<b>36.800</b>
<b>PLS16-498</b>	<b>97.50</b>	<b>98.00</b>	<b>0.50</b>	<b>6.660</b>
<b>PLS16-498</b>	<b>98.00</b>	<b>98.50</b>	<b>0.50</b>	<b>1.850</b>
<b>PLS16-498</b>	<b>98.50</b>	<b>99.00</b>	<b>0.50</b>	<b>2.270</b>

PLS16-498	99.00	99.50	0.50	0.950
PLS16-498	99.50	100.00	0.50	0.142
<b>PLS16-498</b>	<b>100.00</b>	<b>100.50</b>	<b>0.50</b>	<b>1.750</b>
PLS16-498	100.50	101.00	0.50	0.945
PLS16-498	101.00	101.50	0.50	0.130
PLS16-498	101.50	102.00	0.50	0.141
PLS16-498	102.00	102.50	0.50	0.349
<b>PLS16-498</b>	<b>102.50</b>	<b>103.00</b>	<b>0.50</b>	<b>1.040</b>
PLS16-498	103.00	103.50	0.50	0.618
PLS16-498	103.50	104.00	0.50	0.126
PLS16-498	104.00	104.50	0.50	0.013
PLS16-498	104.50	105.00	0.50	0.078
PLS16-498	105.00	105.50	0.50	0.041
PLS16-498	105.50	106.00	0.50	0.016
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-500	84.00	84.50	0.50	0.009
PLS16-500	84.50	85.00	0.50	0.002
PLS16-500	85.00	85.50	0.50	0.005
PLS16-500	85.50	86.00	0.50	0.016
PLS16-500	86.00	86.50	0.50	0.275
PLS16-500	86.50	87.00	0.50	0.265
PLS16-500	87.00	87.50	0.50	0.118
PLS16-500	87.50	88.00	0.50	0.146
PLS16-500	88.00	88.50	0.50	0.104
PLS16-500	88.50	89.00	0.50	0.064
PLS16-500	89.00	89.50	0.50	0.272
PLS16-500	89.50	90.00	0.50	0.343
PLS16-500	90.00	90.50	0.50	0.065
PLS16-500	90.50	91.00	0.50	0.190
PLS16-500	91.00	91.50	0.50	0.272
PLS16-500	91.50	92.00	0.50	0.094
PLS16-500	92.00	92.50	0.50	0.090
PLS16-500	92.50	93.00	0.50	0.069
PLS16-500	93.00	93.50	0.50	0.319
PLS16-500	93.50	94.00	0.50	0.045
PLS16-500	94.00	94.50	0.50	0.033
PLS16-500	94.50	95.00	0.50	0.044
PLS16-500	95.00	95.50	0.50	0.163
<b>PLS16-500</b>	<b>95.50</b>	<b>96.00</b>	<b>0.50</b>	<b>1.720</b>
PLS16-500	96.00	96.50	0.50	0.801
<b>PLS16-500</b>	<b>96.50</b>	<b>97.00</b>	<b>0.50</b>	<b>1.010</b>
<b>PLS16-500</b>	<b>97.00</b>	<b>97.50</b>	<b>0.50</b>	<b>1.020</b>
<b>PLS16-500</b>	<b>97.50</b>	<b>98.00</b>	<b>0.50</b>	<b>2.250</b>
<b>PLS16-500</b>	<b>98.00</b>	<b>98.50</b>	<b>0.50</b>	<b>1.940</b>
<b>PLS16-500</b>	<b>98.50</b>	<b>99.00</b>	<b>0.50</b>	<b>8.660</b>
<b>PLS16-500</b>	<b>99.00</b>	<b>99.50</b>	<b>0.50</b>	<b>16.500</b>

PLS16-500	99.50	100.00	0.50	24.500
PLS16-500	100.00	100.50	0.50	18.400
PLS16-500	100.50	101.00	0.50	27.400
PLS16-500	101.00	101.50	0.50	5.960
PLS16-500	101.50	102.00	0.50	9.150
PLS16-500	102.00	102.50	0.50	7.900
PLS16-500	102.50	103.00	0.50	11.600
PLS16-500	103.00	103.50	0.50	15.500
PLS16-500	103.50	104.00	0.50	18.100
PLS16-500	104.00	104.50	0.50	10.200
PLS16-500	104.50	105.00	0.50	2.280
PLS16-500	105.00	105.50	0.50	18.600
PLS16-500	105.50	106.00	0.50	14.600
PLS16-500	106.00	106.50	0.50	10.100
PLS16-500	106.50	107.00	0.50	14.500
PLS16-500	107.00	107.50	0.50	15.200
PLS16-500	107.50	108.00	0.50	8.440
PLS16-500	108.00	108.50	0.50	0.130
PLS16-500	108.50	109.00	0.50	0.074
PLS16-500	109.00	109.50	0.50	0.015
PLS16-500	109.50	110.00	0.50	0.003
PLS16-500	110.00	110.50	0.50	0.005
PLS16-500	110.50	111.00	0.50	0.048
PLS16-500	111.00	111.50	0.50	0.056
PLS16-500	111.50	112.00	0.50	0.021
PLS16-500	112.00	112.50	0.50	0.141
PLS16-500	112.50	113.00	0.50	0.087
PLS16-500	113.00	113.50	0.50	0.011
PLS16-500	113.50	114.00	0.50	0.017
PLS16-500	114.00	114.50	0.50	0.014
PLS16-500	114.50	115.00	0.50	0.014
PLS16-500	115.00	115.50	0.50	0.018
PLS16-500	115.50	116.00	0.50	0.012
PLS16-500	116.00	116.50	0.50	0.010
PLS16-500	116.50	117.00	0.50	0.011
PLS16-500	117.00	117.50	0.50	0.003
PLS16-500	117.50	118.00	0.50	0.003
PLS16-500	118.00	118.50	0.50	<0.001
PLS16-500	118.50	119.00	0.50	<0.001
PLS16-500	119.00	119.50	0.50	0.012
PLS16-500	119.50	120.00	0.50	0.005
PLS16-500	120.00	120.50	0.50	<0.001
PLS16-500	120.50	121.00	0.50	0.003
PLS16-500	121.00	121.50	0.50	0.004
PLS16-500	121.50	122.00	0.50	0.015
PLS16-500	122.00	122.50	0.50	0.148
PLS16-500	122.50	123.00	0.50	0.052

PLS16-500	123.00	123.50	0.50	0.320
PLS16-500	123.50	124.00	0.50	0.379
PLS16-500	124.00	124.50	0.50	0.227
PLS16-500	124.50	125.00	0.50	0.042
PLS16-500	125.00	125.50	0.50	0.005
PLS16-500	125.50	126.00	0.50	0.005
PLS16-500	126.00	126.50	0.50	0.003
PLS16-500	126.50	127.00	0.50	<0.001
PLS16-500	127.00	127.50	0.50	0.005
PLS16-500	127.50	128.00	0.50	0.022
PLS16-500	128.00	128.50	0.50	0.058
PLS16-500	128.50	129.00	0.50	0.037
PLS16-500	129.00	129.50	0.50	0.038
PLS16-500	129.50	130.00	0.50	0.046
PLS16-500	130.00	130.50	0.50	0.030
PLS16-500	130.50	131.00	0.50	0.070
PLS16-500	131.00	131.50	0.50	0.010
PLS16-500	131.50	132.00	0.50	0.004
PLS16-500	132.00	132.50	0.50	0.070
PLS16-500	132.50	133.00	0.50	0.056
PLS16-500	133.00	133.50	0.50	0.093
PLS16-500	133.50	134.00	0.50	0.025
PLS16-500	134.00	134.50	0.50	0.009
PLS16-500	134.50	135.00	0.50	<0.001
PLS16-500	135.00	135.50	0.50	0.004
PLS16-500	135.50	136.00	0.50	0.033
PLS16-500	136.00	136.50	0.50	<0.001
PLS16-500	136.50	137.00	0.50	<0.001
PLS16-500	137.00	137.50	0.50	0.002
PLS16-500	144.00	144.50	0.50	0.004
PLS16-500	144.50	145.00	0.50	<0.001
PLS16-500	145.00	145.50	0.50	0.002
PLS16-500	145.50	146.00	0.50	0.032
PLS16-500	146.00	146.50	0.50	0.053
PLS16-500	146.50	147.00	0.50	0.034
PLS16-500	147.00	147.50	0.50	0.005
PLS16-500	147.50	148.00	0.50	0.001
PLS16-500	148.00	148.50	0.50	<0.001
PLS16-500	148.50	149.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-513	68.00	71.00	3.00	0.106
PLS17-513	71.00	71.50	0.50	0.161
PLS17-513	71.50	72.00	0.50	0.028
PLS17-513	72.00	72.50	0.50	0.023
PLS17-513	72.50	73.00	0.50	0.030
PLS17-513	73.00	73.50	0.50	0.010

PLS17-513	73.50	74.00	0.50	0.022
PLS17-513	74.00	74.50	0.50	0.012
PLS17-513	74.50	75.00	0.50	0.006
PLS17-513	75.00	75.50	0.50	0.007
PLS17-513	75.50	76.00	0.50	0.045
PLS17-513	76.00	76.50	0.50	0.038
PLS17-513	76.50	77.00	0.50	0.025
PLS17-513	77.00	77.50	0.50	0.022
PLS17-513	77.50	78.00	0.50	0.016
PLS17-513	78.00	78.50	0.50	0.015
PLS17-513	78.50	79.00	0.50	0.011
PLS17-513	79.00	79.50	0.50	0.008
PLS17-513	79.50	80.00	0.50	0.010
PLS17-513	80.00	80.50	0.50	0.018
PLS17-513	80.50	81.00	0.50	0.228
PLS17-513	81.00	81.50	0.50	0.138
PLS17-513	81.50	82.00	0.50	0.127
PLS17-513	82.00	82.50	0.50	0.053
PLS17-513	82.5	83	0.50	0.054
PLS17-513	83.00	83.50	0.50	0.072
PLS17-513	83.50	84.00	0.50	0.018
PLS17-513	84.00	84.50	0.50	0.007
PLS17-513	84.50	85.00	0.50	0.006
PLS17-513	85.00	85.50	0.50	0.011
PLS17-513	85.50	86.00	0.50	0.017
PLS17-513	86.00	86.50	0.50	0.018
PLS17-513	86.50	87.00	0.50	0.008
PLS17-513	87.00	87.50	0.50	0.004
PLS17-513	87.50	88.00	0.50	0.002
PLS17-513	88.00	88.50	0.50	0.003
PLS17-513	88.50	89.00	0.50	0.005
PLS17-513	89.00	89.50	0.50	0.002
PLS17-513	89.50	90.00	0.50	0.002
PLS17-513	90.00	90.50	0.50	<0.001
PLS17-513	90.50	91.00	0.50	0.003
PLS17-513	91.00	91.50	0.50	0.012
PLS17-513	91.50	92.00	0.50	0.009
PLS17-513	92.00	92.50	0.50	0.004
PLS17-513	92.50	93.00	0.50	0.005
PLS17-513	93.00	93.50	0.50	0.008
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-516	104.50	105.00	0.50	0.002
PLS17-516	105.00	105.50	0.50	0.002
PLS17-516	105.50	106.00	0.50	0.002
PLS17-516	106.00	106.50	0.50	0.003
PLS17-516	106.50	107.00	0.50	0.064

PLS17-516	107.00	107.50	0.50	0.094
PLS17-516	107.50	108.00	0.50	0.697
PLS17-516	108.00	108.50	0.50	0.208
PLS17-516	108.50	109.00	0.50	0.840
PLS17-516	109.00	109.50	0.50	0.016
PLS17-516	109.50	110.00	0.50	0.024
PLS17-516	110.00	110.50	0.50	0.036
PLS17-516	110.50	111.00	0.50	0.041
PLS17-516	111.00	111.50	0.50	0.124
PLS17-516	111.50	112.00	0.50	0.044
PLS17-516	112.00	112.50	0.50	0.011
PLS17-516	112.50	113.00	0.50	0.004
PLS17-516	113.00	113.50	0.50	0.046
PLS17-516	113.50	114.00	0.50	0.010
PLS17-516	114.00	114.50	0.50	0.011
PLS17-516	114.50	115.00	0.50	0.003
PLS17-516	115.00	115.50	0.50	0.010
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-518	62.00	62.50	0.50	0.022
PLS17-518	62.50	63.00	0.50	0.096
PLS17-518	63.00	63.50	0.50	0.791
<b>PLS17-518</b>	<b>63.50</b>	<b>64.00</b>	<b>0.50</b>	<b>1.200</b>
PLS17-518	64.00	64.50	0.50	0.252
PLS17-518	64.50	65.00	0.50	0.320
PLS17-518	65.00	65.50	0.50	0.092
PLS17-518	65.50	66.00	0.50	0.132
PLS17-518	66.00	66.50	0.50	0.101
PLS17-518	66.50	67.00	0.50	0.139
PLS17-518	67.00	67.50	0.50	0.037
PLS17-518	67.50	68.00	0.50	0.028
PLS17-518	68.00	68.50	0.50	0.034
PLS17-518	68.50	69.00	0.50	0.007
PLS17-518	69.00	69.50	0.50	0.044
PLS17-518	69.50	70.00	0.50	0.012
PLS17-518	70.00	70.50	0.50	0.012
PLS17-518	70.50	71.00	0.50	0.007
PLS17-518	71.00	71.50	0.50	0.024
PLS17-518	71.50	72.00	0.50	0.016
PLS17-518	72.00	72.50	0.50	0.088
PLS17-518	72.50	73.00	0.50	0.626
PLS17-518	73.00	73.50	0.50	0.355
PLS17-518	73.50	74.00	0.50	0.259
PLS17-518	74.00	74.50	0.50	0.664
PLS17-518	74.50	75.00	0.50	0.465
PLS17-518	75.00	75.50	0.50	0.517
PLS17-518	75.50	76.00	0.50	0.396



PLS17-518	76.00	76.50	0.50	0.121
PLS17-518	76.50	77.00	0.50	0.308
PLS17-518	77.00	77.50	0.50	0.106
PLS17-518	77.50	78.00	0.50	0.335
PLS17-518	78.00	78.50	0.50	0.336
PLS17-518	78.50	79.00	0.50	0.169
PLS17-518	79.00	79.50	0.50	0.072
PLS17-518	79.50	80.00	0.50	0.198
<b>PLS17-518</b>	<b>80.00</b>	<b>80.50</b>	<b>0.50</b>	<b>5.580</b>
<b>PLS17-518</b>	<b>80.50</b>	<b>81.00</b>	<b>0.50</b>	<b>1.260</b>
<b>PLS17-518</b>	<b>81.00</b>	<b>81.50</b>	<b>0.50</b>	<b>1.840</b>
<b>PLS17-518</b>	<b>81.50</b>	<b>82.00</b>	<b>0.50</b>	<b>3.180</b>
PLS17-518	82.00	82.50	0.50	0.527
PLS17-518	82.50	83.00	0.50	0.451
<b>PLS17-518</b>	<b>83.00</b>	<b>83.50</b>	<b>0.50</b>	<b>1.440</b>
<b>PLS17-518</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>7.020</b>
<b>PLS17-518</b>	<b>84.00</b>	<b>84.50</b>	<b>0.50</b>	<b>4.160</b>
<b>PLS17-518</b>	<b>84.50</b>	<b>85.00</b>	<b>0.50</b>	<b>1.160</b>
<b>PLS17-518</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>2.670</b>
PLS17-518	85.50	86.00	0.50	0.154
<b>PLS17-518</b>	<b>86.00</b>	<b>86.50</b>	<b>0.50</b>	<b>1.020</b>
PLS17-518	86.50	87.00	0.50	0.089
PLS17-518	87.00	87.50	0.50	0.218
PLS17-518	87.50	88.00	0.50	0.176
PLS17-518	88.00	88.50	0.50	0.079
PLS17-518	88.50	89.00	0.50	0.038
PLS17-518	89.00	89.50	0.50	0.058
PLS17-518	89.50	90.00	0.50	0.107
PLS17-518	90.00	90.50	0.50	0.013
PLS17-518	90.50	91.00	0.50	0.032
PLS17-518	91.00	91.50	0.50	0.069
PLS17-518	91.50	92.00	0.50	0.227
PLS17-518	92.00	92.50	0.50	0.022
PLS17-518	92.50	93.00	0.50	0.005
PLS17-518	93.00	93.50	0.50	0.026
PLS17-518	93.50	94.00	0.50	0.003
PLS17-518	94.00	94.50	0.50	0.004
PLS17-518	94.50	95.00	0.50	0.012
PLS17-518	95.00	95.50	0.50	0.020
PLS17-518	95.50	96.00	0.50	0.001
PLS17-518	96.00	96.50	0.50	0.002
PLS17-518	96.50	97.00	0.50	0.019
PLS17-518	97.00	97.50	0.50	0.029
PLS17-518	97.50	98.00	0.50	0.068
PLS17-518	98.00	98.50	0.50	0.001
PLS17-518	98.50	99.00	0.50	0.001
PLS17-518	99.00	99.50	0.50	0.001

PLS17-518	99.50	100.00	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-520	82.50	83.00	0.50	0.009
PLS17-520	83.00	83.50	0.50	0.004
PLS17-520	83.50	84.00	0.50	0.004
PLS17-520	84.00	84.50	0.50	0.005
PLS17-520	84.50	85.00	0.50	0.164
PLS17-520	85.00	85.50	0.50	0.067
PLS17-520	85.50	86.00	0.50	0.080
PLS17-520	86.00	86.50	0.50	0.082
PLS17-520	86.50	87.00	0.50	0.041
PLS17-520	87.00	87.50	0.50	0.007
PLS17-520	87.50	88.00	0.50	0.019
PLS17-520	88.00	88.50	0.50	0.013
PLS17-520	88.50	89.00	0.50	0.040
PLS17-520	89.00	89.50	0.50	0.004
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-522	79.50	80.00	0.50	0.005
PLS17-522	80.00	80.50	0.50	<0.001
PLS17-522	80.50	81.00	0.50	<0.001
PLS17-522	81.00	81.50	0.50	<0.001
PLS17-522	81.50	82.00	0.50	0.035
PLS17-522	82.00	82.50	0.50	0.002
PLS17-522	82.50	83.00	0.50	0.002
PLS17-522	83.00	83.50	0.50	<0.001
PLS17-522	83.50	84.00	0.50	<0.001
PLS17-522	103.00	103.50	0.50	0.001
PLS17-522	103.50	104.00	0.50	0.001
PLS17-522	104.00	104.50	0.50	0.002
PLS17-522	104.50	105.00	0.50	0.006
<b>PLS17-522</b>	<b>105.00</b>	<b>105.50</b>	<b>0.50</b>	<b>2.080</b>
PLS17-522	105.50	106.00	0.50	0.227
PLS17-522	106.00	106.50	0.50	0.052
PLS17-522	106.50	107.00	0.50	0.024
<b>PLS17-522</b>	<b>107.00</b>	<b>107.50</b>	<b>0.50</b>	<b>1.060</b>
PLS17-522	107.50	108.00	0.50	0.707
PLS17-522	108.00	108.50	0.50	0.035
PLS17-522	108.50	109.00	0.50	0.012
PLS17-522	109.00	109.50	0.50	0.005
PLS17-522	109.50	110.00	0.50	0.039
PLS17-522	110.00	110.50	0.50	0.042
PLS17-522	110.50	111.00	0.50	0.038
PLS17-522	111.00	111.50	0.50	0.024
PLS17-522	111.50	112.00	0.50	0.005
PLS17-522	112.00	112.50	0.50	0.098
PLS17-522	112.50	113.00	0.50	0.161

PLS17-522	113.00	113.50	0.50	0.178
PLS17-522	113.50	114.00	0.50	0.094
PLS17-522	114.00	114.50	0.50	0.823
PLS17-522	114.50	115.00	0.50	0.099
PLS17-522	115.00	115.50	0.50	0.118
PLS17-522	115.50	116.00	0.50	0.071
PLS17-522	116.00	116.50	0.50	0.107
PLS17-522	116.50	117.00	0.50	0.008
PLS17-522	117.00	117.50	0.50	0.016
PLS17-522	117.50	118.00	0.50	0.034
PLS17-522	118.00	118.50	0.50	0.003
PLS17-522	118.50	119.00	0.50	0.003
PLS17-522	119.00	119.50	0.50	0.020
PLS17-522	119.50	120.00	0.50	0.082
PLS17-522	120.00	120.50	0.50	0.071
PLS17-522	120.50	121.00	0.50	0.051
PLS17-522	121.00	121.50	0.50	0.030
PLS17-522	121.50	122.00	0.50	0.007
PLS17-522	122.00	122.50	0.50	0.014
PLS17-522	122.50	123.00	0.50	0.008
PLS17-522	123.00	123.50	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-525	128.50	129.00	0.50	<0.001
PLS17-525	129.00	129.50	0.50	0.002
PLS17-525	129.50	130.00	0.50	<0.001
PLS17-525	130.00	130.50	0.50	0.002
PLS17-525	130.50	131.00	0.50	0.022
PLS17-525	131.00	131.50	0.50	0.132
PLS17-525	131.50	132.00	0.50	0.167
PLS17-525	132.00	132.50	0.50	0.015
PLS17-525	132.50	133.00	0.50	0.014
PLS17-525	133.00	133.50	0.50	0.017
PLS17-525	133.50	134.00	0.50	0.125
PLS17-525	134.00	134.50	0.50	0.133
PLS17-525	134.50	135.00	0.50	0.042
PLS17-525	135.00	135.50	0.50	0.008
PLS17-525	135.50	136.00	0.50	0.004
PLS17-525	136.00	136.50	0.50	0.002
PLS17-525	136.50	137.00	0.50	0.001
PLS17-525	137.00	137.50	0.50	0.004
PLS17-525	137.50	138.00	0.50	0.003
PLS17-525	138.00	138.50	0.50	0.017
PLS17-525	138.50	139.00	0.50	0.008
PLS17-525	139.00	139.50	0.50	0.008
PLS17-525	139.50	140.00	0.50	<0.001
PLS17-525	140.00	140.50	0.50	<0.001

PLS17-525	140.50	141.00	0.50	<0.001
PLS17-525	141.00	141.50	0.50	0.001
PLS17-525	141.50	142.00	0.50	0.027
PLS17-525	142.00	142.50	0.50	0.126
PLS17-525	142.50	143.00	0.50	0.064
PLS17-525	143.00	143.50	0.50	0.020
PLS17-525	143.50	144.00	0.50	0.004
PLS17-525	144.00	144.50	0.50	0.002
PLS17-525	144.50	145.00	0.50	0.002
PLS17-525	145.00	145.50	0.50	0.002
PLS17-525	145.50	146.00	0.50	0.005
PLS17-525	146.00	146.50	0.50	0.003
PLS17-525	146.50	147.00	0.50	0.004
PLS17-525	147.00	147.50	0.50	0.010
PLS17-525	147.50	148.00	0.50	0.002
PLS17-525	148.00	148.50	0.50	0.004
PLS17-525	148.50	149.00	0.50	0.004
PLS17-525	149.00	149.50	0.50	0.004
PLS17-525	149.50	150.00	0.50	0.008
PLS17-525	150.00	150.50	0.50	0.004
PLS17-525	150.50	151.00	0.50	0.002
PLS17-525	151.00	151.50	0.50	0.006
PLS17-525	151.50	152.00	0.50	0.008
PLS17-525	152.00	152.50	0.50	0.002
PLS17-525	152.50	153.00	0.50	0.003
PLS17-525	153.00	153.50	0.50	0.083
PLS17-525	153.50	154.00	0.50	0.052
PLS17-525	154.00	154.50	0.50	0.006
PLS17-525	154.50	155.00	0.50	<0.001
PLS17-525	155.00	155.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-527	87.50	88.00	0.50	0.002
PLS17-527	88.00	88.50	0.50	0.006
PLS17-527	88.50	89.00	0.50	0.013
PLS17-527	89.00	89.50	0.50	0.002
PLS17-527	89.50	90.00	0.50	0.032
PLS17-527	90.00	90.50	0.50	0.076
PLS17-527	90.50	91.00	0.50	0.032
PLS17-527	91.00	91.50	0.50	0.028
PLS17-527	91.50	92.00	0.50	0.014
PLS17-527	92.00	92.50	0.50	0.045
PLS17-527	92.50	93.00	0.50	0.253
PLS17-527	93.00	93.50	0.50	0.042
PLS17-527	93.50	94.00	0.50	0.017
PLS17-527	94.00	94.50	0.50	0.385
PLS17-527	94.50	95.00	0.50	0.054

PLS17-527	95.00	95.50	0.50	0.024
PLS17-527	95.50	96.00	0.50	0.060
PLS17-527	96.00	96.50	0.50	0.606
PLS17-527	96.50	97.00	0.50	0.114
PLS17-527	97.00	97.50	0.50	0.148
PLS17-527	97.50	98.00	0.50	<0.001
PLS17-527	98.00	98.50	0.50	0.017
PLS17-527	98.50	99.00	0.50	0.216
PLS17-527	99.00	99.50	0.50	0.025
PLS17-527	99.50	100.00	0.50	0.121
PLS17-527	100.00	100.50	0.50	0.018
PLS17-527	100.50	101.00	0.50	0.003
PLS17-527	101.00	101.50	0.50	0.017
PLS17-527	101.50	102.00	0.50	0.040
PLS17-527	102.00	102.50	0.50	0.292
PLS17-527	102.50	103.00	0.50	0.122
PLS17-527	103.00	103.50	0.50	0.021
PLS17-527	103.50	104.00	0.50	0.079
PLS17-527	104.00	104.50	0.50	0.044
PLS17-527	104.50	105.00	0.50	0.014
PLS17-527	105.00	105.50	0.50	0.008
PLS17-527	105.50	106.00	0.50	0.016
PLS17-527	106.00	106.50	0.50	0.015
PLS17-527	106.50	107.00	0.50	0.062
PLS17-527	107.00	107.50	0.50	0.003
PLS17-527	107.50	108.00	0.50	0.003
PLS17-527	108.00	108.50	0.50	0.036
PLS17-527	108.50	109.00	0.50	0.127
PLS17-527	109.00	109.50	0.50	0.094
PLS17-527	109.50	110.00	0.50	0.031
PLS17-527	110.00	110.50	0.50	0.056
PLS17-527	110.50	111.00	0.50	0.134
PLS17-527	111.00	111.50	0.50	0.018
PLS17-527	111.50	112.00	0.50	0.035
PLS17-527	112.00	112.50	0.50	0.015
PLS17-527	112.50	113.00	0.50	0.025
PLS17-527	113.00	113.50	0.50	0.007
PLS17-527	113.50	114.00	0.50	0.013
PLS17-527	114.00	114.50	0.50	0.008
PLS17-527	114.50	115.00	0.50	0.005
PLS17-527	115.00	115.50	0.50	0.013
PLS17-527	115.50	116.00	0.50	0.028
PLS17-527	116.00	116.50	0.50	0.046
PLS17-527	116.50	117.00	0.50	0.035
PLS17-527	117.00	117.50	0.50	0.053
PLS17-527	117.50	118.00	0.50	0.007
PLS17-527	118.00	118.50	0.50	0.004

PLS17-527	118.50	119.00	0.50	0.020
PLS17-527	119.00	119.50	0.50	0.018
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS17-528	90.00	90.50	0.50	0.008
PLS17-528	90.50	91.00	0.50	0.008
PLS17-528	91.00	91.50	0.50	0.008
PLS17-528	91.50	92.00	0.50	0.009
PLS17-528	92.00	92.50	0.50	0.112
PLS17-528	92.50	93.00	0.50	0.278
PLS17-528	93.00	93.50	0.50	0.204
PLS17-528	93.50	94.00	0.50	0.089
PLS17-528	94.00	94.50	0.50	0.171
PLS17-528	94.50	95.00	0.50	0.078
PLS17-528	95.00	95.50	0.50	0.012
PLS17-528	95.50	96.00	0.50	0.080
PLS17-528	96.00	96.50	0.50	0.131
PLS17-528	96.50	97.00	0.50	0.133
PLS17-528	97.00	97.50	0.50	0.071
PLS17-528	97.50	98.00	0.50	0.050
PLS17-528	98.00	98.50	0.50	0.020
PLS17-528	98.50	99.00	0.50	0.015
PLS17-528	99.00	99.50	0.50	0.050
PLS17-528	99.50	100.00	0.50	0.051
PLS17-528	100.00	100.50	0.50	0.038
PLS17-528	100.50	101.00	0.50	0.019
PLS17-528	101.00	101.50	0.50	0.396
PLS17-528	101.50	102.00	0.50	0.011
PLS17-528	102.00	102.50	0.50	0.010
PLS17-528	102.50	103.00	0.50	0.004
PLS17-528	103.00	103.50	0.50	0.012
PLS17-528	103.50	104.00	0.50	0.008
PLS17-528	104.00	104.50	0.50	0.009
PLS17-528	104.50	105.00	0.50	0.008
PLS17-528	105.00	105.50	0.50	0.031
PLS17-528	105.50	106.00	0.50	0.010
PLS17-528	106.00	106.50	0.50	0.026
PLS17-528	106.50	107.00	0.50	0.021
PLS17-528	107.00	107.50	0.50	0.108
PLS17-528	107.50	108.00	0.50	0.009
PLS17-528	108.00	108.50	0.50	0.076
PLS17-528	108.50	109.00	0.50	0.418
PLS17-528	109.00	109.50	0.50	0.467
PLS17-528	109.50	110.00	0.50	0.026
PLS17-528	110.00	110.50	0.50	0.359
PLS17-528	110.50	111.00	0.50	0.009
PLS17-528	111.00	111.50	0.50	<0.001

PLS17-528	111.50	112.00	0.50	<0.001
PLS17-528	112.00	112.50	0.50	<0.001
PLS17-528	112.50	113.00	0.50	<0.001
PLS17-528	123.00	123.50	0.50	<0.001
PLS17-528	123.50	124.00	0.50	<0.001
PLS17-528	124.00	124.50	0.50	0.007
PLS17-528	124.50	125.00	0.50	0.014
PLS17-528	125.00	125.50	0.50	0.059
PLS17-528	125.50	126.00	0.50	0.111
PLS17-528	126.00	126.50	0.50	0.032
PLS17-528	126.50	127.00	0.50	0.014
PLS17-528	127.00	127.50	0.50	0.03
PLS17-528	127.50	128.00	0.50	0.128
PLS17-528	128.00	128.50	0.50	0.005
PLS17-528	128.50	129.00	0.50	0.013
PLS17-528	129.00	129.50	0.50	0.006
PLS17-528	129.50	130.00	0.50	0.014
PLS17-528	130.00	130.50	0.50	0.017
PLS17-528	130.50	131.00	0.50	0.012
PLS17-528	131.00	131.50	0.50	0.006
PLS17-528	131.50	132.00	0.50	0.001
PLS17-528	132.00	132.50	0.50	<0.001
PLS17-528	132.50	133.00	0.50	0.013
PLS17-528	133.00	133.50	0.50	0.005
PLS17-528	133.50	134.00	0.50	0.010
PLS17-528	134.00	134.50	0.50	0.168
<b>PLS17-528</b>	<b>134.50</b>	<b>135.00</b>	<b>0.50</b>	<b>1.530</b>
PLS17-528	135.00	135.50	0.50	0.587
PLS17-528	135.50	136.00	0.50	0.070
PLS17-528	136.00	136.50	0.50	0.002
PLS17-528	136.50	137.00	0.50	0.006
PLS17-528	137.00	137.50	0.50	0.003
PLS17-528	137.50	138.00	0.50	<0.001
PLS17-528	138.00	138.50	0.50	<0.001
PLS17-528	138.50	139.00	0.50	0.001
PLS17-528	139.00	139.50	0.50	<0.001
PLS17-528	139.50	140.00	0.50	0.002
PLS17-528	140.00	140.50	0.50	0.002
PLS17-528	140.50	141.00	0.50	0.002
PLS17-528	141.00	141.50	0.50	<0.001
PLS17-528	141.50	142.00	0.50	<0.001
PLS17-528	142.00	142.50	0.50	<0.001
PLS17-528	142.50	143.00	0.50	<0.001
PLS17-528	143.00	143.50	0.50	<0.001
PLS17-528	143.50	144.00	0.50	0.009
PLS17-528	144.00	144.50	0.50	0.235
PLS17-528	144.50	145.00	0.50	0.086

PLS17-528	145.00	145.50	0.50	0.028
PLS17-528	145.50	146.00	0.50	0.009
PLS17-528	146.00	146.50	0.50	0.004
PLS17-528	146.50	147.00	0.50	0.024
PLS17-528	147.00	147.50	0.50	0.005
PLS17-528	147.50	148.00	0.50	0.002
PLS17-528	167.00	167.50	0.50	<0.001
PLS17-528	167.50	168.00	0.50	<0.001
PLS17-528	168.00	168.50	0.50	<0.001
PLS17-528	168.50	169.00	0.50	0.041
PLS17-528	169.00	169.50	0.50	0.070
PLS17-528	169.50	170.00	0.50	<0.001
PLS17-528	170.00	170.50	0.50	<0.001
PLS17-528	170.50	171.00	0.50	<0.001
PLS17-528	171.00	171.50	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-531	79.00	79.50	0.50	0.003
PLS17-531	79.50	80.00	0.50	0.016
PLS17-531	80.00	80.50	0.50	0.009
PLS17-531	80.50	81.00	0.50	0.015
PLS17-531	81.00	81.50	0.50	0.017
PLS17-531	81.50	82.00	0.50	0.043
PLS17-531	82.00	82.50	0.50	0.219
PLS17-531	82.50	83.00	0.50	0.465
PLS17-531	83.00	83.50	0.50	0.366
<b>PLS17-531</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>1.270</b>
<b>PLS17-531</b>	<b>84.00</b>	<b>84.50</b>	<b>0.50</b>	<b>1.560</b>
<b>PLS17-531</b>	<b>84.50</b>	<b>85.00</b>	<b>0.50</b>	<b>1.120</b>
<b>PLS17-531</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>1.170</b>
<b>PLS17-531</b>	<b>85.50</b>	<b>86.00</b>	<b>0.50</b>	<b>1.650</b>
PLS17-531	86.00	86.50	0.50	0.646
<b>PLS17-531</b>	<b>86.50</b>	<b>87.00</b>	<b>0.50</b>	<b>1.310</b>
PLS17-531	87.00	87.50	0.50	0.355
PLS17-531	87.50	88.00	0.50	0.354
PLS17-531	88.00	88.50	0.50	0.161
<b>PLS17-531</b>	<b>88.50</b>	<b>89.00</b>	<b>0.50</b>	<b>1.640</b>
PLS17-531	89.00	89.50	0.50	0.399
PLS17-531	89.50	90.00	0.50	0.714
PLS17-531	90.00	90.50	0.50	0.093
PLS17-531	90.50	91.00	0.50	0.258
PLS17-531	91.00	91.50	0.50	0.291
PLS17-531	91.50	92.00	0.50	0.019
PLS17-531	92.00	92.50	0.50	0.078
PLS17-531	92.50	93.00	0.50	0.008
PLS17-531	93.00	93.50	0.50	0.006
PLS17-531	93.50	94.00	0.50	0.017



PLS17-531	94.00	94.50	0.50	0.022
PLS17-531	94.50	95.00	0.50	0.011
PLS17-531	95.00	95.50	0.50	0.006
PLS17-531	95.50	96.00	0.50	0.009
PLS17-531	96.00	96.50	0.50	0.008
PLS17-531	96.50	97.00	0.50	0.031
PLS17-531	97.00	97.50	0.50	0.256
PLS17-531	97.50	98.00	0.50	0.286
PLS17-531	98.00	98.50	0.50	0.266
PLS17-531	98.50	99.00	0.50	0.130
PLS17-531	99.00	99.50	0.50	0.098
PLS17-531	99.50	100.00	0.50	0.500
PLS17-531	100.00	100.50	0.50	0.210
PLS17-531	100.50	101.00	0.50	0.099
PLS17-531	101.00	101.50	0.50	0.647
PLS17-531	101.50	102.00	0.50	0.141
PLS17-531	102.00	102.50	0.50	0.094
PLS17-531	102.50	103.00	0.50	0.018
PLS17-531	103.00	103.50	0.50	0.116
PLS17-531	103.50	104.00	0.50	0.195
PLS17-531	104.00	104.50	0.50	0.053
PLS17-531	104.50	105.00	0.50	0.110
PLS17-531	105.00	105.50	0.50	0.005
PLS17-531	105.50	106.00	0.50	0.001
PLS17-531	106.00	106.50	0.50	0.002
PLS17-531	106.50	107.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-534	77.00	77.50	0.50	0.027
PLS17-534	77.50	78.00	0.50	0.020
PLS17-534	78.00	78.50	0.50	0.006
PLS17-534	78.50	79.00	0.50	0.007
PLS17-534	79.00	79.50	0.50	0.156
PLS17-534	79.50	80.00	0.50	0.733
PLS17-534	80.00	80.50	0.50	0.260
PLS17-534	80.50	81.00	0.50	0.195
PLS17-534	81.00	81.50	0.50	0.235
PLS17-534	81.50	82.00	0.50	0.184
PLS17-534	82.00	82.50	0.50	0.203
PLS17-534	82.50	83.00	0.50	0.134
PLS17-534	83.00	83.50	0.50	0.611
PLS17-534	83.50	84.00	0.50	0.009
PLS17-534	84.00	84.50	0.50	0.024
PLS17-534	84.50	85.00	0.50	0.009
PLS17-534	85.00	85.50	0.50	0.024
PLS17-534	85.50	86.00	0.50	0.015
PLS17-534	86.00	86.50	0.50	0.008

PLS17-534	86.50	87.00	0.50	0.023
PLS17-534	87.00	87.50	0.50	0.005