



**Drill Core Assay Summary: R00E - Patterson Lake South**

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-017	<i>No significant mineralization</i>			
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-018	<i>No significant mineralization</i>			
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-019	170.00	170.50	0.50	0.019
PLS12-019	170.50	171.00	0.50	0.013
PLS12-019	171.00	171.50	0.50	0.008
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-020	<i>No significant mineralization</i>			
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-021	<i>No significant mineralization</i>			
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-022	57.00	57.50	0.50	0.003
PLS12-022	57.50	58.00	0.50	0.074
PLS12-022	58.00	58.50	0.50	0.054
PLS12-022	58.50	59.00	0.50	0.017
PLS12-022	59.00	59.53	0.53	0.038
PLS12-022	59.53	60.00	0.47	0.047
PLS12-022	60.00	60.50	0.50	0.044
PLS12-022	60.50	61.00	0.50	0.026
PLS12-022	61.00	61.50	0.50	0.024
PLS12-022	61.50	62.00	0.50	0.035
PLS12-022	62.00	62.50	0.50	0.035
PLS12-022	62.50	63.00	0.50	0.032
PLS12-022	63.00	63.50	0.50	0.027
PLS12-022	63.50	64.00	0.50	0.034
PLS12-022	64.00	64.50	0.50	0.042
PLS12-022	64.50	65.00	0.50	0.031
PLS12-022	65.00	65.50	0.50	0.042
PLS12-022	65.50	66.00	0.50	0.046
PLS12-022	66.00	66.50	0.50	0.103
PLS12-022	66.50	67.00	0.50	0.076
PLS12-022	67.00	67.50	0.50	0.244
PLS12-022	67.50	68.00	0.50	0.137
PLS12-022	68.00	68.50	0.50	0.125
PLS12-022	68.50	69.00	0.50	0.018
PLS12-022	69.00	69.50	0.50	0.026

PLS12-022	69.50	70.00	0.50	0.017
PLS12-022	70.00	70.50	0.50	0.029
PLS12-022	70.50	71.00	0.50	0.050
PLS12-022	71.00	71.50	0.50	0.087
<b>PLS12-022</b>	<b>71.50</b>	<b>72.00</b>	<b>0.50</b>	<b>2.090</b>
PLS12-022	72.00	72.50	0.50	0.813
PLS12-022	72.50	73.00	0.50	0.247
PLS12-022	73.00	73.50	0.50	0.473
PLS12-022	73.50	74.00	0.50	0.690
<b>PLS12-022</b>	<b>74.00</b>	<b>74.50</b>	<b>0.50</b>	<b>1.960</b>
PLS12-022	74.50	75.00	0.50	0.408
<b>PLS12-022</b>	<b>75.00</b>	<b>75.50</b>	<b>0.50</b>	<b>6.600</b>
<b>PLS12-022</b>	<b>75.50</b>	<b>76.00</b>	<b>0.50</b>	<b>1.200</b>
<b>PLS12-022</b>	<b>76.00</b>	<b>76.50</b>	<b>0.50</b>	<b>2.960</b>
PLS12-022	76.50	77.00	0.50	0.245
PLS12-022	77.00	77.50	0.50	0.109
PLS12-022	77.50	78.00	0.50	0.092
PLS12-022	78.00	78.50	0.50	0.071
PLS12-022	78.50	79.00	0.50	0.068
PLS12-022	79.00	79.50	0.50	0.034
PLS12-022	79.50	80.00	0.50	0.023
PLS12-022	80.00	80.50	0.50	0.032
PLS12-022	80.50	81.00	0.50	0.016
PLS12-022	81.00	81.50	0.50	0.006
PLS12-022	81.50	82.00	0.50	0.003
PLS12-022	168.50	169.00	0.50	0.057
PLS12-022	170.00	170.50	0.50	0.040
PLS12-022	170.50	171.00	0.50	0.027
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-023	59.00	59.50	0.50	0.003
PLS12-023	59.50	60.00	0.50	0.010
PLS12-023	60.00	60.59	0.59	0.026
PLS12-023	60.59	61.00	0.41	0.042
PLS12-023	63.09	63.50	0.41	0.116
PLS12-023	63.50	64.00	0.50	0.686
PLS12-023	64.00	64.50	0.50	0.084
PLS12-023	64.50	65.00	0.50	0.010
PLS12-023	65.00	65.50	0.50	0.013
PLS12-023	65.50	66.00	0.50	0.008
PLS12-023	66.00	66.50	0.50	0.025
PLS12-023	66.50	67.00	0.50	0.077
PLS12-023	67.00	67.50	0.50	0.044
PLS12-023	67.50	68.00	0.50	0.082
PLS12-023	68.00	68.50	0.50	0.048
PLS12-023	68.50	69.00	0.50	0.165
PLS12-023	69.00	69.50	0.50	0.231

PLS12-023	69.50	70.00	0.50	0.308
PLS12-023	70.00	70.50	0.50	0.592
PLS12-023	70.50	71.00	0.50	0.255
PLS12-023	71.00	71.50	0.50	0.666
PLS12-023	71.50	72.00	0.50	0.235
PLS12-023	72.00	72.50	0.50	0.117
PLS12-023	72.50	73.00	0.50	0.146
PLS12-023	73.00	73.50	0.50	0.271
PLS12-023	73.50	74.00	0.50	0.453
PLS12-023	74.00	74.50	0.50	0.518
PLS12-023	74.50	75.29	0.79	0.481
PLS12-023	75.29	76.00	0.71	0.152
PLS12-023	91.00	91.50	0.50	0.076
PLS12-023	105.50	106.00	0.50	0.018
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-024	57.00	57.50	0.50	0.002
PLS12-024	57.50	58.00	0.50	0.006
PLS12-024	58.00	58.50	0.50	0.013
PLS12-024	58.50	59.00	0.50	0.005
PLS12-024	59.00	59.50	0.50	0.028
PLS12-024	59.50	60.00	0.50	0.038
PLS12-024	60.00	60.50	0.50	0.055
PLS12-024	60.50	60.90	0.40	0.935
PLS12-024	60.90	61.50	0.60	0.151
PLS12-024	61.50	62.00	0.50	0.029
PLS12-024	62.00	62.50	0.50	0.020
PLS12-024	62.50	63.00	0.50	0.033
PLS12-024	63.00	63.50	0.50	0.012
PLS12-024	63.50	64.00	0.50	0.019
PLS12-024	64.00	64.50	0.50	0.005
PLS12-024	64.50	65.00	0.50	0.007
PLS12-024	65.00	65.50	0.50	0.860
<b>PLS12-024</b>	<b>65.50</b>	<b>66.00</b>	<b>0.50</b>	<b>2.340</b>
PLS12-024	66.00	66.50	0.50	0.559
<b>PLS12-024</b>	<b>66.50</b>	<b>67.00</b>	<b>0.50</b>	<b>4.290</b>
<b>PLS12-024</b>	<b>67.00</b>	<b>67.50</b>	<b>0.50</b>	<b>5.320</b>
<b>PLS12-024</b>	<b>67.50</b>	<b>68.00</b>	<b>0.50</b>	<b>2.930</b>
<b>PLS12-024</b>	<b>68.00</b>	<b>68.50</b>	<b>0.50</b>	<b>1.430</b>
<b>PLS12-024</b>	<b>68.50</b>	<b>69.00</b>	<b>0.50</b>	<b>2.260</b>
<b>PLS12-024</b>	<b>69.00</b>	<b>69.50</b>	<b>0.50</b>	<b>2.970</b>
<b>PLS12-024</b>	<b>69.50</b>	<b>70.00</b>	<b>0.50</b>	<b>11.100</b>
<b>PLS12-024</b>	<b>70.00</b>	<b>70.50</b>	<b>0.50</b>	<b>1.290</b>
PLS12-024	70.50	71.00	0.50	0.687
PLS12-024	71.00	71.50	0.50	0.187
PLS12-024	71.50	72.00	0.50	0.441
<b>PLS12-024</b>	<b>72.00</b>	<b>72.50</b>	<b>0.50</b>	<b>1.130</b>

PLS12-024	72.50	73.00	0.50	4.450
PLS12-024	73.00	73.50	0.50	2.100
PLS12-024	73.50	74.00	0.50	3.460
PLS12-024	74.00	74.50	0.50	2.750
PLS12-024	74.50	75.00	0.50	1.230
PLS12-024	75.00	75.50	0.50	0.927
PLS12-024	75.50	76.00	0.50	1.130
PLS12-024	76.00	76.50	0.50	1.330
PLS12-024	76.50	77.00	0.50	2.880
PLS12-024	77.00	77.50	0.50	3.550
PLS12-024	77.50	78.00	0.50	1.430
PLS12-024	78.00	78.50	0.50	0.050
PLS12-024	78.50	79.00	0.50	0.036
PLS12-024	79.00	79.50	0.50	0.073
PLS12-024	79.50	80.00	0.50	0.032
PLS12-024	80.00	80.50	0.50	0.056
PLS12-024	80.50	81.00	0.50	0.134
PLS12-024	81.00	81.50	0.50	0.220
PLS12-024	81.50	82.00	0.50	0.324
PLS12-024	82.00	82.50	0.50	0.164
PLS12-024	82.50	83.00	0.50	0.110
PLS12-024	83.00	83.50	0.50	0.039
PLS12-024	83.50	84.00	0.50	0.011
PLS12-024	84.00	84.50	0.50	0.008
PLS12-024	84.50	85.00	0.50	0.011
PLS12-024	85.00	85.50	0.50	0.040
PLS12-024	85.50	86.00	0.50	0.013
PLS12-024	86.00	86.50	0.50	0.030
PLS12-024	86.50	87.00	0.50	0.014
PLS12-024	87.00	87.60	0.60	0.014
PLS12-024	87.60	88.00	0.40	0.008
PLS12-024	88.00	88.50	0.50	0.005
PLS12-024	88.50	89.00	0.50	0.008
PLS12-024	89.00	89.50	0.50	0.015
PLS12-024	89.50	90.00	0.50	0.013
PLS12-024	90.00	90.50	0.50	0.020
PLS12-024	90.50	91.00	0.50	0.023
PLS12-024	91.00	91.50	0.50	0.029
PLS12-024	91.50	92.00	0.50	0.149
PLS12-024	92.00	92.50	0.50	0.066
PLS12-024	92.50	93.00	0.50	0.015
PLS12-024	93.00	93.50	0.50	0.014
PLS12-024	93.50	94.00	0.50	0.013
PLS12-024	94.00	94.50	0.50	0.005
PLS12-024	94.50	95.00	0.50	0.006
PLS12-024	95.00	95.50	0.50	0.008
PLS12-024	95.50	96.00	0.50	0.006

PLS12-024	96.00	96.50	0.50	0.014
PLS12-024	96.50	97.00	0.50	0.013
PLS12-024	97.00	97.50	0.50	0.013
PLS12-024	97.50	98.00	0.50	0.022
PLS12-024	98.00	98.50	0.50	0.037
PLS12-024	98.50	99.00	0.50	0.027
PLS12-024	99.00	99.50	0.50	0.039
PLS12-024	99.50	100.00	0.50	0.010
PLS12-024	100.00	100.50	0.50	0.024
PLS12-024	100.50	101.00	0.50	0.009
PLS12-024	101.00	101.50	0.50	0.017
PLS12-024	111.00	111.50	0.50	0.002
PLS12-024	111.50	112.00	0.50	0.016
PLS12-024	112.00	112.50	0.50	0.003
PLS12-024	112.50	113.00	0.50	0.004
PLS12-024	113.00	113.50	0.50	0.020
PLS12-024	113.50	114.00	0.50	0.004
PLS12-024	114.00	114.50	0.50	0.005
PLS12-024	114.50	115.00	0.50	0.046
PLS12-024	115.00	115.50	0.50	0.010
PLS12-024	115.50	116.00	0.50	0.003
PLS12-024	116.00	116.50	0.50	0.002
PLS12-024	116.50	117.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-025	58.00	58.50	0.50	0.002
PLS12-025	58.50	59.00	0.50	0.005
PLS12-025	59.00	59.50	0.50	0.003
PLS12-025	59.50	60.00	0.50	0.006
PLS12-025	60.00	60.50	0.50	0.031
PLS12-025	60.50	61.00	0.50	0.081
PLS12-025	61.00	61.50	0.50	0.101
PLS12-025	61.50	62.00	0.50	0.024
PLS12-025	62.00	62.43	0.43	0.527
PLS12-025	62.43	63.00	0.57	0.230
PLS12-025	63.00	63.50	0.50	0.103
PLS12-025	63.50	64.00	0.50	0.201
PLS12-025	64.00	64.50	0.50	0.085
PLS12-025	64.50	65.00	0.50	0.870
PLS12-025	65.00	65.50	0.50	0.413
PLS12-025	65.50	66.00	0.50	0.182
PLS12-025	66.00	66.50	0.50	0.227
PLS12-025	66.50	67.00	0.50	0.290
PLS12-025	67.00	67.50	0.50	0.383
PLS12-025	67.50	68.00	0.50	0.369
PLS12-025	68.00	68.50	0.50	0.070
PLS12-025	68.50	69.00	0.50	0.079

PLS12-025	69.00	69.50	0.50	0.163
PLS12-025	69.50	70.00	0.50	0.118
PLS12-025	70.00	70.50	0.50	0.065
PLS12-025	70.50	71.00	0.50	0.202
PLS12-025	71.00	71.50	0.50	0.362
PLS12-025	71.50	72.00	0.50	0.370
PLS12-025	72.00	72.50	0.50	0.149
PLS12-025	72.50	73.00	0.50	0.555
PLS12-025	73.00	73.50	0.50	0.957
PLS12-025	73.50	74.00	0.50	0.380
PLS12-025	74.00	74.50	0.50	0.296
PLS12-025	74.50	75.00	0.50	0.573
PLS12-025	75.00	75.50	0.50	0.607
PLS12-025	75.50	76.00	0.50	0.760
PLS12-025	76.00	76.50	0.50	0.267
PLS12-025	76.50	77.00	0.50	0.103
PLS12-025	77.00	77.50	0.50	0.514
<b>PLS12-025</b>	<b>77.50</b>	<b>78.00</b>	<b>0.50</b>	<b>1.260</b>
PLS12-025	78.00	78.40	0.40	0.622
PLS12-025	78.40	79.00	0.60	0.114
PLS12-025	79.00	79.50	0.50	0.538
<b>PLS12-025</b>	<b>79.50</b>	<b>80.00</b>	<b>0.50</b>	<b>1.280</b>
PLS12-025	80.00	80.50	0.50	0.714
<b>PLS12-025</b>	<b>80.50</b>	<b>81.00</b>	<b>0.50</b>	<b>1.210</b>
<b>PLS12-025</b>	<b>81.00</b>	<b>81.53</b>	<b>0.53</b>	<b>1.180</b>
PLS12-025	81.53	82.00	0.47	0.254
PLS12-025	82.00	82.50	0.50	0.181
PLS12-025	82.50	83.00	0.50	0.108
PLS12-025	83.00	83.50	0.50	0.023
PLS12-025	83.50	84.00	0.50	0.005
PLS12-025	84.00	84.78	0.78	0.010
PLS12-025	84.78	85.50	0.72	0.041
PLS12-025	85.50	86.00	0.50	0.068
PLS12-025	86.00	86.50	0.50	0.036
PLS12-025	86.50	87.00	0.50	0.010
PLS12-025	87.00	87.50	0.50	0.004
PLS12-025	87.50	88.00	0.50	0.003
PLS12-025	88.00	88.50	0.50	0.004
PLS12-025	88.50	89.00	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-026	62.50	63.00	0.50	0.020
PLS13-026	63.00	63.50	0.50	0.198
PLS13-026	63.50	64.00	0.50	0.095
PLS13-026	64.00	64.50	0.50	0.040
PLS13-026	64.50	65.00	0.50	0.010
<b>PLS13-026</b>	<b>65.00</b>	<b>65.50</b>	<b>0.50</b>	<b>1.380</b>

<b>PLS13-026</b>	<b>65.50</b>	<b>66.00</b>	<b>0.50</b>	<b>2.860</b>
PLS13-026	66.00	66.50	0.50	0.051
PLS13-026	66.50	67.00	0.50	0.076
PLS13-026	67.00	67.50	0.50	0.137
PLS13-026	67.50	68.00	0.50	0.093
PLS13-026	68.00	68.50	0.50	0.044
PLS13-026	68.50	69.00	0.50	0.164
PLS13-026	69.00	69.50	0.50	0.352
PLS13-026	69.50	70.00	0.50	0.339
PLS13-026	70.00	70.50	0.50	0.335
PLS13-026	70.50	71.00	0.50	0.510
PLS13-026	71.00	71.50	0.50	0.156
PLS13-026	71.50	72.00	0.50	0.553
PLS13-026	72.00	72.50	0.50	0.292
PLS13-026	72.50	73.00	0.50	0.908
PLS13-026	73.00	73.50	0.50	0.747
<b>PLS13-026</b>	<b>73.50</b>	<b>74.00</b>	<b>0.50</b>	<b>1.170</b>
<b>PLS13-026</b>	<b>74.00</b>	<b>74.50</b>	<b>0.50</b>	<b>1.380</b>
<b>PLS13-026</b>	<b>74.50</b>	<b>75.00</b>	<b>0.50</b>	<b>1.190</b>
PLS13-026	75.00	75.50	0.50	0.826
PLS13-026	75.50	76.00	0.50	0.185
PLS13-026	76.00	76.50	0.50	0.369
PLS13-026	76.50	77.00	0.50	0.139
PLS13-026	77.00	77.50	0.50	0.218
<b>PLS13-026</b>	<b>77.50</b>	<b>78.00</b>	<b>0.50</b>	<b>1.070</b>
PLS13-026	78.00	78.50	0.50	0.928
PLS13-026	78.50	79.00	0.50	0.452
<b>PLS13-026</b>	<b>79.00</b>	<b>79.50</b>	<b>0.50</b>	<b>1.670</b>
<b>PLS13-026</b>	<b>79.50</b>	<b>80.00</b>	<b>0.50</b>	<b>4.430</b>
<b>PLS13-026</b>	<b>80.00</b>	<b>80.50</b>	<b>0.50</b>	<b>4.820</b>
<b>PLS13-026</b>	<b>80.50</b>	<b>81.00</b>	<b>0.50</b>	<b>2.160</b>
<b>PLS13-026</b>	<b>81.00</b>	<b>81.50</b>	<b>0.50</b>	<b>1.560</b>
PLS13-026	81.50	82.00	0.50	0.327
PLS13-026	82.00	82.50	0.50	0.355
PLS13-026	82.50	83.00	0.50	0.272
PLS13-026	83.00	83.50	0.50	0.078
PLS13-026	83.50	84.00	0.50	0.047
PLS13-026	84.00	84.50	0.50	0.055
PLS13-026	84.50	85.00	0.50	0.040
PLS13-026	88.00	88.50	0.50	0.046
PLS13-026	88.50	89.00	0.50	0.155
PLS13-026	89.00	89.50	0.50	0.098
PLS13-026	89.50	90.00	0.50	0.021
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-027	60.50	61.00	0.50	0.048
PLS13-027	61.00	61.50	0.50	0.588

PLS13-027	61.50	62.00	0.50	0.249
PLS13-027	62.00	62.50	0.50	0.295
PLS13-027	62.50	63.00	0.50	0.089
<b>PLS13-027</b>	<b>63.00</b>	<b>63.50</b>	<b>0.50</b>	<b>1.850</b>
PLS13-027	63.50	64.00	0.50	0.228
<b>PLS13-027</b>	<b>64.00</b>	<b>64.50</b>	<b>0.50</b>	<b>1.360</b>
PLS13-027	64.50	65.00	0.50	0.391
PLS13-027	65.00	65.50	0.50	0.180
PLS13-027	65.50	66.00	0.50	0.056
PLS13-027	66.00	66.50	0.50	0.019
PLS13-027	66.50	67.00	0.50	0.282
<b>PLS13-027</b>	<b>67.00</b>	<b>67.50</b>	<b>0.50</b>	<b>3.600</b>
<b>PLS13-027</b>	<b>67.50</b>	<b>68.00</b>	<b>0.50</b>	<b>2.160</b>
PLS13-027	68.00	68.50	0.50	0.497
PLS13-027	68.50	69.00	0.50	0.422
PLS13-027	69.00	69.50	0.50	0.359
PLS13-027	69.50	70.00	0.50	0.455
PLS13-027	70.00	70.50	0.50	0.452
<b>PLS13-027</b>	<b>70.50</b>	<b>71.00</b>	<b>0.50</b>	<b>1.270</b>
<b>PLS13-027</b>	<b>71.00</b>	<b>71.50</b>	<b>0.50</b>	<b>1.370</b>
<b>PLS13-027</b>	<b>71.50</b>	<b>72.00</b>	<b>0.50</b>	<b>4.490</b>
PLS13-027	72.00	72.50	0.50	0.819
PLS13-027	72.50	73.00	0.50	0.196
PLS13-027	73.00	73.50	0.50	0.446
PLS13-027	73.50	74.00	0.50	0.457
PLS13-027	74.00	74.50	0.50	0.132
PLS13-027	74.50	75.00	0.50	0.351
PLS13-027	75.00	75.50	0.50	0.074
PLS13-027	75.50	76.00	0.50	0.956
PLS13-027	76.00	76.50	0.50	0.468
PLS13-027	76.50	77.00	0.50	0.962
PLS13-027	77.00	77.50	0.50	0.697
PLS13-027	77.50	78.00	0.50	0.093
<b>PLS13-027</b>	<b>78.00</b>	<b>78.50</b>	<b>0.50</b>	<b>3.620</b>
<b>PLS13-027</b>	<b>78.50</b>	<b>79.00</b>	<b>0.50</b>	<b>1.420</b>
PLS13-027	79.00	79.50	0.50	0.830
<b>PLS13-027</b>	<b>79.50</b>	<b>80.00</b>	<b>0.50</b>	<b>2.060</b>
PLS13-027	80.00	80.50	0.50	0.267
<b>PLS13-027</b>	<b>80.50</b>	<b>81.00</b>	<b>0.50</b>	<b>1.740</b>
<b>PLS13-027</b>	<b>81.00</b>	<b>81.50</b>	<b>0.50</b>	<b>2.000</b>
<b>PLS13-027</b>	<b>81.50</b>	<b>82.00</b>	<b>0.50</b>	<b>1.010</b>
<b>PLS13-027</b>	<b>82.00</b>	<b>82.50</b>	<b>0.50</b>	<b>4.830</b>
PLS13-027	82.50	83.00	0.50	0.512
<b>PLS13-027</b>	<b>83.00</b>	<b>83.50</b>	<b>0.50</b>	<b>1.380</b>
PLS13-027	83.50	84.00	0.50	0.902
PLS13-027	84.00	84.50	0.50	0.373
PLS13-027	84.50	85.00	0.50	0.190



PLS13-027	85.00	85.50	0.50	0.924
PLS13-027	85.50	86.00	0.50	0.378
PLS13-027	86.00	86.50	0.50	0.420
<b>PLS13-027</b>	<b>86.50</b>	<b>87.00</b>	<b>0.50</b>	<b>4.810</b>
<b>PLS13-027</b>	<b>87.00</b>	<b>87.50</b>	<b>0.50</b>	<b>3.410</b>
<b>PLS13-027</b>	<b>87.50</b>	<b>88.00</b>	<b>0.50</b>	<b>2.710</b>
<b>PLS13-027</b>	<b>88.00</b>	<b>88.50</b>	<b>0.50</b>	<b>1.720</b>
<b>PLS13-027</b>	<b>88.50</b>	<b>89.00</b>	<b>0.50</b>	<b>5.950</b>
<b>PLS13-027</b>	<b>89.00</b>	<b>89.50</b>	<b>0.50</b>	<b>5.710</b>
<b>PLS13-027</b>	<b>89.50</b>	<b>90.00</b>	<b>0.50</b>	<b>1.330</b>
<b>PLS13-027</b>	<b>90.00</b>	<b>90.50</b>	<b>0.50</b>	<b>1.480</b>
<b>PLS13-027</b>	<b>90.50</b>	<b>91.00</b>	<b>0.50</b>	<b>1.240</b>
PLS13-027	91.00	91.50	0.50	0.039
PLS13-027	91.50	92.00	0.50	0.035
PLS13-027	92.00	92.50	0.50	0.086
PLS13-027	92.50	93.00	0.50	0.216
PLS13-027	93.00	93.50	0.50	0.162
PLS13-027	93.50	94.00	0.50	0.778
PLS13-027	94.00	94.50	0.50	0.210
PLS13-027	94.50	95.00	0.50	0.054
PLS13-027	95.00	95.50	0.50	0.113
PLS13-027	95.50	96.00	0.50	0.038
PLS13-027	96.00	96.50	0.50	0.037
PLS13-027	96.50	97.00	0.50	0.215
PLS13-027	97.00	97.50	0.50	0.174
PLS13-027	97.50	98.00	0.50	0.063
PLS13-027	98.00	98.50	0.50	0.082
PLS13-027	98.50	99.00	0.50	0.011
PLS13-027	105.50	106.00	0.50	0.032
PLS13-027	106.00	106.50	0.50	0.060
PLS13-027	106.50	107.00	0.50	0.037
PLS13-027	144.00	144.50	0.50	<0.001
PLS13-027	144.50	145.00	0.50	0.189
PLS13-027	145.00	145.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-028	48.00	48.50	0.50	0.002
PLS13-028	48.50	49.00	0.50	0.170
PLS13-028	49.00	49.50	0.50	0.198
PLS13-028	49.50	50.00	0.50	0.225
PLS13-028	50.00	50.50	0.50	0.329
PLS13-028	50.50	51.00	0.50	0.040
PLS13-028	51.00	51.50	0.50	0.141
PLS13-028	51.50	52.00	0.50	0.072
PLS13-028	52.00	52.50	0.50	0.096
PLS13-028	52.50	53.00	0.50	0.009
PLS13-028	107.50	108.00	0.50	PENDING

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-029	59.50	60.00	0.50	<0.001
PLS13-029	60.00	60.50	0.50	<0.001
PLS13-029	60.50	61.00	0.50	<0.001
PLS13-029	61.00	61.50	0.50	0.001
PLS13-029	61.50	62.00	0.50	0.002
PLS13-029	62.00	62.50	0.50	0.015
PLS13-029	62.50	63.00	0.50	0.003
PLS13-029	63.00	63.50	0.50	0.057
PLS13-029	63.50	64.00	0.50	0.404
PLS13-029	64.00	64.50	0.50	0.138
PLS13-029	64.50	65.00	0.50	0.157
PLS13-029	65.00	65.50	0.50	0.211
PLS13-029	65.50	66.00	0.50	0.207
PLS13-029	66.00	66.50	0.50	0.082
PLS13-029	66.50	67.00	0.50	0.112
PLS13-029	67.00	67.50	0.50	0.027
PLS13-029	67.50	68.00	0.50	0.037
PLS13-029	68.00	68.50	0.50	0.024
PLS13-029	68.50	69.00	0.50	0.013
PLS13-029	69.00	69.50	0.50	0.086
PLS13-029	69.50	70.00	0.50	0.104
PLS13-029	70.00	70.50	0.50	0.161
PLS13-029	70.50	71.00	0.50	0.042
PLS13-029	71.00	71.50	0.50	0.010
PLS13-029	71.50	72.00	0.50	0.063
PLS13-029	72.00	72.50	0.50	0.067
PLS13-029	72.50	73.00	0.50	0.033
PLS13-029	73.00	73.50	0.50	0.052
PLS13-029	73.50	74.00	0.50	0.033
PLS13-029	74.00	74.50	0.50	0.086
PLS13-029	74.50	75.00	0.50	0.038
PLS13-029	75.00	75.50	0.50	0.035
PLS13-029	75.50	76.00	0.50	0.046
PLS13-029	76.00	76.50	0.50	0.020
PLS13-029	76.50	77.00	0.50	0.054
PLS13-029	77.00	77.50	0.50	0.116
PLS13-029	77.50	78.00	0.50	0.042
PLS13-029	78.00	78.50	0.50	0.029
PLS13-029	78.50	79.00	0.50	0.132
PLS13-029	79.00	79.50	0.50	0.081
PLS13-029	79.50	80.00	0.50	0.036
PLS13-029	80.00	80.50	0.50	0.041
PLS13-029	80.50	81.00	0.50	0.012
PLS13-029	81.00	81.50	0.50	0.777
<b>PLS13-029</b>	<b>81.50</b>	<b>82.00</b>	<b>0.50</b>	<b>4.010</b>

<b>PLS13-029</b>	<b>82.00</b>	<b>82.50</b>	<b>0.50</b>	<b>3.500</b>
<b>PLS13-029</b>	<b>82.50</b>	<b>83.00</b>	<b>0.50</b>	<b>3.280</b>
<b>PLS13-029</b>	<b>83.00</b>	<b>83.50</b>	<b>0.50</b>	<b>5.930</b>
<b>PLS13-029</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>2.250</b>
<b>PLS13-029</b>	<b>84.00</b>	<b>84.50</b>	<b>0.50</b>	<b>3.080</b>
<b>PLS13-029</b>	<b>84.50</b>	<b>85.00</b>	<b>0.50</b>	<b>2.950</b>
PLS13-029	85.00	85.50	0.50	0.546
PLS13-029	85.50	86.00	0.50	0.100
PLS13-029	86.00	86.50	0.50	0.079
PLS13-029	86.50	87.00	0.50	0.144
PLS13-029	87.00	87.50	0.50	0.085
PLS13-029	87.50	88.00	0.50	0.078
PLS13-029	88.00	88.50	0.50	0.250
<b>PLS13-029</b>	<b>88.50</b>	<b>89.00</b>	<b>0.50</b>	<b>1.920</b>
<b>PLS13-029</b>	<b>89.00</b>	<b>89.50</b>	<b>0.50</b>	<b>2.000</b>
<b>PLS13-029</b>	<b>89.50</b>	<b>90.00</b>	<b>0.50</b>	<b>4.260</b>
<b>PLS13-029</b>	<b>90.00</b>	<b>90.50</b>	<b>0.50</b>	<b>1.760</b>
PLS13-029	90.50	91.00	0.50	0.795
PLS13-029	91.00	91.50	0.50	0.644
<b>PLS13-029</b>	<b>91.50</b>	<b>92.00</b>	<b>0.50</b>	<b>3.180</b>
PLS13-029	92.00	92.50	0.50	0.638
PLS13-029	92.50	93.00	0.50	0.230
PLS13-029	93.00	93.50	0.50	0.035
PLS13-029	93.50	94.00	0.50	0.005
PLS13-029	94.00	94.50	0.50	0.004
PLS13-029	94.50	95.00	0.50	0.005
PLS13-029	95.00	95.50	0.50	0.007
PLS13-029	95.50	96.00	0.50	0.006
PLS13-029	96.00	96.50	0.50	0.048
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-030	No significant mineralization			
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-031	65.00	65.50	0.50	0.002
PLS13-031	65.50	66.00	0.50	0.020
PLS13-031	66.00	66.50	0.50	0.014
PLS13-031	66.50	67.00	0.50	0.004
PLS13-031	67.00	67.50	0.50	0.004
PLS13-031	67.50	68.00	0.50	0.012
PLS13-031	68.00	68.50	0.50	0.035
PLS13-031	68.50	69.00	0.50	0.086
PLS13-031	69.00	69.50	0.50	0.071
PLS13-031	69.50	70.00	0.50	0.130
PLS13-031	70.00	70.50	0.50	0.272
PLS13-031	70.50	71.00	0.50	0.286
PLS13-031	71.00	71.50	0.50	0.651
PLS13-031	71.50	72.00	0.50	0.174

PLS13-031	72.00	72.50	0.50	0.062
PLS13-031	72.50	73.00	0.50	0.148
PLS13-031	73.00	73.50	0.50	0.039
PLS13-031	73.50	74.00	0.50	0.099
PLS13-031	74.00	74.50	0.50	0.052
PLS13-031	74.50	75.00	0.50	0.140
PLS13-031	75.00	75.50	0.50	0.092
PLS13-031	75.50	76.00	0.50	0.083
PLS13-031	76.00	76.50	0.50	0.070
PLS13-031	76.50	77.00	0.50	0.020
PLS13-031	77.00	77.50	0.50	0.038
PLS13-031	77.50	78.00	0.50	0.077
PLS13-031	78.00	78.50	0.50	0.031
PLS13-031	78.50	79.00	0.50	0.039
PLS13-031	79.00	79.50	0.50	0.151
PLS13-031	79.50	80.00	0.50	0.520
PLS13-031	80.00	80.50	0.50	0.757
PLS13-031	80.50	81.00	0.50	0.501
PLS13-031	81.00	81.50	0.50	0.628
PLS13-031	81.50	82.00	0.50	0.536
PLS13-031	82.00	82.50	0.50	0.451
<b>PLS13-031</b>	<b>82.50</b>	<b>83.00</b>	<b>0.50</b>	<b>1.020</b>
<b>PLS13-031</b>	<b>83.00</b>	<b>83.50</b>	<b>0.50</b>	<b>1.440</b>
<b>PLS13-031</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>1.070</b>
<b>PLS13-031</b>	<b>84.00</b>	<b>84.50</b>	<b>0.50</b>	<b>1.080</b>
PLS13-031	84.50	85.00	0.50	0.551
PLS13-031	85.00	85.50	0.50	0.688
<b>PLS13-031</b>	<b>85.50</b>	<b>86.00</b>	<b>0.50</b>	<b>2.050</b>
PLS13-031	86.00	86.50	0.50	0.725
<b>PLS13-031</b>	<b>86.50</b>	<b>87.00</b>	<b>0.50</b>	<b>2.050</b>
PLS13-031	87.00	87.50	0.50	0.418
<b>PLS13-031</b>	<b>87.50</b>	<b>88.00</b>	<b>0.50</b>	<b>2.420</b>
<b>PLS13-031</b>	<b>88.00</b>	<b>88.50</b>	<b>0.50</b>	<b>3.860</b>
<b>PLS13-031</b>	<b>88.50</b>	<b>89.00</b>	<b>0.50</b>	<b>2.740</b>
<b>PLS13-031</b>	<b>89.00</b>	<b>89.50</b>	<b>0.50</b>	<b>1.740</b>
<b>PLS13-031</b>	<b>89.50</b>	<b>90.00</b>	<b>0.50</b>	<b>1.840</b>
PLS13-031	90.00	90.50	0.50	0.904
PLS13-031	90.50	91.00	0.50	0.285
PLS13-031	91.00	91.50	0.50	0.415
PLS13-031	91.50	92.00	0.50	0.056
PLS13-031	92.00	92.50	0.50	0.024
PLS13-031	92.50	93.00	0.50	0.023
PLS13-031	93.00	93.50	0.50	0.028
PLS13-031	93.50	94.00	0.50	0.013
PLS13-031	94.00	94.50	0.50	0.007
PLS13-031	94.50	95.00	0.50	0.015

PLS13-031	95.00	95.50	0.50	0.008
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-032	48.00	48.50	0.50	0.010
PLS13-032	48.50	49.00	0.50	0.028
PLS13-032	49.00	49.50	0.50	0.054
PLS13-032	49.50	50.00	0.50	0.045
PLS13-032	50.00	50.50	0.50	0.059
PLS13-032	50.50	51.00	0.50	0.044
PLS13-032	51.00	51.50	0.50	0.016
PLS13-032	51.50	52.00	0.50	0.022
PLS13-032	52.00	52.50	0.50	0.006
PLS13-032	52.50	53.00	0.50	0.020
PLS13-032	53.00	53.50	0.50	0.022
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-033	67.50	68.00	0.50	0.002
PLS13-033	68.00	68.50	0.50	0.003
PLS13-033	68.50	69.00	0.50	0.021
PLS13-033	69.00	69.50	0.50	0.014
PLS13-033	69.50	70.00	0.50	0.044
PLS13-033	70.00	70.50	0.50	0.173
PLS13-033	70.50	71.00	0.50	0.172
PLS13-033	71.00	71.50	0.50	0.266
PLS13-033	71.50	72.00	0.50	0.052
PLS13-033	72.00	72.50	0.50	0.020
PLS13-033	72.50	73.00	0.50	0.026
PLS13-033	73.00	73.50	0.50	0.044
PLS13-033	73.50	74.00	0.50	0.031
PLS13-033	74.00	74.50	0.50	0.041
PLS13-033	74.50	75.00	0.50	0.010
PLS13-033	75.00	75.50	0.50	0.018
PLS13-033	75.50	76.00	0.50	0.011
PLS13-033	76.00	76.50	0.50	0.026
PLS13-033	76.50	77.00	0.50	0.013
PLS13-033	77.00	77.50	0.50	0.059
PLS13-033	77.50	78.00	0.50	0.019
PLS13-033	78.00	78.50	0.50	0.018
PLS13-033	78.50	79.00	0.50	0.022
PLS13-033	79.00	79.50	0.50	0.011
PLS13-033	79.50	80.00	0.50	0.018
PLS13-033	80.00	80.50	0.50	0.013
PLS13-033	80.50	81.00	0.50	0.015
PLS13-033	81.00	81.50	0.50	0.018
PLS13-033	81.50	82.00	0.50	0.014
PLS13-033	82.00	82.50	0.50	0.038
PLS13-033	82.50	83.00	0.50	0.019
PLS13-033	83.00	83.50	0.50	0.011

PLS13-033	83.50	84.00	0.50	0.022
PLS13-033	84.00	84.50	0.50	0.014
PLS13-033	84.50	85.00	0.50	0.006
PLS13-033	85.00	85.50	0.50	0.012
PLS13-033	85.50	86.00	0.50	0.029
PLS13-033	86.00	86.50	0.50	0.181
PLS13-033	86.50	87.00	0.50	0.068
PLS13-033	87.00	87.50	0.50	0.196
PLS13-033	87.50	88.00	0.50	0.026
PLS13-033	88.00	88.50	0.50	0.012
PLS13-033	88.50	89.00	0.50	0.012
PLS13-033	89.00	89.50	0.50	0.009
PLS13-033	89.50	90.00	0.50	0.007
PLS13-033	90.00	90.50	0.50	0.005
PLS13-033	90.50	91.00	0.50	0.004
PLS13-033	91.00	91.50	0.50	0.004
PLS13-033	91.50	92.00	0.50	0.004
PLS13-033	92.00	92.50	0.50	0.074
PLS13-033	92.50	93.00	0.50	0.114
PLS13-033	93.00	93.50	0.50	0.035
PLS13-033	93.50	94.00	0.50	0.011
PLS13-033	94.00	94.50	0.50	0.002
PLS13-033	94.50	95.00	0.50	<0.001
PLS13-033	95.00	95.50	0.50	<0.001
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-034	168.00	168.50	0.50	PENDING
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-035	60.00	60.50	0.50	0.001
PLS13-035	60.50	61.00	0.50	0.003
PLS13-035	61.00	61.50	0.50	0.005
PLS13-035	61.50	62.00	0.50	0.004
PLS13-035	62.00	62.50	0.50	0.106
PLS13-035	62.50	63.00	0.50	0.020
PLS13-035	63.00	63.50	0.50	0.035
PLS13-035	63.50	64.00	0.50	0.033
PLS13-035	64.00	64.50	0.50	0.133
<b>PLS13-035</b>	<b>64.50</b>	<b>65.00</b>	<b>0.50</b>	<b>2.110</b>
<b>PLS13-035</b>	<b>65.00</b>	<b>65.50</b>	<b>0.50</b>	<b>1.550</b>
PLS13-035	65.50	66.00	0.50	0.236
PLS13-035	66.00	66.50	0.50	0.016
PLS13-035	66.50	67.00	0.50	0.024
PLS13-035	67.00	67.50	0.50	0.124
PLS13-035	67.50	68.00	0.50	0.402
<b>PLS13-035</b>	<b>68.00</b>	<b>68.50</b>	<b>0.50</b>	<b>1.500</b>
PLS13-035	68.50	69.00	0.50	0.698
PLS13-035	69.00	69.50	0.50	0.161

PLS13-035	69.50	70.00	0.50	0.022
PLS13-035	70.00	70.50	0.50	0.029
PLS13-035	70.50	71.00	0.50	0.083
PLS13-035	71.00	71.50	0.50	0.128
PLS13-035	71.50	72.00	0.50	0.044
PLS13-035	72.00	72.50	0.50	0.013
PLS13-035	72.50	73.00	0.50	0.017
PLS13-035	73.00	73.50	0.50	0.010
PLS13-035	73.50	74.00	0.50	0.007
PLS13-035	74.00	74.50	0.50	0.014
PLS13-035	74.50	75.00	0.50	0.006
PLS13-035	75.00	75.50	0.50	0.012
PLS13-035	75.50	76.00	0.50	0.016
PLS13-035	76.00	76.50	0.50	0.044
PLS13-035	76.50	77.00	0.50	0.011
PLS13-035	77.00	77.50	0.50	0.012
PLS13-035	77.50	78.00	0.50	0.020
PLS13-035	78.00	78.50	0.50	0.326
PLS13-035	78.50	79.00	0.50	0.071
PLS13-035	79.00	79.50	0.50	0.201
PLS13-035	79.50	80.00	0.50	0.085
PLS13-035	80.00	80.50	0.50	0.173
PLS13-035	80.50	81.00	0.50	0.393
<b>PLS13-035</b>	<b>81.00</b>	<b>81.50</b>	<b>0.50</b>	<b>1.040</b>
PLS13-035	81.50	82.00	0.50	0.579
PLS13-035	82.00	82.50	0.50	0.806
<b>PLS13-035</b>	<b>82.50</b>	<b>83.00</b>	<b>0.50</b>	<b>1.040</b>
PLS13-035	83.00	83.50	0.50	0.582
<b>PLS13-035</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>6.720</b>
PLS13-035	84.00	84.50	0.50	0.934
PLS13-035	84.50	85.00	0.50	0.205
<b>PLS13-035</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>2.250</b>
PLS13-035	85.50	86.00	0.50	0.727
PLS13-035	86.00	86.50	0.50	0.175
PLS13-035	86.50	87.00	0.50	0.010
PLS13-035	87.00	87.50	0.50	0.035
PLS13-035	87.50	88.00	0.50	0.034
PLS13-035	88.00	88.50	0.50	0.022
PLS13-035	88.50	89.00	0.50	0.006
PLS13-035	89.00	89.50	0.50	0.006
PLS13-035	120.00	120.50	0.50	0.006
PLS13-035	120.50	121.00	0.50	0.006
PLS13-035	121.00	121.50	0.50	0.030
PLS13-035	121.50	122.00	0.50	0.070
PLS13-035	122.00	122.50	0.50	0.010
PLS13-035	122.50	123.00	0.50	0.002

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS12-036	No significant mineralization			
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-037	58.00	58.50	0.50	0.001
PLS13-037	58.50	59.00	0.50	0.005
PLS13-037	59.00	59.50	0.50	0.003
PLS13-037	59.50	60.00	0.50	0.002
PLS13-037	60.00	60.50	0.50	0.266
PLS13-037	60.50	61.00	0.50	0.119
PLS13-037	61.00	61.50	0.50	0.039
PLS13-037	61.50	62.00	0.50	0.062
PLS13-037	62.00	62.50	0.50	0.009
PLS13-037	62.50	63.00	0.50	0.020
PLS13-037	63.00	63.50	0.50	0.015
PLS13-037	63.50	64.00	0.50	0.026
PLS13-037	64.00	64.50	0.50	0.042
PLS13-037	64.50	65.00	0.50	<0.001
PLS13-037	65.00	65.50	0.50	0.028
PLS13-037	65.50	66.00	0.50	0.010
PLS13-037	66.00	66.50	0.50	0.007
PLS13-037	66.50	67.00	0.50	0.031
PLS13-037	67.00	67.50	0.50	0.012
PLS13-037	67.50	68.00	0.50	0.040
PLS13-037	68.00	68.50	0.50	0.029
PLS13-037	68.50	69.00	0.50	0.014
PLS13-037	69.00	69.50	0.50	0.008
PLS13-037	69.50	70.00	0.50	0.010
PLS13-037	70.00	70.50	0.50	0.018
PLS13-037	70.50	71.00	0.50	0.015
PLS13-037	71.00	71.50	0.50	0.275
PLS13-037	71.50	72.00	0.50	0.187
PLS13-037	72.00	72.50	0.50	0.047
PLS13-037	72.50	73.00	0.50	0.159
PLS13-037	73.00	73.50	0.50	<0.001
PLS13-037	73.50	74.00	0.50	0.046
<b>PLS13-037</b>	<b>74.00</b>	<b>74.50</b>	<b>0.50</b>	<b>8.320</b>
<b>PLS13-037</b>	<b>74.50</b>	<b>75.00</b>	<b>0.50</b>	<b>17.200</b>
<b>PLS13-037</b>	<b>75.00</b>	<b>75.50</b>	<b>0.50</b>	<b>1.540</b>
<b>PLS13-037</b>	<b>75.50</b>	<b>76.00</b>	<b>0.50</b>	<b>2.640</b>
PLS13-037	76.00	76.50	0.50	0.500
PLS13-037	76.50	77.00	0.50	0.276
PLS13-037	77.00	77.50	0.50	0.130
PLS13-037	77.50	78.00	0.50	0.151
PLS13-037	78.00	78.50	0.50	0.059
PLS13-037	78.50	79.00	0.50	0.035
PLS13-037	79.00	79.50	0.50	0.024



PLS13-037	79.50	80.00	0.50	0.011
PLS13-037	80.00	80.50	0.50	0.004
PLS13-037	80.50	81.00	0.50	0.004
PLS13-037	81.00	81.50	0.50	0.014
PLS13-037	81.50	82.00	0.50	0.009
PLS13-037	82.00	82.50	0.50	0.009
PLS13-037	82.50	83.00	0.50	0.031
PLS13-037	83.00	83.50	0.50	0.023
PLS13-037	83.50	84.00	0.50	0.051
PLS13-037	84.00	84.50	0.50	0.007
PLS13-037	84.50	85.00	0.50	0.006
PLS13-037	85.00	85.50	0.50	0.118
PLS13-037	85.50	86.00	0.50	0.028
PLS13-037	86.00	86.50	0.50	0.150
PLS13-037	86.50	87.00	0.50	0.190
PLS13-037	87.00	87.50	0.50	0.190
PLS13-037	87.50	88.00	0.50	0.030
PLS13-037	88.00	88.50	0.50	0.014
PLS13-037	88.50	89.00	0.50	0.004
PLS13-037	89.00	89.50	0.50	0.006
PLS13-037	89.50	90.00	0.50	PENDING
PLS13-037	99.50	100.00	0.50	PENDING
PLS13-037	101.00	101.50	0.50	0.027
PLS13-037	101.50	102.00	0.50	0.027
PLS13-037	102.00	102.50	0.50	0.012
PLS13-037	102.50	103.00	0.50	0.016
PLS13-037	103.00	103.50	0.50	0.018
PLS13-037	103.50	104.00	0.50	0.034
PLS13-037	104.00	104.50	0.50	0.024
PLS13-037	104.50	105.00	0.50	0.018
PLS13-037	105.00	105.50	0.50	0.086
<b>PLS13-037</b>	<b>105.50</b>	<b>106.00</b>	<b>0.50</b>	<b>6.560</b>
<b>PLS13-037</b>	<b>106.00</b>	<b>106.50</b>	<b>0.50</b>	<b>18.300</b>
PLS13-037	106.50	107.00	0.50	0.304
PLS13-037	107.00	107.50	0.50	0.016
PLS13-037	107.50	108.00	0.50	0.006
PLS13-037	108.00	108.50	0.50	0.005
PLS13-037	108.50	109.00	0.50	0.010
PLS13-037	109.00	109.50	0.50	0.006
PLS13-037	109.50	110.00	0.50	0.099
PLS13-037	110.00	110.50	0.50	0.015
PLS13-037	110.50	111.00	0.50	0.004
PLS13-037	111.00	111.50	0.50	0.010
PLS13-037	111.50	112.00	0.50	0.005
PLS13-037	112.00	112.50	0.50	0.009
PLS13-037	112.50	113.00	0.50	0.005
PLS13-037	113.00	113.50	0.50	0.034

PLS13-037	113.50	114.00	0.50	0.220
PLS13-037	114.00	114.50	0.50	0.248
PLS13-037	114.50	115.00	0.50	0.040
PLS13-037	115.00	115.50	0.50	0.060
PLS13-037	115.50	116.00	0.50	0.081
PLS13-037	116.00	116.50	0.50	0.015
PLS13-037	116.50	117.00	0.50	0.011
PLS13-037	117.00	117.50	0.50	0.010
PLS13-037	117.50	118.00	0.50	0.010
PLS13-037	118.00	118.50	0.50	0.009
PLS13-037	118.50	119.00	0.50	0.015
PLS13-037	119.00	119.50	0.50	0.103
PLS13-037	119.50	120.00	0.50	0.496
<b>PLS13-037</b>	<b>120.00</b>	<b>120.50</b>	<b>0.50</b>	<b>3.980</b>
<b>PLS13-037</b>	<b>120.50</b>	<b>121.00</b>	<b>0.50</b>	<b>26.200</b>
<b>PLS13-037</b>	<b>121.00</b>	<b>121.50</b>	<b>0.50</b>	<b>17.700</b>
<b>PLS13-037</b>	<b>121.50</b>	<b>122.00</b>	<b>0.50</b>	<b>1.730</b>
PLS13-037	122.00	122.50	0.50	0.689
PLS13-037	122.50	123.00	0.50	0.013
PLS13-037	123.00	123.50	0.50	0.009
PLS13-037	123.50	124.00	0.50	0.018
PLS13-037	124.00	124.50	0.50	0.021
PLS13-037	124.50	125.00	0.50	0.064
PLS13-037	125.00	125.50	0.50	0.005
PLS13-037	125.50	126.00	0.50	0.032
PLS13-037	126.00	126.50	0.50	0.015
PLS13-037	126.50	127.00	0.50	0.026
PLS13-037	127.00	127.50	0.50	0.003
PLS13-037	127.50	128.00	0.50	0.009
PLS13-037	168.00	168.50	0.50	0.003
PLS13-037	168.50	169.00	0.50	0.002
PLS13-037	169.00	169.50	0.50	0.012
PLS13-037	169.50	170.00	0.50	0.002
PLS13-037	170.00	170.50	0.50	0.007
PLS13-037	170.50	171.00	0.50	0.040
PLS13-037	171.00	171.50	0.50	0.005
PLS13-037	171.50	172.00	0.50	0.019
PLS13-037	172.00	172.50	0.50	0.011
PLS13-037	172.50	173.00	0.50	0.002
PLS13-037	173.00	173.50	0.50	0.002
PLS13-037	173.50	174.00	0.50	0.003
PLS13-037	179.00	179.50	0.50	0.001
PLS13-037	179.50	180.00	0.50	0.004
PLS13-037	180.00	180.50	0.50	0.065
PLS13-037	180.50	181.00	0.50	0.019
PLS13-037	181.00	181.50	0.50	0.002

PLS13-037	181.50	182.00	0.50	0.001
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-039	73.50	74.00	0.50	0.004
PLS13-039	75.50	76.00	0.50	0.063
PLS13-039	76.00	76.50	0.50	0.021
PLS13-039	123.00	123.50	0.50	0.006
PLS13-039	123.50	124.00	0.50	0.011
PLS13-039	124.00	124.50	0.50	0.010
PLS13-039	124.50	125.00	0.50	0.016
PLS13-039	125.00	125.50	0.50	0.048
PLS13-039	125.50	126.00	0.50	0.072
PLS13-039	126.00	126.50	0.50	0.125
PLS13-039	126.50	127.00	0.50	0.099
PLS13-039	127.00	127.50	0.50	0.076
PLS13-039	127.50	128.00	0.50	0.118
PLS13-039	128.00	128.50	0.50	0.085
PLS13-039	128.50	129.00	0.50	0.002
PLS13-039	129.00	129.50	0.50	<0.001
PLS13-039	129.50	130.00	0.50	<0.001
PLS13-039	130.00	130.50	0.50	<0.001
PLS13-039	130.50	131.00	0.50	0.001
PLS13-039	159.00	159.50	0.50	0.017
PLS13-039	159.50	160.00	0.50	0.009
PLS13-039	160.00	160.50	0.50	0.005
PLS13-039	160.50	161.00	0.50	0.018
PLS13-039	161.00	161.50	0.50	0.023
PLS13-039	161.50	162.00	0.50	0.124
PLS13-039	162.00	162.50	0.50	0.002
PLS13-039	162.50	163.00	0.50	0.042
PLS13-039	163.00	163.50	0.50	0.029
PLS13-039	163.50	164.00	0.50	0.005
PLS13-039	164.00	164.50	0.50	0.002
PLS13-039	164.50	165.00	0.50	<0.001
PLS13-039	165.00	165.50	0.50	<0.001
PLS13-039	165.50	166.00	0.50	0.003
PLS13-039	222.00	222.50	0.50	0.001
PLS13-039	222.50	223.00	0.50	0.024
PLS13-039	223.00	223.50	0.50	0.050
PLS13-039	223.50	224.00	0.50	0.011
PLS13-039	224.00	224.50	0.50	0.065
PLS13-039	224.50	225.00	0.50	0.012
PLS13-039	225.00	225.50	0.50	0.003
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-041	62.00	62.50	0.50	0.002
PLS13-041	62.50	63.00	0.50	0.004
PLS13-041	63.00	63.50	0.50	0.030

PLS13-041	63.50	64.00	0.50	0.077
PLS13-041	64.00	64.50	0.50	0.195
PLS13-041	64.50	65.00	0.50	0.011
PLS13-041	65.00	65.50	0.50	0.139
PLS13-041	65.50	66.00	0.50	0.437
PLS13-041	66.00	66.50	0.50	0.032
PLS13-041	66.50	67.00	0.50	0.015
PLS13-041	67.00	67.50	0.50	0.145
PLS13-041	67.50	68.00	0.50	0.178
PLS13-041	68.00	68.50	0.50	0.109
PLS13-041	68.50	69.00	0.50	0.024
PLS13-041	69.00	69.50	0.50	0.017
PLS13-041	69.50	70.00	0.50	0.047
PLS13-041	70.00	70.50	0.50	0.024
PLS13-041	70.50	71.00	0.50	0.026
PLS13-041	71.00	71.50	0.50	0.019
PLS13-041	71.50	72.00	0.50	0.026
PLS13-041	72.00	72.50	0.50	0.048
PLS13-041	72.50	73.00	0.50	0.018
PLS13-041	73.00	73.50	0.50	0.046
PLS13-041	73.50	74.00	0.50	0.015
PLS13-041	74.00	74.50	0.50	0.013
PLS13-041	74.50	75.00	0.50	0.041
PLS13-041	75.00	75.50	0.50	0.079
PLS13-041	75.50	76.00	0.50	0.076
PLS13-041	76.00	76.50	0.50	0.105
PLS13-041	76.50	77.00	0.50	0.030
PLS13-041	77.00	77.50	0.50	0.074
PLS13-041	77.50	78.00	0.50	0.070
PLS13-041	78.00	78.50	0.50	0.099
PLS13-041	78.50	79.00	0.50	0.143
PLS13-041	79.00	79.50	0.50	0.622
<b>PLS13-041</b>	<b>79.50</b>	<b>80.00</b>	<b>0.50</b>	<b>1.120</b>
<b>PLS13-041</b>	<b>80.00</b>	<b>80.50</b>	<b>0.50</b>	<b>1.780</b>
<b>PLS13-041</b>	<b>80.50</b>	<b>81.00</b>	<b>0.50</b>	<b>2.780</b>
<b>PLS13-041</b>	<b>81.00</b>	<b>81.50</b>	<b>0.50</b>	<b>4.540</b>
<b>PLS13-041</b>	<b>81.50</b>	<b>82.00</b>	<b>0.50</b>	<b>3.090</b>
<b>PLS13-041</b>	<b>82.00</b>	<b>82.50</b>	<b>0.50</b>	<b>5.300</b>
<b>PLS13-041</b>	<b>82.50</b>	<b>83.00</b>	<b>0.50</b>	<b>2.540</b>
<b>PLS13-041</b>	<b>83.00</b>	<b>83.50</b>	<b>0.50</b>	<b>3.540</b>
<b>PLS13-041</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>9.970</b>
<b>PLS13-041</b>	<b>84.00</b>	<b>84.50</b>	<b>0.50</b>	<b>12.300</b>
<b>PLS13-041</b>	<b>84.50</b>	<b>85.00</b>	<b>0.50</b>	<b>9.960</b>
<b>PLS13-041</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>26.500</b>
<b>PLS13-041</b>	<b>85.50</b>	<b>86.00</b>	<b>0.50</b>	<b>18.100</b>
<b>PLS13-041</b>	<b>86.00</b>	<b>86.50</b>	<b>0.50</b>	<b>29.700</b>
<b>PLS13-041</b>	<b>86.50</b>	<b>87.00</b>	<b>0.50</b>	<b>13.000</b>

<b>PLS13-041</b>	<b>87.00</b>	<b>87.50</b>	<b>0.50</b>	<b>3.140</b>
PLS13-041	87.50	88.00	0.50	0.598
PLS13-041	88.00	88.50	0.50	0.220
PLS13-041	88.50	89.00	0.50	0.042
PLS13-041	89.00	89.50	0.50	0.041
PLS13-041	89.50	90.00	0.50	0.038
PLS13-041	90.00	90.50	0.50	0.040
PLS13-041	90.50	91.00	0.50	0.033
PLS13-041	91.00	91.50	0.50	0.025
PLS13-041	92.00	92.50	0.50	0.019
PLS13-041	92.50	93.00	0.50	0.018
PLS13-041	93.00	93.50	0.50	0.007
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-043	60.00	60.50	0.50	0.002
PLS13-043	60.50	61.00	0.50	0.012
PLS13-043	61.00	61.50	0.50	0.003
PLS13-043	61.50	62.00	0.50	0.005
PLS13-043	62.00	62.50	0.50	0.001
PLS13-043	62.50	63.00	0.50	0.003
PLS13-043	63.00	63.50	0.50	0.037
PLS13-043	63.50	64.00	0.50	0.365
<b>PLS13-043</b>	<b>64.00</b>	<b>64.50</b>	<b>0.50</b>	<b>2.500</b>
PLS13-043	64.50	65.00	0.50	0.091
PLS13-043	65.00	65.50	0.50	0.004
PLS13-043	65.50	66.00	0.50	<0.001
PLS13-043	66.00	66.50	0.50	0.010
PLS13-043	66.50	67.00	0.50	0.010
PLS13-043	67.00	67.50	0.50	0.017
PLS13-043	67.50	68.00	0.50	0.140
PLS13-043	68.00	68.50	0.50	0.715
PLS13-043	68.50	69.00	0.50	0.822
PLS13-043	69.00	69.50	0.50	0.400
<b>PLS13-043</b>	<b>69.50</b>	<b>70.00</b>	<b>0.50</b>	<b>1.020</b>
PLS13-043	70.00	70.50	0.50	0.405
PLS13-043	70.50	71.00	0.50	0.696
PLS13-043	71.00	71.50	0.50	0.333
PLS13-043	71.50	72.00	0.50	0.307
PLS13-043	72.00	72.50	0.50	0.759
PLS13-043	72.50	73.00	0.50	0.832
<b>PLS13-043</b>	<b>73.00</b>	<b>73.50</b>	<b>0.50</b>	<b>3.700</b>
<b>PLS13-043</b>	<b>73.50</b>	<b>74.00</b>	<b>0.50</b>	<b>4.960</b>
<b>PLS13-043</b>	<b>74.00</b>	<b>74.50</b>	<b>0.50</b>	<b>1.290</b>
PLS13-043	74.50	75.00	0.50	0.961
<b>PLS13-043</b>	<b>75.00</b>	<b>75.50</b>	<b>0.50</b>	<b>1.700</b>
<b>PLS13-043</b>	<b>75.50</b>	<b>76.00</b>	<b>0.50</b>	<b>1.240</b>
PLS13-043	76.00	76.50	0.50	0.048

PLS13-043	76.50	77.00	0.50	0.322
PLS13-043	77.00	77.50	0.50	0.254
PLS13-043	77.50	78.00	0.50	0.378
PLS13-043	78.00	78.50	0.50	0.779
<b>PLS13-043</b>	<b>78.50</b>	<b>79.00</b>	<b>0.50</b>	<b>3.800</b>
<b>PLS13-043</b>	<b>79.00</b>	<b>79.50</b>	<b>0.50</b>	<b>1.570</b>
<b>PLS13-043</b>	<b>79.50</b>	<b>80.00</b>	<b>0.50</b>	<b>1.140</b>
PLS13-043	80.00	80.50	0.50	0.575
PLS13-043	80.50	81.00	0.50	0.374
<b>PLS13-043</b>	<b>81.00</b>	<b>81.50</b>	<b>0.50</b>	<b>2.760</b>
<b>PLS13-043</b>	<b>81.50</b>	<b>82.00</b>	<b>0.50</b>	<b>3.800</b>
<b>PLS13-043</b>	<b>82.00</b>	<b>82.50</b>	<b>0.50</b>	<b>5.030</b>
<b>PLS13-043</b>	<b>82.50</b>	<b>83.00</b>	<b>0.50</b>	<b>1.090</b>
PLS13-043	83.00	83.50	0.50	0.692
<b>PLS13-043</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>21.800</b>
<b>PLS13-043</b>	<b>84.00</b>	<b>84.50</b>	<b>0.50</b>	<b>26.000</b>
<b>PLS13-043</b>	<b>84.50</b>	<b>85.00</b>	<b>0.50</b>	<b>20.400</b>
<b>PLS13-043</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>29.100</b>
<b>PLS13-043</b>	<b>85.50</b>	<b>86.00</b>	<b>0.50</b>	<b>25.400</b>
<b>PLS13-043</b>	<b>86.00</b>	<b>86.50</b>	<b>0.50</b>	<b>15.800</b>
<b>PLS13-043</b>	<b>86.50</b>	<b>87.00</b>	<b>0.50</b>	<b>20.600</b>
<b>PLS13-043</b>	<b>87.00</b>	<b>87.50</b>	<b>0.50</b>	<b>6.750</b>
PLS13-043	87.50	88.00	0.50	0.196
<b>PLS13-043</b>	<b>88.00</b>	<b>88.50</b>	<b>0.50</b>	<b>1.790</b>
PLS13-043	88.50	89.00	0.50	0.282
PLS13-043	89.00	89.50	0.50	0.197
PLS13-043	89.50	90.00	0.50	0.020
PLS13-043	90.00	90.50	0.50	0.012
PLS13-043	90.50	91.00	0.50	0.004
PLS13-043	91.00	91.50	0.50	0.010
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-045	62.00	62.50	0.50	0.002
PLS13-045	62.50	63.00	0.50	<0.001
PLS13-045	63.00	63.50	0.50	0.005
PLS13-045	63.50	64.00	0.50	0.007
PLS13-045	64.00	64.50	0.50	0.689
PLS13-045	64.50	65.00	0.50	0.423
PLS13-045	65.00	65.50	0.50	0.354
PLS13-045	65.50	66.00	0.50	0.003
PLS13-045	66.00	66.50	0.50	0.056
PLS13-045	66.50	67.00	0.50	0.004
PLS13-045	67.00	67.50	0.50	0.013
PLS13-045	67.50	68.00	0.50	0.049
PLS13-045	68.00	68.50	0.50	0.177
PLS13-045	68.50	69.00	0.50	0.256
PLS13-045	69.00	69.50	0.50	0.070

PLS13-045	69.50	70.00	0.50	0.069
PLS13-045	70.00	70.50	0.50	0.040
PLS13-045	70.50	71.00	0.50	0.091
PLS13-045	71.00	71.50	0.50	0.114
PLS13-045	71.50	72.00	0.50	0.051
PLS13-045	72.00	72.50	0.50	0.240
PLS13-045	72.50	73.00	0.50	0.456
PLS13-045	73.00	73.50	0.50	0.161
PLS13-045	73.50	74.00	0.50	0.056
PLS13-045	74.00	74.50	0.50	0.289
PLS13-045	74.50	75.00	0.50	0.108
PLS13-045	75.00	75.50	0.50	0.180
PLS13-045	75.50	76.00	0.50	0.596
PLS13-045	76.00	76.50	0.50	0.197
PLS13-045	76.50	77.00	0.50	0.046
PLS13-045	77.00	77.50	0.50	0.040
PLS13-045	77.50	78.00	0.50	0.056
PLS13-045	78.00	78.50	0.50	0.075
PLS13-045	78.50	79.00	0.50	0.106
PLS13-045	79.00	79.50	0.50	0.253
PLS13-045	79.50	80.00	0.50	0.473
PLS13-045	80.00	80.50	0.50	0.329
PLS13-045	80.50	81.00	0.50	0.251
PLS13-045	81.00	81.50	0.50	0.121
PLS13-045	81.50	82.00	0.50	0.508
PLS13-045	82.00	82.50	0.50	0.477
<b>PLS13-045</b>	<b>82.50</b>	<b>83.00</b>	<b>0.50</b>	<b>1.620</b>
PLS13-045	83.00	83.50	0.50	0.242
PLS13-045	83.50	84.00	0.50	0.082
PLS13-045	84.00	84.50	0.50	0.050
PLS13-045	84.50	85.00	0.50	0.059
PLS13-045	85.00	85.50	0.50	0.010
PLS13-045	85.50	86.00	0.50	0.004
PLS13-045	86.00	86.50	0.50	0.004
PLS13-045	86.50	87.00	0.50	0.004
PLS13-045	87.00	87.50	0.50	0.002
PLS13-045	87.50	88.00	0.50	0.022
PLS13-045	88.00	88.50	0.50	0.073
PLS13-045	88.50	89.00	0.50	0.065
PLS13-045	89.00	89.50	0.50	0.027
PLS13-045	89.50	90.00	0.50	0.016
PLS13-045	90.00	90.50	0.50	
PLS13-045	90.50	91.00	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-047	63.00	63.50	0.50	0.025
PLS13-047	63.50	64.00	0.50	0.018

PLS13-047	64.00	64.50	0.50	0.030
PLS13-047	64.50	65.00	0.50	0.174
PLS13-047	65.00	65.50	0.50	0.051
PLS13-047	65.50	66.00	0.50	0.159
PLS13-047	66.00	66.50	0.50	0.413
PLS13-047	66.50	67.00	0.50	0.200
PLS13-047	67.00	67.50	0.50	0.134
PLS13-047	67.50	68.00	0.50	0.103
PLS13-047	68.00	68.50	0.50	0.027
PLS13-047	68.50	69.00	0.50	0.007
PLS13-047	69.00	69.50	0.50	0.040
PLS13-047	69.50	70.00	0.50	0.011
PLS13-047	70.00	70.50	0.50	0.008
PLS13-047	70.50	71.00	0.50	0.024
PLS13-047	104.00	104.50	0.50	0.007
PLS13-047	104.50	105.00	0.50	0.036
PLS13-047	105.00	105.50	0.50	0.116
PLS13-047	105.50	106.00	0.50	0.024
PLS13-047	106.00	106.50	0.50	0.020
PLS13-047	106.50	107.00	0.50	0.040
PLS13-047	107.00	107.50	0.50	0.009
PLS13-047	107.50	108.00	0.50	0.006
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-049	62.50	63.00	0.50	<0.001
PLS13-049	63.00	63.50	0.50	0.029
PLS13-049	63.50	64.00	0.50	0.021
PLS13-049	64.00	64.50	0.50	0.011
PLS13-049	64.50	65.00	0.50	0.121
PLS13-049	65.00	65.50	0.50	0.021
PLS13-049	65.50	66.00	0.50	0.006
PLS13-049	66.00	66.50	0.50	0.154
<b>PLS13-049</b>	<b>66.50</b>	<b>67.00</b>	<b>0.50</b>	<b>1.300</b>
<b>PLS13-049</b>	<b>67.00</b>	<b>67.50</b>	<b>0.50</b>	<b>1.610</b>
PLS13-049	67.50	68.00	0.50	0.865
PLS13-049	68.00	68.50	0.50	0.393
PLS13-049	68.50	69.00	0.50	0.102
PLS13-049	69.00	69.50	0.50	0.252
<b>PLS13-049</b>	<b>69.50</b>	<b>70.00</b>	<b>0.50</b>	<b>1.430</b>
<b>PLS13-049</b>	<b>70.00</b>	<b>70.50</b>	<b>0.50</b>	<b>8.240</b>
<b>PLS13-049</b>	<b>70.50</b>	<b>71.00</b>	<b>0.50</b>	<b>8.300</b>
<b>PLS13-049</b>	<b>71.00</b>	<b>71.50</b>	<b>0.50</b>	<b>12.700</b>
<b>PLS13-049</b>	<b>71.50</b>	<b>72.00</b>	<b>0.50</b>	<b>6.130</b>
<b>PLS13-049</b>	<b>72.00</b>	<b>72.50</b>	<b>0.50</b>	<b>4.840</b>
<b>PLS13-049</b>	<b>72.50</b>	<b>73.00</b>	<b>0.50</b>	<b>1.280</b>
<b>PLS13-049</b>	<b>73.00</b>	<b>73.50</b>	<b>0.50</b>	<b>2.200</b>
PLS13-049	73.50	74.00	0.50	0.951



PLS13-049	74.00	74.50	0.50	0.518
PLS13-049	74.50	75.00	0.50	0.596
PLS13-049	75.00	75.50	0.50	0.282
<b>PLS13-049</b>	<b>75.50</b>	<b>76.00</b>	<b>0.50</b>	<b>1.000</b>
PLS13-049	76.00	76.50	0.50	0.813
PLS13-049	76.50	77.00	0.50	0.439
<b>PLS13-049</b>	<b>77.00</b>	<b>77.50</b>	<b>0.50</b>	<b>1.090</b>
PLS13-049	77.50	78.00	0.50	0.234
<b>PLS13-049</b>	<b>78.00</b>	<b>78.50</b>	<b>0.50</b>	<b>1.710</b>
PLS13-049	78.50	79.00	0.50	0.338
PLS13-049	79.00	79.50	0.50	0.238
<b>PLS13-049</b>	<b>79.50</b>	<b>80.00</b>	<b>0.50</b>	<b>2.140</b>
<b>PLS13-049</b>	<b>80.00</b>	<b>80.50</b>	<b>0.50</b>	<b>6.330</b>
PLS13-049	80.50	81.00	0.50	0.373
<b>PLS13-049</b>	<b>81.00</b>	<b>81.50</b>	<b>0.50</b>	<b>1.520</b>
<b>PLS13-049</b>	<b>81.50</b>	<b>82.00</b>	<b>0.50</b>	<b>1.200</b>
<b>PLS13-049</b>	<b>82.00</b>	<b>82.50</b>	<b>0.50</b>	<b>1.040</b>
PLS13-049	82.50	83.00	0.50	0.671
PLS13-049	83.00	83.50	0.50	0.022
PLS13-049	83.50	84.00	0.50	0.006
PLS13-049	84.00	84.50	0.50	0.006
PLS13-049	84.50	85.00	0.50	0.002
PLS13-049	85.00	85.50	0.50	0.004
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-050	61.00	61.50	0.50	<0.001
PLS13-050	61.50	62.00	0.50	<0.001
PLS13-050	62.00	62.50	0.50	<0.001
PLS13-050	62.50	63.00	0.50	<0.001
PLS13-050	63.00	63.50	0.50	0.009
PLS13-050	63.50	64.00	0.50	0.116
PLS13-050	64.00	64.50	0.50	0.038
PLS13-050	64.50	65.00	0.50	0.059
PLS13-050	65.00	65.50	0.50	0.011
PLS13-050	65.50	66.00	0.50	0.009
PLS13-050	66.00	66.50	0.50	0.004
PLS13-050	66.50	67.00	0.50	0.017
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-052	60.00	60.50	0.50	<0.001
PLS13-052	60.50	61.00	0.50	0.002
PLS13-052	61.00	61.50	0.50	0.003
PLS13-052	61.50	62.00	0.50	0.003
PLS13-052	62.00	62.50	0.50	0.127
<b>PLS13-052</b>	<b>62.50</b>	<b>63.00</b>	<b>0.50</b>	<b>3.460</b>
<b>PLS13-052</b>	<b>63.00</b>	<b>63.50</b>	<b>0.50</b>	<b>1.140</b>
<b>PLS13-052</b>	<b>63.50</b>	<b>64.00</b>	<b>0.50</b>	<b>1.450</b>
<b>PLS13-052</b>	<b>64.00</b>	<b>64.50</b>	<b>0.50</b>	<b>3.360</b>

PLS13-052	64.50	65.00	0.50	0.483
PLS13-052	65.00	65.50	0.50	0.413
<b>PLS13-052</b>	<b>65.50</b>	<b>66.00</b>	<b>0.50</b>	<b>3.790</b>
PLS13-052	66.00	66.50	0.50	0.064
PLS13-052	66.50	67.00	0.50	0.034
PLS13-052	67.00	67.50	0.50	0.018
PLS13-052	67.50	68.00	0.50	0.051
PLS13-052	68.00	68.50	0.50	0.197
<b>PLS13-052</b>	<b>68.50</b>	<b>69.00</b>	<b>0.50</b>	<b>1.060</b>
PLS13-052	69.00	69.50	0.50	0.898
PLS13-052	69.50	70.00	0.50	0.415
PLS13-052	70.00	70.50	0.50	0.331
PLS13-052	70.50	71.00	0.50	0.704
PLS13-052	71.00	71.50	0.50	0.166
PLS13-052	71.50	72.00	0.50	0.091
PLS13-052	72.00	72.50	0.50	0.053
PLS13-052	72.50	73.00	0.50	0.039
PLS13-052	73.00	73.50	0.50	0.037
PLS13-052	73.50	74.00	0.50	0.040
PLS13-052	74.00	74.50	0.50	0.049
PLS13-052	74.50	75.00	0.50	0.030
PLS13-052	75.00	75.50	0.50	0.036
PLS13-052	75.50	76.00	0.50	0.104
PLS13-052	76.00	76.50	0.50	0.130
PLS13-052	76.50	77.00	0.50	0.036
PLS13-052	77.00	77.50	0.50	0.022
PLS13-052	77.50	78.00	0.50	0.026
PLS13-052	78.00	78.50	0.50	0.076
PLS13-052	78.50	79.00	0.50	0.108
PLS13-052	79.00	79.50	0.50	0.139
PLS13-052	79.50	80.00	0.50	0.338
PLS13-052	80.00	80.50	0.50	0.547
PLS13-052	80.50	81.00	0.50	0.334
<b>PLS13-052</b>	<b>81.00</b>	<b>81.50</b>	<b>0.50</b>	<b>1.540</b>
PLS13-052	81.50	82.00	0.50	0.888
<b>PLS13-052</b>	<b>82.00</b>	<b>82.50</b>	<b>0.50</b>	<b>3.350</b>
<b>PLS13-052</b>	<b>82.50</b>	<b>83.00</b>	<b>0.50</b>	<b>5.250</b>
PLS13-052	83.00	83.50	0.50	0.649
<b>PLS13-052</b>	<b>83.50</b>	<b>84.00</b>	<b>0.50</b>	<b>1.020</b>
<b>PLS13-052</b>	<b>84.00</b>	<b>84.50</b>	<b>0.50</b>	<b>11.400</b>
<b>PLS13-052</b>	<b>84.50</b>	<b>85.00</b>	<b>0.50</b>	<b>6.880</b>
<b>PLS13-052</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>8.230</b>
<b>PLS13-052</b>	<b>85.50</b>	<b>86.00</b>	<b>0.50</b>	<b>4.870</b>
<b>PLS13-052</b>	<b>86.00</b>	<b>86.50</b>	<b>0.50</b>	<b>9.060</b>
<b>PLS13-052</b>	<b>86.50</b>	<b>87.00</b>	<b>0.50</b>	<b>37.300</b>
<b>PLS13-052</b>	<b>87.00</b>	<b>87.50</b>	<b>0.50</b>	<b>7.310</b>
<b>PLS13-052</b>	<b>87.50</b>	<b>88.00</b>	<b>0.50</b>	<b>11.100</b>

<b>PLS13-052</b>	<b>88.00</b>	<b>88.50</b>	<b>0.50</b>	<b>11.400</b>
PLS13-052	88.50	89.00	0.50	0.099
<b>PLS13-052</b>	<b>89.00</b>	<b>89.50</b>	<b>0.50</b>	<b>2.240</b>
<b>PLS13-052</b>	<b>89.50</b>	<b>90.00</b>	<b>0.50</b>	<b>1.520</b>
PLS13-052	90.00	90.50	0.50	0.736
<b>PLS13-052</b>	<b>90.50</b>	<b>91.00</b>	<b>0.50</b>	<b>1.050</b>
PLS13-052	91.00	91.50	0.50	0.017
PLS13-052	91.50	92.00	0.50	0.430
PLS13-052	92.00	92.50	0.50	0.038
PLS13-052	92.50	93.00	0.50	0.021
PLS13-052	93.00	93.50	0.50	0.060
PLS13-052	93.50	94.00	0.50	0.003
PLS13-052	94.00	94.50	0.50	0.002
PLS13-052	94.50	95.00	0.50	0.004
PLS13-052	95.00	95.50	0.50	0.008
PLS13-052	95.50	96.00	0.50	0.007
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-054	66.50	67.00	0.50	0.010
PLS13-054	67.00	67.50	0.50	0.011
PLS13-054	67.50	68.00	0.50	0.040
PLS13-054	68.00	68.50	0.50	0.104
PLS13-054	68.50	69.00	0.50	0.053
PLS13-054	69.00	69.50	0.50	0.198
PLS13-054	69.50	70.00	0.50	0.090
PLS13-054	70.00	70.50	0.50	0.180
<b>PLS13-054</b>	<b>70.50</b>	<b>71.00</b>	<b>0.50</b>	<b>2.260</b>
PLS13-054	71.00	71.50	0.50	0.560
PLS13-054	71.50	72.00	0.50	0.097
PLS13-054	72.00	72.50	0.50	0.368
PLS13-054	72.50	73.00	0.50	0.177
PLS13-054	73.00	73.50	0.50	0.085
PLS13-054	73.50	74.00	0.50	0.131
PLS13-054	74.00	74.50	0.50	0.057
PLS13-054	74.50	75.00	0.50	0.064
PLS13-054	75.00	75.50	0.50	0.097
PLS13-054	75.50	76.00	0.50	0.375
PLS13-054	76.00	76.50	0.50	0.908
PLS13-054	76.50	77.00	0.50	0.203
PLS13-054	77.00	77.50	0.50	0.078
PLS13-054	77.50	78.00	0.50	0.044
PLS13-054	78.00	78.50	0.50	0.199
PLS13-054	78.50	79.00	0.50	0.088
PLS13-054	79.00	79.50	0.50	0.053
PLS13-054	79.50	80.00	0.50	0.012
PLS13-054	80.00	80.50	0.50	0.015
PLS13-054	80.50	81.00	0.50	0.011

PLS13-054	81.00	81.50	0.50	0.006
PLS13-054	81.50	82.00	0.50	0.014
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-056	60.00	60.50	0.50	<0.001
PLS13-056	60.50	61.00	0.50	0.001
PLS13-056	61.00	61.50	0.50	<0.001
PLS13-056	61.50	62.00	0.50	<0.001
PLS13-056	62.00	62.50	0.50	0.008
PLS13-056	62.50	63.00	0.50	0.084
PLS13-056	63.00	63.50	0.50	0.587
PLS13-056	63.50	64.00	0.50	0.126
PLS13-056	64.00	64.50	0.50	0.061
PLS13-056	64.50	65.00	0.50	0.052
PLS13-056	65.00	65.50	0.50	0.079
PLS13-056	65.50	66.00	0.50	0.036
PLS13-056	66.00	66.50	0.50	0.038
PLS13-056	66.50	67.00	0.50	0.067
PLS13-056	67.00	67.50	0.50	0.040
PLS13-056	67.50	68.00	0.50	0.049
PLS13-056	68.00	68.50	0.50	0.096
PLS13-056	68.50	69.00	0.50	0.141
PLS13-056	69.00	69.50	0.50	0.256
PLS13-056	69.50	70.00	0.50	0.193
PLS13-056	70.00	70.50	0.50	0.410
PLS13-056	70.50	71.00	0.50	0.411
PLS13-056	71.00	71.50	0.50	0.100
PLS13-056	71.50	72.00	0.50	0.040
PLS13-056	72.00	72.50	0.50	0.018
PLS13-056	72.50	73.00	0.50	0.013
PLS13-056	73.00	73.50	0.50	0.037
PLS13-056	73.50	74.00	0.50	0.023
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-058	63.50	64.00	0.50	0.052
PLS13-058	64.00	64.50	0.50	0.013
PLS13-058	64.50	65.00	0.50	0.016
PLS13-058	65.00	65.50	0.50	0.123
PLS13-058	65.50	66.00	0.50	0.140
PLS13-058	66.00	66.50	0.50	0.157
PLS13-058	66.50	67.00	0.50	0.238
PLS13-058	67.00	67.50	0.50	0.147
PLS13-058	67.50	68.00	0.50	0.002
PLS13-058	68.00	68.50	0.50	0.008
PLS13-058	68.50	69.00	0.50	0.008
PLS13-058	69.00	69.50	0.50	0.011
PLS13-058	69.50	70.00	0.50	0.011
PLS13-058	70.00	70.50	0.50	0.049

PLS13-058	70.50	71.00	0.50	0.090
PLS13-058	71.00	71.50	0.50	0.099
PLS13-058	71.50	72.00	0.50	0.078
PLS13-058	72.00	72.50	0.50	0.091
PLS13-058	72.50	73.00	0.50	0.053
PLS13-058	73.00	73.50	0.50	0.050
PLS13-058	73.50	74.00	0.50	0.043
PLS13-058	74.00	74.50	0.50	0.270
PLS13-058	74.50	75.00	0.50	0.179
PLS13-058	75.00	75.50	0.50	0.136
PLS13-058	75.50	76.00	0.50	0.059
PLS13-058	76.00	76.50	0.50	0.066
PLS13-058	76.50	77.00	0.50	0.056
PLS13-058	77.00	77.50	0.50	0.061
PLS13-058	77.50	78.00	0.50	0.274
PLS13-058	78.00	78.50	0.50	0.034
PLS13-058	78.50	79.00	0.50	0.266
PLS13-058	79.00	79.50	0.50	0.109
PLS13-058	79.50	80.00	0.50	0.061
PLS13-058	80.00	80.50	0.50	0.095
PLS13-058	80.50	81.00	0.50	0.273
PLS13-058	81.00	81.50	0.50	0.166
PLS13-058	81.50	82.00	0.50	0.150
PLS13-058	82.00	82.50	0.50	0.090
PLS13-058	82.50	83.00	0.50	0.078
PLS13-058	83.00	83.50	0.50	0.361
PLS13-058	83.50	84.00	0.50	0.064
PLS13-058	84.00	84.50	0.50	0.246
PLS13-058	84.50	85.00	0.50	0.599
<b>PLS13-058</b>	<b>85.00</b>	<b>85.50</b>	<b>0.50</b>	<b>1.300</b>
PLS13-058	85.50	86.00	0.50	0.196
PLS13-058	86.00	86.50	0.50	0.025
PLS13-058	86.50	87.00	0.50	0.221
PLS13-058	87.00	87.50	0.50	0.060
PLS13-058	87.50	88.00	0.50	0.002
PLS13-058	88.00	88.50	0.50	0.001
PLS13-058	88.50	89.00	0.50	0.002
PLS13-058	89.00	89.50	0.50	<0.001
PLS13-058	89.50	90.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-059	53.50	54.00	0.50	0.002
PLS13-059	54.00	54.50	0.50	0.002
PLS13-059	54.50	55.00	0.50	0.009
PLS13-059	55.00	55.50	0.50	0.026
PLS13-059	55.50	56.00	0.50	0.566
PLS13-059	56.00	56.50	0.50	0.394

<b>PLS13-059</b>	<b>56.50</b>	<b>57.00</b>	<b>0.50</b>	<b>1.860</b>
<b>PLS13-059</b>	<b>57.00</b>	<b>57.50</b>	<b>0.50</b>	<b>9.960</b>
<b>PLS13-059</b>	<b>57.50</b>	<b>58.00</b>	<b>0.50</b>	<b>17.500</b>
<b>PLS13-059</b>	<b>58.00</b>	<b>58.50</b>	<b>0.50</b>	<b>14.500</b>
<b>PLS13-059</b>	<b>58.50</b>	<b>59.00</b>	<b>0.50</b>	<b>1.140</b>
PLS13-059	59.00	59.50	0.50	0.383
PLS13-059	59.50	60.00	0.50	0.106
PLS13-059	60.00	60.50	0.50	0.154
PLS13-059	60.50	61.00	0.50	0.141
PLS13-059	61.00	61.50	0.50	0.092
PLS13-059	61.50	62.00	0.50	0.134
PLS13-059	62.00	62.50	0.50	0.041
PLS13-059	62.50	63.00	0.50	0.014
PLS13-059	63.00	63.50	0.50	0.038
PLS13-059	63.50	64.00	0.50	0.029
PLS13-059	64.00	64.50	0.50	0.012
PLS13-059	64.50	65.00	0.50	0.012
PLS13-059	65.00	65.50	0.50	0.020
PLS13-059	65.50	66.00	0.50	0.063
PLS13-059	66.00	66.50	0.50	0.072
PLS13-059	66.50	67.00	0.50	0.072
PLS13-059	67.00	67.50	0.50	0.085
PLS13-059	67.50	68.00	0.50	0.080
PLS13-059	68.00	68.50	0.50	0.071
PLS13-059	68.50	69.00	0.50	0.068
PLS13-059	69.00	69.50	0.50	0.034
PLS13-059	69.50	70.00	0.50	0.020
PLS13-059	70.00	70.50	0.50	0.232
PLS13-059	70.50	71.00	0.50	0.149
PLS13-059	71.00	71.50	0.50	0.082
PLS13-059	71.50	72.00	0.50	0.081
PLS13-059	72.00	72.50	0.50	0.141
PLS13-059	72.50	73.00	0.50	0.647
PLS13-059	73.00	73.50	0.50	0.794
PLS13-059	73.50	74.00	0.50	0.689
PLS13-059	74.00	74.50	0.50	0.844
<b>PLS13-059</b>	<b>74.50</b>	<b>75.00</b>	<b>0.50</b>	<b>16.600</b>
<b>PLS13-059</b>	<b>75.00</b>	<b>75.50</b>	<b>0.50</b>	<b>16.400</b>
<b>PLS13-059</b>	<b>75.50</b>	<b>76.00</b>	<b>0.50</b>	<b>3.060</b>
<b>PLS13-059</b>	<b>76.00</b>	<b>76.50</b>	<b>0.50</b>	<b>15.600</b>
<b>PLS13-059</b>	<b>76.50</b>	<b>77.00</b>	<b>0.50</b>	<b>1.260</b>
<b>PLS13-059</b>	<b>77.00</b>	<b>77.50</b>	<b>0.50</b>	<b>1.020</b>
<b>PLS13-059</b>	<b>77.50</b>	<b>78.00</b>	<b>0.50</b>	<b>18.600</b>
<b>PLS13-059</b>	<b>78.00</b>	<b>78.50</b>	<b>0.50</b>	<b>6.300</b>
<b>PLS13-059</b>	<b>78.50</b>	<b>79.00</b>	<b>0.50</b>	<b>5.350</b>
<b>PLS13-059</b>	<b>79.00</b>	<b>79.50</b>	<b>0.50</b>	<b>15.200</b>
<b>PLS13-059</b>	<b>79.50</b>	<b>80.00</b>	<b>0.50</b>	<b>17.100</b>

PLS13-059	80.00	80.50	0.50	25.200
PLS13-059	80.50	81.00	0.50	7.340
PLS13-059	81.00	81.50	0.50	21.000
PLS13-059	81.50	82.00	0.50	27.500
PLS13-059	82.00	82.50	0.50	48.800
PLS13-059	82.50	83.00	0.50	42.300
PLS13-059	83.00	83.50	0.50	22.500
PLS13-059	83.50	84.00	0.50	26.600
PLS13-059	84.00	84.50	0.50	0.437
PLS13-059	84.50	85.00	0.50	0.070
PLS13-059	85.00	85.50	0.50	<0.001
PLS13-059	85.50	86.00	0.50	0.235
PLS13-059	86.00	86.50	0.50	0.024
PLS13-059	86.50	87.00	0.50	0.028
PLS13-059	87.00	87.50	0.50	0.027
PLS13-059	87.50	88.00	0.50	0.030
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-065	86.50	87.00	0.50	0.028
PLS13-065	87.00	87.50	0.50	0.027
PLS13-065	87.50	88.00	0.50	0.030
PLS13-065	50.50	51.00	0.50	0.038
PLS13-065	51.00	51.50	0.50	0.214
PLS13-065	51.50	52.00	0.50	0.190
PLS13-065	52.00	52.50	0.50	0.060
PLS13-065	52.50	53.00	0.50	0.068
PLS13-065	53.00	53.50	0.50	0.070
PLS13-065	53.50	54.00	0.50	0.018
PLS13-065	54.00	54.50	0.50	0.040
PLS13-065	54.50	55.00	0.50	0.042
PLS13-065	55.00	55.50	0.50	0.029
PLS13-065	55.50	56.00	0.50	0.013
PLS13-065	56.00	56.50	0.50	0.014
PLS13-065	170.00	170.50	0.50	<0.001
PLS13-065	170.50	171.00	0.50	<0.001
PLS13-065	171.00	171.50	0.50	0.027
PLS13-065	171.50	172.00	0.50	0.002
PLS13-065	172.00	172.50	0.50	<0.001
PLS13-065	175.00	175.50	0.50	<0.001
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS13-067	49.50	50.00	0.50	0.008
PLS13-067	50.00	50.50	0.50	0.004
PLS13-067	50.50	51.00	0.50	0.074
PLS13-067	51.00	51.50	0.50	0.046
PLS13-067	51.50	52.00	0.50	0.152
PLS13-067	52.00	52.50	0.50	0.034
PLS13-067	52.50	53.00	0.50	0.008

PLS13-067	53.00	53.50	0.50	0.028
PLS13-067	53.50	54.00	0.50	0.035
PLS13-067	54.00	54.50	0.50	0.010
PLS13-067	54.50	55.00	0.50	0.002
PLS13-067	55.00	55.50	0.50	0.002
PLS13-067	55.50	56.00	0.50	0.002
PLS13-067	56.00	56.50	0.50	0.004
PLS13-067	56.50	57.00	0.50	<0.001
PLS13-067	57.00	57.50	0.50	<0.001
PLS13-067	57.50	58.00	0.50	0.003
PLS13-067	58.00	58.50	0.50	0.006
PLS13-067	58.50	59.00	0.50	0.002
PLS13-067	59.00	59.50	0.50	0.001
PLS13-067	59.50	60.00	0.50	0.016
PLS13-067	60.00	60.50	0.50	0.006
PLS13-067	60.50	61.00	0.50	0.008
PLS13-067	61.00	61.50	0.50	0.060
PLS13-067	61.50	62.00	0.50	0.242
PLS13-067	62.00	62.50	0.50	0.150
PLS13-067	62.50	63.00	0.50	0.086
PLS13-067	63.00	63.50	0.50	0.138
<b>PLS13-067</b>	<b>63.50</b>	<b>64.00</b>	<b>0.50</b>	<b>11.400</b>
<b>PLS13-067</b>	<b>64.00</b>	<b>64.50</b>	<b>0.50</b>	<b>8.980</b>
<b>PLS13-067</b>	<b>64.50</b>	<b>65.00</b>	<b>0.50</b>	<b>7.340</b>
<b>PLS13-067</b>	<b>65.00</b>	<b>65.50</b>	<b>0.50</b>	<b>2.820</b>
<b>PLS13-067</b>	<b>65.50</b>	<b>66.00</b>	<b>0.50</b>	<b>4.340</b>
<b>PLS13-067</b>	<b>66.00</b>	<b>66.50</b>	<b>0.50</b>	<b>10.200</b>
<b>PLS13-067</b>	<b>66.50</b>	<b>67.00</b>	<b>0.50</b>	<b>8.060</b>
<b>PLS13-067</b>	<b>67.00</b>	<b>67.50</b>	<b>0.50</b>	<b>1.760</b>
PLS13-067	67.50	68.00	0.50	0.012
PLS13-067	68.00	68.50	0.50	0.004
PLS13-067	68.50	69.00	0.50	0.010
PLS13-067	69.00	69.50	0.50	<0.001
PLS13-067	109.00	109.50	0.50	0.004
PLS13-067	109.50	110.00	0.50	0.002
PLS13-067	110.00	110.50	0.50	0.053
PLS13-067	110.50	111.00	0.50	0.010
PLS13-067	111.00	111.50	0.50	0.012
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-069	50.50	51.00	0.50	0.016
PLS13-069	51.00	51.50	0.50	0.041
PLS13-069	51.50	52.00	0.50	0.034
PLS13-069	52.00	52.50	0.50	0.054
PLS13-069	52.50	53.00	0.50	0.793
PLS13-069	53.00	53.50	0.50	0.219
PLS13-069	53.50	54.00	0.50	<0.001



PLS13-069	54.00	54.50	0.50	0.018
PLS13-069	54.50	55.00	0.50	0.034
PLS13-069	55.00	55.50	0.50	0.026
PLS13-069	55.50	56.00	0.50	0.022
PLS13-069	56.00	56.50	0.50	0.015
PLS13-069	56.50	57.00	0.50	0.012
PLS13-069	71.50	72.00	0.50	0.026
PLS13-069	72.00	72.50	0.50	0.021
PLS13-069	72.50	73.00	0.50	0.034
PLS13-069	73.00	73.50	0.50	0.035
PLS13-069	73.50	74.00	0.50	0.037
PLS13-069	74.00	74.50	0.50	0.034
PLS13-069	96.50	97.00	0.50	0.011
PLS13-069	97.00	97.50	0.50	0.012
PLS13-069	97.50	98.00	0.50	0.002
PLS13-069	98.00	98.50	0.50	0.013
PLS13-069	98.50	99.00	0.50	0.028
PLS13-069	99.00	99.50	0.50	0.020
PLS13-069	99.50	100.00	0.50	0.040
PLS13-069	100.00	100.50	0.50	0.007
PLS13-069	100.50	101.00	0.50	0.051
PLS13-069	101.00	101.50	0.50	0.072
PLS13-069	101.50	102.00	0.50	0.032
PLS13-069	102.00	102.50	0.50	0.022
PLS13-069	102.50	103.00	0.50	0.011
PLS13-069	103.00	103.50	0.50	0.005
PLS13-069	103.50	104.00	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-071	No significant mineralization			
Start of 2013 Summer Program				
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-074	63.5	64.0	0.5	0.002
PLS13-074	64.0	64.5	0.5	0.002
PLS13-074	64.5	65.0	0.5	0.008
PLS13-074	65.0	65.5	0.5	0.452
PLS13-074	65.5	66.0	0.5	0.032
PLS13-074	66.0	66.5	0.5	0.042
PLS13-074	66.5	67.0	0.5	0.058
PLS13-074	67.0	67.5	0.5	0.058
PLS13-074	67.5	68.0	0.5	0.027
PLS13-074	103.0	103.5	0.5	0.004
PLS13-074	103.5	104.0	0.5	0.006
PLS13-074	104.0	104.5	0.5	0.004
PLS13-074	104.5	105.0	0.5	0.009
PLS13-074	105.0	105.5	0.5	0.024
PLS13-074	105.5	106.0	0.5	0.014

PLS13-074	106.0	106.5	0.5	0.010
PLS13-074	106.5	107.0	0.5	0.007
PLS13-074	107.0	107.5	0.5	0.004
PLS13-074	107.5	108.0	0.5	0.002
PLS13-074	108.0	108.5	0.5	0.004
PLS13-074	128.5	129.0	0.5	0.002
PLS13-074	130.5	131.0	0.5	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-076	175.5	176.0	0.5	0.004
PLS13-076	176.0	176.5	0.5	0.004
PLS13-076	176.5	177.0	0.5	0.001
PLS13-076	177.0	177.5	0.5	0.007
PLS13-076	177.5	178.0	0.5	0.045
PLS13-076	178.0	178.5	0.5	0.023
PLS13-076	178.5	179.0	0.5	0.102
PLS13-076	179.0	179.5	0.5	0.131
PLS13-076	179.5	180.0	0.5	0.070
PLS13-076	180.0	180.5	0.5	0.067
PLS13-076	180.5	181.0	0.5	0.042
PLS13-076	181.0	181.5	0.5	0.017
PLS13-076	181.5	182.0	0.5	0.027
PLS13-076	182.0	182.5	0.5	0.047
PLS13-076	182.5	183.0	0.5	0.012
PLS13-076	183.0	183.5	0.5	0.142
PLS13-076	183.5	184.0	0.5	0.035
PLS13-076	184.0	184.5	0.5	0.070
PLS13-076	184.5	185.0	0.5	0.031
PLS13-076	185.0	185.5	0.5	0.016
PLS13-076	185.5	186.0	0.5	0.004
PLS13-076	186.0	186.5	0.5	0.009
PLS13-076	186.5	187.0	0.5	0.077
PLS13-076	187.0	187.5	0.5	0.008
PLS13-076	187.5	188.0	0.5	0.040
PLS13-076	188.0	188.5	0.5	0.007
PLS13-076	188.5	189.0	0.5	0.004
PLS13-076	189.0	189.5	0.5	0.234
PLS13-076	189.5	190.0	0.5	0.623
PLS13-076	190.0	190.5	0.5	0.332
PLS13-076	190.5	191.0	0.5	0.071
PLS13-076	191.0	191.5	0.5	0.032
PLS13-076	191.5	192.0	0.5	0.003
PLS13-076	192.0	192.5	0.5	0.002
PLS13-076	192.5	193.0	0.5	0.002
PLS13-076	193.0	193.5	0.5	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-077	56.0	59.0	3	0.045

PLS13-077	59.0	59.5	0.5	0.152
PLS13-077	59.5	60.0	0.5	0.084
PLS13-077	60.0	60.5	0.5	0.194
PLS13-077	60.5	61.0	0.5	0.526
PLS13-077	61.0	61.5	0.5	0.332
PLS13-077	61.5	62.0	0.5	0.818
PLS13-077	62.0	62.5	0.5	0.145
<b>PLS13-077</b>	<b>62.5</b>	<b>63.0</b>	<b>0.5</b>	<b>2.110</b>
PLS13-077	63.0	63.5	0.5	0.880
PLS13-077	63.5	64.0	0.5	0.440
PLS13-077	64.0	64.5	0.5	0.323
PLS13-077	64.5	65.0	0.5	0.264
PLS13-077	65.0	65.5	0.5	0.081
PLS13-077	65.5	66.0	0.5	0.150
PLS13-077	66.0	66.5	0.5	0.232
PLS13-077	66.5	67.0	0.5	0.100
PLS13-077	67.0	67.5	0.5	0.075
PLS13-077	67.5	68.0	0.5	0.398
PLS13-077	68.0	68.5	0.5	0.967
PLS13-077	68.5	69.0	0.5	0.277
PLS13-077	69.0	69.5	0.5	0.282
PLS13-077	69.5	70.0	0.5	0.086
PLS13-077	70.0	70.5	0.5	0.059
PLS13-077	70.5	71.0	0.5	0.038
PLS13-077	71.0	71.5	0.5	0.004
PLS13-077	71.5	72.0	0.5	0.034
PLS13-077	72.0	72.5	0.5	0.018
PLS13-077	72.5	73.0	0.5	0.048
PLS13-077	73.0	73.5	0.5	0.065
PLS13-077	73.5	74.0	0.5	0.152
PLS13-077	74.0	74.5	0.5	0.029
PLS13-077	74.5	75.0	0.5	0.050
PLS13-077	75.0	75.5	0.5	0.027
PLS13-077	75.5	76.0	0.5	0.050
PLS13-077	76.0	76.5	0.5	0.015
PLS13-077	76.5	77.0	0.5	0.095
PLS13-077	77.0	77.5	0.5	0.054
PLS13-077	77.5	78.0	0.5	0.070
PLS13-077	78.0	78.5	0.5	0.014
PLS13-077	78.5	79.0	0.5	0.055
PLS13-077	79.0	79.5	0.5	0.023
PLS13-077	79.5	80.0	0.5	0.018
PLS13-077	80.0	80.5	0.5	0.051
PLS13-077	80.5	81.0	0.5	0.046
PLS13-077	81.0	81.5	0.5	0.098
PLS13-077	81.5	82.0	0.5	0.347
PLS13-077	82.0	82.5	0.5	0.291

PLS13-077	82.5	83.0	0.5	0.241
PLS13-077	83.0	83.5	0.5	0.251
PLS13-077	83.5	84.0	0.5	0.436
PLS13-077	84.0	84.5	0.5	0.070
PLS13-077	84.5	85.0	0.5	0.149
PLS13-077	85.0	85.5	0.5	0.100
PLS13-077	85.5	86.0	0.5	0.065
PLS13-077	86.0	86.5	0.5	0.006
PLS13-077	86.5	87.0	0.5	0.028
PLS13-077	87.0	87.5	0.5	0.357
PLS13-077	87.5	88.0	0.5	0.309
PLS13-077	88.0	88.5	0.5	0.397
PLS13-077	88.5	89.0	0.5	0.034
PLS13-077	89.0	89.5	0.5	0.008
PLS13-077	89.5	90.0	0.5	0.010
PLS13-077	90.0	90.5	0.5	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-079	80.0	80.5	0.5	0.009
PLS13-079	80.5	81.0	0.5	0.007
PLS13-079	81.0	81.5	0.5	0.002
PLS13-079	81.5	82.0	0.5	0.003
PLS13-079	82.0	82.5	0.5	0.005
PLS13-079	82.5	83.0	0.5	0.016
PLS13-079	83.0	83.5	0.5	0.099
PLS13-079	83.5	84.0	0.5	0.190
PLS13-079	84.0	84.5	0.5	0.255
PLS13-079	84.5	85.0	0.5	0.063
PLS13-079	85.0	85.5	0.5	0.280
PLS13-079	85.5	86.0	0.5	0.350
PLS13-079	86.0	86.5	0.5	0.026
PLS13-079	86.5	87.0	0.5	0.443
PLS13-079	87.0	87.5	0.5	0.097
PLS13-079	87.5	88.0	0.5	0.108
PLS13-079	88.0	88.5	0.5	0.129
PLS13-079	88.5	89.0	0.5	0.217
<b>PLS13-079</b>	<b>89.0</b>	<b>89.5</b>	<b>0.5</b>	<b>1.460</b>
PLS13-079	89.5	90.0	0.5	0.487
PLS13-079	90.0	90.5	0.5	0.332
PLS13-079	90.5	91.0	0.5	0.765
PLS13-079	91.0	91.5	0.5	0.893
<b>PLS13-079</b>	<b>91.5</b>	<b>92.0</b>	<b>0.5</b>	<b>2.010</b>
<b>PLS13-079</b>	<b>92.0</b>	<b>92.5</b>	<b>0.5</b>	<b>24.300</b>
<b>PLS13-079</b>	<b>92.5</b>	<b>93.0</b>	<b>0.5</b>	<b>22.300</b>
<b>PLS13-079</b>	<b>93.0</b>	<b>93.5</b>	<b>0.5</b>	<b>14.800</b>
<b>PLS13-079</b>	<b>93.5</b>	<b>94.0</b>	<b>0.5</b>	<b>6.910</b>
<b>PLS13-079</b>	<b>94.0</b>	<b>94.5</b>	<b>0.5</b>	<b>7.840</b>

<b>PLS13-079</b>	<b>94.5</b>	<b>95.0</b>	<b>0.5</b>	<b>31.800</b>
<b>PLS13-079</b>	<b>95.0</b>	<b>95.5</b>	<b>0.5</b>	<b>35.100</b>
<b>PLS13-079</b>	<b>95.5</b>	<b>96.0</b>	<b>0.5</b>	<b>26.300</b>
<b>PLS13-079</b>	<b>96.0</b>	<b>96.5</b>	<b>0.5</b>	<b>18.400</b>
<b>PLS13-079</b>	<b>96.5</b>	<b>97.0</b>	<b>0.5</b>	<b>7.330</b>
<b>PLS13-079</b>	<b>97.0</b>	<b>97.5</b>	<b>0.5</b>	<b>3.500</b>
PLS13-079	97.5	98.0	0.5	0.442
PLS13-079	98.0	98.5	0.5	0.156
PLS13-079	98.5	99.0	0.5	0.475
PLS13-079	99.0	99.5	0.5	0.928
PLS13-079	99.5	100.0	0.5	0.448
PLS13-079	100.0	100.5	0.5	0.116
PLS13-079	100.5	101.0	0.5	0.014
PLS13-079	101.0	101.5	0.5	0.012
PLS13-079	101.5	102.0	0.5	0.021
PLS13-079	102.0	102.5	0.5	0.008
PLS13-079	102.5	103.0	0.5	0.006
PLS13-079	117.0	117.5	0.5	0.001
PLS13-079	117.5	118.0	0.5	0.001
PLS13-079	118.0	118.5	0.5	<0.001
PLS13-079	118.5	119.0	0.5	0.002
PLS13-079	119.0	119.5	0.5	0.035
PLS13-079	119.5	120.0	0.5	0.048
PLS13-079	120.0	120.5	0.5	0.049
PLS13-079	120.5	121.0	0.5	0.026
PLS13-079	121.0	121.5	0.5	0.002
PLS13-079	121.5	122.0	0.5	0.002
PLS13-079	122.0	122.5	0.5	0.001
PLS13-079	122.5	123.0	0.5	<0.001
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS14-163	99.5	100.0	0.5	0.001
PLS14-163	100.0	100.5	0.5	0.002
PLS14-163	100.5	101.0	0.5	0.003
PLS14-163	101.0	101.5	0.5	0.001
PLS14-163	101.5	102.0	0.5	0.024
PLS14-163	102.0	102.5	0.5	0.024
PLS14-163	102.5	103.0	0.5	0.010
PLS14-163	103.0	103.5	0.5	0.014
PLS14-163	103.5	104.0	0.5	0.004
PLS14-163	104.0	104.5	0.5	0.002
PLS14-163	124.0	124.5	0.5	0.002
PLS14-163	124.5	125.0	0.5	0.008
PLS14-163	125.0	125.5	0.5	0.002
PLS14-163	125.5	126.0	0.5	0.002
PLS14-163	126.0	126.5	0.5	0.021
PLS14-163	126.5	127.0	0.5	0.004

PLS14-163	127.0	127.5	0.5	0.005
PLS14-163	127.5	128.0	0.5	0.003
PLS14-163	128.0	128.5	0.5	0.030
PLS14-163	128.5	129.0	0.5	0.056
PLS14-163	129.0	129.5	0.5	0.174
PLS14-163	129.5	130.0	0.5	0.095
PLS14-163	130.0	130.5	0.5	0.097
PLS14-163	130.5	131.0	0.5	0.037
PLS14-163	131.0	131.5	0.5	0.353
PLS14-163	131.5	132.0	0.5	0.169
PLS14-163	132.00	132.50	0.5	0.170
PLS14-163	132.50	133.00	0.5	0.218
PLS14-163	133.00	133.50	0.5	0.074
PLS14-163	133.50	134.00	0.5	0.007
PLS14-163	134.00	134.50	0.5	0.002
PLS14-163	134.50	135.00	0.5	0.003
PLS14-163	135.00	135.50	0.5	0.002
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS14-204	No significant mineralization			
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS15-328	274.00	274.50	0.50	<0.001
PLS15-328	274.50	275.00	0.50	0.002
PLS15-328	275.00	275.50	0.50	0.003
PLS15-328	275.50	276.00	0.50	0.007
PLS15-328	276.00	276.50	0.50	0.024
PLS15-328	276.50	277.00	0.50	0.006
PLS15-328	277.00	277.50	0.50	0.007
PLS15-328	277.50	278.00	0.50	0.008
PLS15-328	278.00	278.50	0.50	0.008
PLS15-328	278.50	279.00	0.50	0.229
PLS15-328	279.00	279.50	0.50	0.022
PLS15-328	279.50	280.00	0.50	0.034
PLS15-328	280.00	280.50	0.50	0.059
PLS15-328	280.50	281.00	0.50	0.038
PLS15-328	281.00	281.50	0.50	0.014
PLS15-328	281.50	282.00	0.50	0.002
PLS15-328	282.00	282.50	0.50	0.002
PLS15-328	282.50	283.00	0.50	0.002
PLS15-328	283.00	283.50	0.50	0.002
PLS15-328	283.50	284.00	0.50	<0.001
PLS15-328	284.00	284.50	0.50	<0.001
PLS15-328	284.50	285.00	0.50	<0.001
PLS15-328	285.00	285.50	0.50	0.001
PLS15-328	285.50	286.00	0.50	<0.001
PLS15-328	286.00	286.50	0.50	0.016
PLS15-328	286.50	287.00	0.50	0.073

PLS15-328	287.00	287.50	0.50	0.179
PLS15-328	287.50	288.00	0.50	0.174
PLS15-328	288.00	288.50	0.50	0.006
PLS15-328	288.50	289.00	0.50	0.008
PLS15-328	289.00	289.50	0.50	0.008
PLS15-328	289.50	290.00	0.50	0.038
PLS15-328	290.00	290.50	0.50	0.010
PLS15-328	290.50	291.00	0.50	0.005
PLS15-328	291.00	291.50	0.50	0.021
PLS15-328	291.50	292.00	0.50	0.013
PLS15-328	292.00	292.50	0.50	0.009
PLS15-328	292.50	293.00	0.50	0.010
PLS15-328	293.00	293.50	0.50	0.002
PLS15-328	293.50	294.00	0.50	0.008
PLS15-328	294.00	294.50	0.50	0.005
PLS15-328	294.50	295.00	0.50	0.007
PLS15-328	295.00	295.50	0.50	0.008
PLS15-328	295.50	296.00	0.50	0.007
PLS15-328	296.00	296.50	0.50	0.005
PLS15-328	296.50	297.00	0.50	0.024
PLS15-328	297.00	297.50	0.50	0.004
PLS15-328	297.50	298.00	0.50	0.008
PLS15-328	298.00	298.50	0.50	0.003
PLS15-328	298.50	299.00	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS15-332	55.30	55.50	0.20	0.002
PLS15-332	55.50	56.00	0.50	0.001
PLS15-332	56.00	56.50	0.50	0.002
PLS15-332	56.50	57.00	0.50	0.005
PLS15-332	57.00	57.50	0.50	0.006
PLS15-332	57.50	58.00	0.50	0.004
PLS15-332	58.00	58.50	0.50	0.002
PLS15-332	58.50	59.00	0.50	0.002
PLS15-332	65.00	65.50	0.50	0.005
PLS15-332	65.50	66.00	0.50	0.004
PLS15-332	66.00	66.50	0.50	0.004
PLS15-332	66.50	67.00	0.50	0.009
PLS15-332	67.00	67.50	0.50	0.027
PLS15-332	67.50	68.00	0.50	0.279
PLS15-332	68.00	68.50	0.50	0.233
PLS15-332	68.50	69.00	0.50	0.114
PLS15-332	69.00	69.50	0.50	0.153
PLS15-332	69.50	70.00	0.50	0.040
PLS15-332	70.00	70.50	0.50	0.030
PLS15-332	70.50	71.00	0.50	0.022
PLS15-332	71.00	71.50	0.50	0.006

PLS15-332	71.50	72.00	0.50	0.004
PLS15-332	72.00	72.50	0.50	0.003
PLS15-332	72.50	73.00	0.50	0.002
PLS15-332	73.00	73.50	0.50	0.003
PLS15-332	73.50	74.00	0.50	0.002
PLS15-332	74.00	74.50	0.50	0.003
PLS15-332	74.50	75.00	0.50	0.008
PLS15-332	75.00	75.50	0.50	0.006
PLS15-332	75.50	76.00	0.50	0.003
PLS15-332	76.00	76.50	0.50	0.004
PLS15-332	76.50	77.00	0.50	0.015
PLS15-332	77.00	77.50	0.50	0.003
PLS15-332	77.50	78.00	0.50	0.002
PLS15-332	78.00	78.50	0.50	0.002
PLS15-332	78.50	79.00	0.50	0.002
PLS15-332	102.00	103.00	1.00	0.002
PLS15-332	103.00	104.00	1.00	0.003
PLS15-332	104.00	104.50	0.50	0.026
PLS15-332	104.50	105.00	0.50	0.032
PLS15-332	105.00	105.50	0.50	0.006
PLS15-332	105.50	106.00	0.50	0.005
PLS15-332	106.00	106.50	0.50	0.002
PLS15-332	106.50	107.00	0.50	0.004
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS15-333	71.00	71.50	0.50	0.005
PLS15-333	71.50	72.00	0.50	0.004
PLS15-333	72.00	72.50	0.50	0.005
PLS15-333	72.50	73.00	0.50	0.005
PLS15-333	73.00	73.50	0.50	0.026
PLS15-333	73.50	74.00	0.50	0.009
PLS15-333	74.00	74.50	0.50	0.014
PLS15-333	74.50	75.00	0.50	0.018
PLS15-333	75.00	75.50	0.50	0.036
PLS15-333	75.50	76.00	0.50	0.014
PLS15-333	76.00	76.50	0.50	0.013
PLS15-333	76.50	77.00	0.50	0.004
PLS15-333	77.00	77.50	0.50	0.003
PLS15-333	104.50	105.00	0.50	0.002
PLS15-333	105.00	105.50	0.50	<0.001
PLS15-333	105.50	106.00	0.50	0.003
PLS15-333	106.00	106.50	0.50	0.005
PLS15-333	106.50	107.00	0.50	0.030
PLS15-333	107.00	107.50	0.50	0.012
PLS15-333	107.50	108.00	0.50	0.004
PLS15-333	108.00	108.50	0.50	0.009
PLS15-333	108.50	109.00	0.50	0.008



PLS15-333	201.00	201.50	0.50	0.001
PLS15-333	201.50	202.00	0.50	0.006
PLS15-333	202.00	202.50	0.50	0.002
PLS15-333	202.50	203.00	0.50	0.005
PLS15-333	203.00	203.50	0.50	0.053
PLS15-333	203.50	204.00	0.50	0.006
PLS15-333	204.00	204.50	0.50	0.003
PLS15-333	204.50	205.00	0.50	0.008
PLS15-333	205.00	205.50	0.50	0.004
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS15-339	63.00	63.50	0.50	0.003
PLS15-339	63.50	64.00	0.50	0.002
PLS15-339	64.00	64.50	0.50	0.009
PLS15-339	64.50	65.00	0.50	0.015
PLS15-339	65.00	65.50	0.50	0.098
PLS15-339	65.50	66.00	0.50	0.066
PLS15-339	66.00	66.50	0.50	0.019
PLS15-339	66.50	67.00	0.50	0.011
PLS15-339	67.00	67.50	0.50	0.014
PLS15-339	67.50	68.00	0.50	0.009
PLS15-339	143.50	144.00	0.50	0.001
PLS15-339	144.00	144.50	0.50	<0.001
PLS15-339	144.50	145.00	0.50	<0.001
PLS15-339	145.00	145.50	0.50	<0.001
PLS15-339	145.50	146.00	0.50	0.026
PLS15-339	146.00	146.50	0.50	0.015
PLS15-339	146.50	147.00	0.50	<0.001
PLS15-339	147.00	147.50	0.50	<0.001
PLS15-339	147.50	148.00	0.50	<0.001
PLS15-339	148.00	148.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS15-356	277.00	277.50	0.50	0.003
PLS15-356	277.50	278.00	0.50	0.003
PLS15-356	278.00	278.50	0.50	0.002
PLS15-356	278.50	279.00	0.50	0.008
PLS15-356	279.00	279.50	0.50	0.009
PLS15-356	279.50	280.00	0.50	0.010
PLS15-356	280.00	280.50	0.50	0.004
PLS15-356	280.50	281.00	0.50	0.025
PLS15-356	281.00	281.50	0.50	0.011
PLS15-356	281.50	282.00	0.50	0.002
PLS15-356	282.00	282.50	0.50	0.013
PLS15-356	282.50	283.00	0.50	0.002
PLS15-356	283.00	283.50	0.50	0.004
PLS15-356	283.50	284.00	0.50	0.008
PLS15-356	284.00	284.50	0.50	0.010

PLS15-356	284.50	285.00	0.50	0.005
PLS15-356	285.00	285.50	0.50	0.005
PLS15-356	285.50	286.00	0.50	0.009
PLS15-356	286.00	286.50	0.50	0.005
PLS15-356	286.50	287.00	0.50	0.003
PLS15-356	287.00	287.50	0.50	0.003
PLS15-356	287.50	288.00	0.50	0.002
PLS15-356	288.00	288.50	0.50	0.035
PLS15-356	288.50	289.00	0.50	0.003
PLS15-356	289.00	289.50	0.50	0.011
PLS15-356	289.50	290.00	0.50	0.002
PLS15-356	290.00	290.50	0.50	0.004
PLS15-356	290.50	291.00	0.50	<0.001
PLS15-356	291.00	291.50	0.50	0.002
PLS15-356	318.00	318.50	0.50	0.002
PLS15-356	318.50	319.00	0.50	0.002
PLS15-356	319.00	319.50	0.50	0.002
PLS15-356	319.50	320.00	0.50	0.001
PLS15-356	320.00	320.50	0.50	0.010
PLS15-356	320.50	321.00	0.50	0.020
PLS15-356	321.00	321.50	0.50	0.009
PLS15-356	321.50	322.00	0.50	<0.001
PLS15-356	322.00	322.50	0.50	<0.001
PLS15-356	322.50	323.00	0.50	0.002
PLS15-356	323.00	323.50	0.50	<0.001
PLS15-356	323.50	324.00	0.50	0.002
PLS15-356	324.00	324.50	0.50	0.002
PLS15-356	324.50	325.00	0.50	<0.001
PLS15-356	325.00	325.50	0.50	<0.001
PLS15-356	325.50	326.00	0.50	0.008
PLS15-356	326.00	326.50	0.50	0.019
PLS15-356	326.50	327.00	0.50	0.002
PLS15-356	327.00	327.50	0.50	0.001
PLS15-356	327.50	328.00	0.50	0.001
PLS15-356	328.00	328.50	0.50	<0.001