



Patterson Lake South - R1515W

Drill Core Hand-Held Scintillometer Readings: Interval Peaks >300 CPS

2017 Winter Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS17-514	L-1665W	117.50	118.00	0.50	360	RS-121	
PLS17-514	L-1665W	118.00	118.50	0.50	3200	RS-121	
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS17-519	L-1665W	156.50	157.00	0.50	325	RS-121	
PLS17-519	L-1665W	161.50	162.00	0.50	515	RS-121	
PLS17-519	L-1665W	164.50	165.00	0.50	315	RS-121	
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS17-523	L-1665W	No anomalous radioactivity					RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS17-530	L-1485W	142.10	142.50	0.40	600	RS-121	
PLS17-530	L-1485W	142.50	143.00	0.50	1100	RS-121	
PLS17-530	L-1485W	143.00	143.50	0.50	610	RS-121	
PLS17-530	L-1485W	143.50	149.50	6.00	<300	RS-121	
PLS17-530	L-1485W	149.50	150.00	0.50	360	RS-121	
PLS17-530	L-1485W	150.00	154.50	4.50	<300	RS-121	
PLS17-530	L-1485W	154.50	155.00	0.50	680	RS-121	
PLS17-530	L-1485W	155.00	155.50	0.50	740	RS-121	
PLS17-530	L-1485W	155.50	156.00	0.50	310	RS-121	
PLS17-530	L-1485W	156.00	156.50	0.50	<300	RS-121	
PLS17-530	L-1485W	156.50	157.00	0.50	6800	RS-121	
PLS17-530	L-1485W	157.00	168.00	11.00	<300	RS-121	
PLS17-530	L-1485W	168.00	168.50	0.50	330	RS-121	
PLS17-530	L-1485W	168.50	169.00	0.50	<300	RS-121	
PLS17-530	L-1485W	169.00	169.50	0.50	510	RS-121	
PLS17-530	L-1485W	169.50	170.00	0.50	350	RS-121	
PLS17-530	L-1485W	170.00	175.50	5.50	<300	RS-121	
PLS17-530	L-1485W	175.50	176.00	0.50	350	RS-121	
PLS17-530	L-1485W	176.00	199.50	23.50	<300	RS-121	
PLS17-530	L-1485W	199.50	200.00	0.50	330	RS-121	
PLS17-530	L-1485W	200.00	203.00	3.00	<300	RS-121	
PLS17-530	L-1485W	203.00	203.50	0.50	570	RS-121	

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS17-533	L-1485W	141.00	141.50	0.50	380	RS-121	
PLS17-533	L-1485W	141.50	145.50	4.00	<300	RS-121	
PLS17-533	L-1485W	145.50	146.00	0.50	360	RS-121	
PLS17-533	L-1485W	146.00	146.50	0.50	5700	RS-121	
PLS17-533	L-1485W	146.50	147.00	0.50	1100	RS-121	
PLS17-533	L-1485W	147.00	147.50	0.50	720	RS-121	
PLS17-533	L-1485W	147.50	148.00	0.50	500	RS-121	
PLS17-533	L-1485W	148.00	148.50	0.50	1700	RS-121	
PLS17-533	L-1485W	148.50	149.00	0.50	1300	RS-121	
PLS17-533	L-1485W	149.00	149.50	0.50	4100	RS-121	
PLS17-533	L-1485W	149.50	150.00	0.50	3200	RS-121	
PLS17-533	L-1485W	150.00	150.50	0.50	2600	RS-121	
PLS17-533	L-1485W	150.50	151.00	0.50	850	RS-121	
PLS17-533	L-1485W	151.00	151.50	0.50	300	RS-121	
PLS17-533	L-1485W	151.50	152.00	0.50	2800	RS-121	
PLS17-533	L-1485W	152.00	152.50	0.50	3300	RS-121	
PLS17-533	L-1485W	152.50	153.00	0.50	6500	RS-121	
PLS17-533	L-1485W	153.00	153.50	0.50	2900	RS-121	
PLS17-533	L-1485W	153.50	154.00	0.50	1400	RS-121	
PLS17-533	L-1485W	154.00	154.50	0.50	950	RS-121	
PLS17-533	L-1485W	154.50	155.00	0.50	4000	RS-121	
PLS17-533	L-1485W	155.00	155.50	0.50	1200	RS-121	
PLS17-533	L-1485W	155.50	156.00	0.50	900	RS-121	
PLS17-533	L-1485W	156.00	156.50	0.50	1700	RS-121	
PLS17-533	L-1485W	156.50	157.00	0.50	460	RS-121	
PLS17-533	L-1485W	157.00	164.00	7.00	<300	RS-121	
PLS17-533	L-1485W	164.00	164.50	0.50	640	RS-121	
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS17-537	L-1485W	No anomalous radioactivity					RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS17-539	L-1515W	134.50	135.00	0.50	590	RS-121	
PLS17-539	L-1515W	135.00	165.50	30.50	<300	RS-121	
PLS17-539	L-1515W	165.50	166.00	0.50	580	RS-121	
PLS17-539	L-1515W	166.00	191.00	25.00	<300	RS-121	
PLS17-539	L-1515W	191.00	191.50	0.50	410	RS-121	
PLS17-539	L-1515W	191.50	192.00	0.50	4800	RS-121	
PLS17-539	L-1515W	192.00	192.19	0.19	19300	RS-121	
PLS17-539	L-1515W	192.19	192.50	0.31	6300	RS-121	
PLS17-539	L-1515W	192.50	193.00	0.50	1900	RS-121	
PLS17-539	L-1515W	193.00	193.50	0.50	1400	RS-121	
PLS17-539	L-1515W	193.50	193.75	0.25	3300	RS-121	
PLS17-539	L-1515W	193.75	194.00	0.25	22300	RS-121	

PLS17-539	L-1515W	194.00	194.50	0.50	8200	RS-121
PLS17-539	L-1515W	194.50	195.00	0.50	2000	RS-121
PLS17-539	L-1515W	195.00	195.50	0.50	1200	RS-121
PLS17-539	L-1515W	195.50	196.00	0.50	4800	RS-121
PLS17-539	L-1515W	196.00	196.50	0.50	800	RS-121
PLS17-539	L-1515W	196.50	197.00	0.50	820	RS-121
PLS17-539	L-1515W	197.00	197.50	0.50	550	RS-121
PLS17-539	L-1515W	197.50	198.00	0.50	2300	RS-121
PLS17-539	L-1515W	198.00	198.50	0.50	1600	RS-121
PLS17-539	L-1515W	198.50	199.00	0.50	950	RS-121
PLS17-539	L-1515W	199.00	199.50	0.50	1200	RS-121
PLS17-539	L-1515W	199.50	200.00	0.50	1100	RS-121
PLS17-539	L-1515W	200.00	200.50	0.50	790	RS-121
PLS17-539	L-1515W	200.50	201.00	0.50	400	RS-121
PLS17-539	L-1515W	201.00	201.50	0.50	400	RS-121
PLS17-539	L-1515W	201.50	202.00	0.50	900	RS-121
PLS17-539	L-1515W	202.00	202.50	0.50	720	RS-121
PLS17-539	L-1515W	202.50	203.00	0.50	1600	RS-121
PLS17-539	L-1515W	203.00	203.50	0.50	420	RS-121
PLS17-539	L-1515W	203.50	203.83	0.33	15500	RS-121
PLS17-539	L-1515W	203.83	204.00	0.17	7800	RS-121
PLS17-539	L-1515W	204.00	204.50	0.50	7200	RS-121
PLS17-539	L-1515W	204.50	205.00	0.50	660	RS-121
PLS17-539	L-1515W	205.00	205.50	0.50	520	RS-121
PLS17-539	L-1515W	205.50	206.00	0.50	600	RS-121
PLS17-539	L-1515W	206.00	206.50	0.50	1100	RS-121
PLS17-539	L-1515W	206.50	207.50	1.00	<300	RS-121
PLS17-539	L-1515W	207.50	208.00	0.50	320	RS-121
PLS17-539	L-1515W	208.00	208.50	0.50	<300	RS-121
PLS17-539	L-1515W	208.50	209.00	0.50	720	RS-121
PLS17-539	L-1515W	209.00	209.50	0.50	640	RS-121
PLS17-539	L-1515W	209.50	211.50	2.00	<300	RS-121
PLS17-539	L-1515W	211.50	212.00	0.50	600	RS-121
PLS17-539	L-1515W	212.00	212.50	0.50	330	RS-121
PLS17-539	L-1515W	212.50	213.00	0.50	440	RS-121
PLS17-539	L-1515W	213.00	213.50	0.50	<300	RS-121
PLS17-539	L-1515W	213.50	214.00	0.50	310	RS-121
PLS17-539	L-1515W	214.00	215.00	1.00	<300	RS-121
PLS17-539	L-1515W	215.00	215.50	0.50	330	RS-121
PLS17-539	L-1515W	215.50	216.50	1.00	<300	RS-121
PLS17-539	L-1515W	216.50	217.00	0.50	420	RS-121
PLS17-539	L-1515W	217.00	217.50	0.50	<300	RS-121
PLS17-539	L-1515W	217.50	218.00	0.50	360	RS-121
PLS17-539	L-1515W	218.00	219.00	1.00	<300	RS-121
PLS17-539	L-1515W	219.00	219.50	0.50	930	RS-121
PLS17-539	L-1515W	219.50	220.50	1.00	<300	RS-121
PLS17-539	L-1515W	220.50	221.00	0.50	3000	RS-121

PLS17-539	L-1515W	221.00	221.50	0.50	1800	RS-121
PLS17-539	L-1515W	221.50	222.00	0.50	1200	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-547	L-1515W	185.50	186.00	0.50	510	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-553	L-1515W	140.50	141.00	0.50	410	RS-121
PLS17-553	L-1515W	141.00	141.50	0.50	410	RS-121
PLS17-553	L-1515W	141.50	142.00	0.50	480	RS-121
PLS17-553	L-1515W	142.00	142.50	0.50	1000	RS-121
PLS17-553	L-1515W	142.50	143.00	0.50	760	RS-121
PLS17-553	L-1515W	143.00	143.50	0.50	1700	RS-121
PLS17-553	L-1515W	143.50	144.00	0.50	2000	RS-121
PLS17-553	L-1515W	144.00	144.50	0.50	2800	RS-121
PLS17-553	L-1515W	144.50	145.00	0.50	1100	RS-121
PLS17-553	L-1515W	145.00	145.50	0.50	5400	RS-121
PLS17-553	L-1515W	145.50	146.00	0.50	960	RS-121
PLS17-553	L-1515W	146.00	146.50	0.50	840	RS-121
PLS17-553	L-1515W	146.50	147.00	0.50	360	RS-121
PLS17-553	L-1515W	147.00	147.50	0.50	310	RS-121
PLS17-553	L-1515W	147.50	166.50	19.00	<300	RS-121
PLS17-553	L-1515W	166.50	167.00	0.50	340	RS-121
PLS17-553	L-1515W	167.00	168.50	1.50	<300	RS-121
PLS17-553	L-1515W	168.50	169.00	0.50	630	RS-121
PLS17-553	L-1515W	169.00	169.50	0.50	1100	RS-121
PLS17-553	L-1515W	169.50	170.00	0.50	330	RS-121
PLS17-553	L-1515W	170.00	170.50	0.50	320	RS-121
PLS17-553	L-1515W	170.50	173.50	3.00	<300	RS-121
PLS17-553	L-1515W	173.50	174.00	0.50	840	RS-121
PLS17-553	L-1515W	174.00	174.50	0.50	450	RS-121
PLS17-553	L-1515W	174.50	175.00	0.50	<300	RS-121
PLS17-553	L-1515W	175.00	175.50	0.50	520	RS-121
PLS17-553	L-1515W	175.50	176.00	0.50	340	RS-121
PLS17-553	L-1515W	176.00	179.50	3.50	<300	RS-121
PLS17-553	L-1515W	179.50	180.00	0.50	1100	RS-121
PLS17-553	L-1515W	180.00	180.50	0.50	1900	RS-121
PLS17-553	L-1515W	180.50	181.00	0.50	7600	RS-121
PLS17-553	L-1515W	181.00	181.50	0.50	850	RS-121
PLS17-553	L-1515W	181.50	184.50	3.00	<300	RS-121
PLS17-553	L-1515W	184.50	185.00	0.50	8900	RS-121
PLS17-553	L-1515W	185.00	185.50	0.50	1800	RS-121
PLS17-553	L-1515W	185.50	185.94	0.44	1600	RS-121
PLS17-553	L-1515W	185.94	186.00	0.06	10900	RS-121
PLS17-553	L-1515W	186.00	186.08	0.08	16900	RS-121
PLS17-553	L-1515W	186.08	186.50	0.42	14200	RS-121

PLS17-553	L-1515W	186.50	186.67	0.17	7900	RS-121
PLS17-553	L-1515W	186.67	187.00	0.33	27700	RS-121
PLS17-553	L-1515W	187.00	187.10	0.10	2400	RS-121
PLS17-553	L-1515W	187.10	187.18	0.08	24200	RS-121
PLS17-553	L-1515W	187.18	187.50	0.32	6800	RS-121
PLS17-553	L-1515W	187.50	187.66	0.16	11200	RS-121
PLS17-553	L-1515W	187.66	188.00	0.34	8000	RS-121
PLS17-553	L-1515W	188.00	188.50	0.50	3500	RS-121
PLS17-553	L-1515W	188.50	188.60	0.10	11300	RS-121
PLS17-553	L-1515W	188.60	189.00	0.40	2500	RS-121
PLS17-553	L-1515W	189.00	189.50	0.50	4400	RS-121
PLS17-553	L-1515W	189.50	190.00	0.50	2400	RS-121
PLS17-553	L-1515W	190.00	190.50	0.50	2600	RS-121
PLS17-553	L-1515W	190.50	190.66	0.16	3600	RS-121
PLS17-553	L-1515W	190.66	191.00	0.34	14400	RS-121
PLS17-553	L-1515W	191.00	191.07	0.07	14300	RS-121
PLS17-553	L-1515W	191.07	191.30	0.23	6400	RS-121
PLS17-553	L-1515W	191.30	191.50	0.20	32200	RS-121
PLS17-553	L-1515W	191.50	192.00	0.50	35700	RS-121
PLS17-553	L-1515W	192.00	192.25	0.25	20300	RS-121
PLS17-553	L-1515W	192.25	192.34	0.09	4200	RS-121
PLS17-553	L-1515W	192.34	192.50	0.16	43000	RS-121
PLS17-553	L-1515W	192.50	192.75	0.25	11500	RS-121
PLS17-553	L-1515W	192.75	193.00	0.25	8800	RS-121
PLS17-553	L-1515W	193.00	193.18	0.18	4400	RS-121
PLS17-553	L-1515W	193.18	193.50	0.32	15500	RS-121
PLS17-553	L-1515W	193.50	193.63	0.13	14200	RS-121
PLS17-553	L-1515W	193.63	194.00	0.37	2200	RS-121
PLS17-553	L-1515W	194.00	194.50	0.50	5300	RS-121
PLS17-553	L-1515W	194.50	195.00	0.50	1500	RS-121
PLS17-553	L-1515W	195.00	195.50	0.50	890	RS-121
PLS17-553	L-1515W	195.50	196.00	0.50	1500	RS-121
PLS17-553	L-1515W	196.00	196.50	0.50	1900	RS-121
PLS17-553	L-1515W	196.50	197.00	0.50	370	RS-121
PLS17-553	L-1515W	197.00	199.00	2.00	<300	RS-121
PLS17-553	L-1515W	199.00	199.50	0.50	1300	RS-121
PLS17-553	L-1515W	199.50	200.00	0.50	1500	RS-121
PLS17-553	L-1515W	200.00	200.50	0.50	1400	RS-121
PLS17-553	L-1515W	200.50	201.00	0.50	7200	RS-121
PLS17-553	L-1515W	201.00	201.50	0.50	7100	RS-121
PLS17-553	L-1515W	201.50	202.00	0.50	<300	RS-121
PLS17-553	L-1515W	202.00	202.50	0.50	350	RS-121
PLS17-553	L-1515W	202.50	203.00	0.50	380	RS-121
PLS17-553	L-1515W	203.00	203.50	0.50	<300	RS-121
PLS17-553	L-1515W	203.50	204.00	0.50	2200	RS-121
PLS17-553	L-1515W	204.00	204.50	0.50	1600	RS-121
PLS17-553	L-1515W	204.50	205.00	0.50	820	RS-121

PLS17-553	L-1515W	205.00	205.50	0.50	750	RS-121
PLS17-553	L-1515W	205.50	206.00	0.50	350	RS-121
PLS17-553	L-1515W	206.00	206.50	0.50	2700	RS-121
PLS17-553	L-1515W	206.50	206.74	0.24	4400	RS-121
PLS17-553	L-1515W	206.74	206.92	0.18	24000	RS-121
PLS17-553	L-1515W	206.92	207.00	0.08	6200	RS-121
PLS17-553	L-1515W	207.00	207.17	0.17	40500	RS-121
PLS17-553	L-1515W	207.17	207.50	0.33	8900	RS-121
PLS17-553	L-1515W	207.50	208.00	0.50	3700	RS-121
PLS17-553	L-1515W	208.00	208.50	0.50	2700	RS-121
PLS17-553	L-1515W	208.50	209.00	0.50	3100	RS-121
PLS17-553	L-1515W	209.00	209.50	0.50	890	RS-121
PLS17-553	L-1515W	209.50	209.58	0.08	9800	RS-121
PLS17-553	L-1515W	209.58	210.00	0.42	18800	RS-121
PLS17-553	L-1515W	210.00	210.09	0.09	2500	RS-121
PLS17-553	L-1515W	210.09	210.28	0.19	11900	RS-121
PLS17-553	L-1515W	210.28	210.50	0.22	1500	RS-121
PLS17-553	L-1515W	210.50	210.70	0.20	8800	RS-121
PLS17-553	L-1515W	210.70	210.93	0.23	12500	RS-121
PLS17-553	L-1515W	210.93	211.00	0.07	530	RS-121
PLS17-553	L-1515W	211.00	211.50	0.50	820	RS-121
PLS17-553	L-1515W	211.50	212.00	0.50	990	RS-121
PLS17-553	L-1515W	212.00	212.50	0.50	4500	RS-121
PLS17-553	L-1515W	212.50	213.00	0.50	650	RS-121
PLS17-553	L-1515W	213.00	213.50	0.50	2200	RS-121
PLS17-553	L-1515W	213.50	214.00	0.50	1200	RS-121
PLS17-553	L-1515W	214.00	216.00	2.00	<300	RS-121
PLS17-553	L-1515W	216.00	216.50	0.50	320	RS-121
PLS17-553	L-1515W	216.50	217.00	0.50	380	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-557	L-1530W	107.00	107.50	0.50	620	RS-121
PLS17-557	L-1530W	107.50	108.00	0.50	300	RS-121
PLS17-557	L-1530W	108.00	134.50	26.50	<300	RS-121
PLS17-557	L-1530W	134.50	135.00	0.50	320	RS-121
PLS17-557	L-1530W	135.00	157.50	22.50	<300	RS-121
PLS17-557	L-1530W	157.50	158.00	0.50	420	RS-121
PLS17-557	L-1530W	158.00	158.50	0.50	590	RS-121
PLS17-557	L-1530W	158.50	159.00	0.50	350	RS-121
PLS17-557	L-1530W	159.00	166.00	7.00	<300	RS-121
PLS17-557	L-1530W	166.00	166.50	0.50	350	RS-121
PLS17-557	L-1530W	166.50	167.00	0.50	300	RS-121
PLS17-557	L-1530W	167.00	167.50	0.50	<300	RS-121
PLS17-557	L-1530W	167.50	168.00	0.50	420	RS-121
PLS17-557	L-1530W	168.00	168.50	0.50	630	RS-121
PLS17-557	L-1530W	168.50	169.00	0.50	1100	RS-121

PLS17-557	L-1530W	169.00	169.50	0.50	650	RS-121
PLS17-557	L-1530W	169.50	170.00	0.50	<300	RS-121
PLS17-557	L-1530W	170.00	170.50	0.50	330	RS-121
PLS17-557	L-1530W	170.50	171.00	0.50	400	RS-121
PLS17-557	L-1530W	171.00	171.50	0.50	840	RS-121
PLS17-557	L-1530W	171.50	172.00	0.50	330	RS-121
PLS17-557	L-1530W	172.00	189.00	17.00	<300	RS-121
PLS17-557	L-1530W	189.00	189.50	0.50	600	RS-121
PLS17-557	L-1530W	189.50	190.00	0.50	4000	RS-121
PLS17-557	L-1530W	190.00	190.50	0.50	360	RS-121
PLS17-557	L-1530W	190.50	191.00	0.50	350	RS-121
PLS17-557	L-1530W	191.00	191.50	0.50	<300	RS-121
PLS17-557	L-1530W	191.50	192.00	0.50	500	RS-121
PLS17-557	L-1530W	192.00	192.50	0.50	1400	RS-121
PLS17-557	L-1530W	192.50	192.67	0.17	3600	RS-121
PLS17-557	L-1530W	192.67	193.00	0.33	17500	RS-121
PLS17-557	L-1530W	193.00	193.28	0.28	23000	RS-121
PLS17-557	L-1530W	193.28	193.50	0.22	9900	RS-121
PLS17-557	L-1530W	193.50	194.00	0.50	37000	RS-121
PLS17-557	L-1530W	194.00	194.50	0.50	27400	RS-121
PLS17-557	L-1530W	194.50	195.00	0.50	6800	RS-121
PLS17-557	L-1530W	195.00	195.50	0.50	3400	RS-121
PLS17-557	L-1530W	195.50	195.65	0.15	23400	RS-121
PLS17-557	L-1530W	195.65	196.00	0.35	5700	RS-121
PLS17-557	L-1530W	196.00	196.50	0.50	7600	RS-121
PLS17-557	L-1530W	196.50	197.00	0.50	4200	RS-121
PLS17-557	L-1530W	197.00	197.50	0.50	16100	RS-121
PLS17-557	L-1530W	197.50	197.82	0.32	12500	RS-121
PLS17-557	L-1530W	197.82	198.00	0.18	3300	RS-121
PLS17-557	L-1530W	198.00	198.50	0.50	2900	RS-121
PLS17-557	L-1530W	198.50	199.00	0.50	1400	RS-121
PLS17-557	L-1530W	199.00	199.50	0.50	1200	RS-121
PLS17-557	L-1530W	199.50	199.70	0.20	14900	RS-121
PLS17-557	L-1530W	199.70	199.84	0.14	830	RS-121
PLS17-557	L-1530W	199.84	200.00	0.16	15500	RS-121
PLS17-557	L-1530W	200.00	200.50	0.50	27600	RS-121
PLS17-557	L-1530W	200.50	200.85	0.35	22500	RS-121
PLS17-557	L-1530W	200.85	201.00	0.15	8500	RS-121
PLS17-557	L-1530W	201.00	201.50	0.50	9200	RS-121
PLS17-557	L-1530W	201.50	202.00	0.50	2300	RS-121
PLS17-557	L-1530W	202.00	202.50	0.50	1700	RS-121
PLS17-557	L-1530W	202.50	203.00	0.50	550	RS-121
PLS17-557	L-1530W	203.00	203.50	0.50	800	RS-121
PLS17-557	L-1530W	203.50	204.00	0.50	1000	RS-121
PLS17-557	L-1530W	204.00	204.50	0.50	1500	RS-121
PLS17-557	L-1530W	204.50	205.00	0.50	630	RS-121
PLS17-557	L-1530W	205.00	205.50	0.50	760	RS-121

PLS17-557	L-1530W	205.50	206.00	0.50	340	RS-121
PLS17-557	L-1530W	206.00	206.50	0.50	920	RS-121
PLS17-557	L-1530W	206.50	207.00	0.50	1000	RS-121
PLS17-557	L-1530W	207.00	207.50	0.50	1800	RS-121
PLS17-557	L-1530W	207.50	208.00	0.50	350	RS-121
PLS17-557	L-1530W	208.00	208.50	0.50	670	RS-121
PLS17-557	L-1530W	208.50	209.00	0.50	2600	RS-121
PLS17-557	L-1530W	209.00	209.50	0.50	870	RS-121
PLS17-557	L-1530W	209.50	210.00	0.50	4500	RS-121
PLS17-557	L-1530W	210.00	210.50	0.50	6300	RS-121
PLS17-557	L-1530W	210.50	211.00	0.50	7800	RS-121
PLS17-557	L-1530W	211.00	211.50	0.50	640	RS-121
PLS17-557	L-1530W	211.50	212.00	0.50	550	RS-121
PLS17-557	L-1530W	212.00	212.50	0.50	6200	RS-121
PLS17-557	L-1530W	212.50	212.79	0.29	16300	RS-121
PLS17-557	L-1530W	212.79	213.00	0.21	2300	RS-121
PLS17-557	L-1530W	213.00	213.50	0.50	640	RS-121
PLS17-557	L-1530W	213.50	214.50	1.00	<300	RS-121
PLS17-557	L-1530W	214.50	215.00	0.50	2500	RS-121
PLS17-557	L-1530W	215.00	215.50	0.50	580	RS-121
PLS17-557	L-1530W	215.50	216.00	0.50	4400	RS-121
PLS17-557	L-1530W	216.00	216.50	0.50	780	RS-121
PLS17-557	L-1530W	216.50	219.00	2.50	<300	RS-121
PLS17-557	L-1530W	219.00	219.16	0.16	510	RS-121
PLS17-557	L-1530W	219.16	219.50	0.34	18900	RS-121
PLS17-557	L-1530W	219.50	220.00	0.50	310	RS-121
PLS17-557	L-1530W	220.00	220.50	0.50	770	RS-121
PLS17-557	L-1530W	220.50	221.00	0.50	420	RS-121
PLS17-557	L-1530W	221.00	222.50	1.50	<300	RS-121
PLS17-557	L-1530W	222.50	222.78	0.28	820	RS-121
PLS17-557	L-1530W	222.78	222.94	0.16	28000	RS-121
PLS17-557	L-1530W	222.94	223.00	0.06	450	RS-121
PLS17-557	L-1530W	223.00	223.50	0.50	5500	RS-121
PLS17-557	L-1530W	223.50	224.00	0.50	3700	RS-121
PLS17-557	L-1530W	224.00	224.19	0.19	8900	RS-121
PLS17-557	L-1530W	224.19	224.41	0.22	17300	RS-121
PLS17-557	L-1530W	224.41	224.50	0.09	770	RS-121
PLS17-557	L-1530W	224.50	225.00	0.50	3800	RS-121
PLS17-557	L-1530W	225.00	225.50	0.50	6700	RS-121
PLS17-557	L-1530W	225.50	225.64	0.14	5200	RS-121
PLS17-557	L-1530W	225.64	225.88	0.24	44200	RS-121
PLS17-557	L-1530W	225.88	226.00	0.12	8200	RS-121
PLS17-557	L-1530W	226.00	226.11	0.11	37200	RS-121
PLS17-557	L-1530W	226.11	226.50	0.39	5400	RS-121
PLS17-557	L-1530W	226.50	226.60	0.10	740	RS-121
PLS17-557	L-1530W	226.60	226.72	0.12	13700	RS-121
PLS17-557	L-1530W	226.72	227.00	0.28	9600	RS-121

PLS17-557	L-1530W	227.00	227.12	0.12	12300	RS-121
PLS17-557	L-1530W	227.12	227.42	0.30	9200	RS-121
PLS17-557	L-1530W	227.42	227.50	0.08	11200	RS-121
PLS17-557	L-1530W	227.50	228.00	0.50	5600	RS-121
PLS17-557	L-1530W	228.00	230.50	2.50	<300	RS-121
PLS17-557	L-1530W	230.50	231.00	0.50	4100	RS-121
PLS17-557	L-1530W	231.00	231.50	0.50	2900	RS-121
PLS17-557	L-1530W	231.50	232.00	0.50	1700	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-560	L-1545W	137.00	137.50	0.50	700	RS-121
PLS17-560	L-1545W	137.50	138.50	1.00	<300	RS-121
PLS17-560	L-1545W	138.50	139.00	0.50	1300	RS-121
PLS17-560	L-1545W	139.00	139.50	0.50	1050	RS-121
PLS17-560	L-1545W	139.50	140.00	0.50	510	RS-121
PLS17-560	L-1545W	140.00	140.50	0.50	420	RS-121
PLS17-560	L-1545W	140.50	141.50	1.00	<300	RS-121
PLS17-560	L-1545W	141.50	142.00	0.50	300	RS-121
PLS17-560	L-1545W	142.00	155.00	13.00	<300	RS-121
PLS17-560	L-1545W	155.00	155.50	0.50	460	RS-121
PLS17-560	L-1545W	155.50	175.00	19.50	<300	RS-121
PLS17-560	L-1545W	175.00	175.50	0.50	620	RS-121
PLS17-560	L-1545W	175.50	176.00	0.50	<300	RS-121
PLS17-560	L-1545W	176.00	176.50	0.50	450	RS-121
PLS17-560	L-1545W	176.50	181.00	4.50	<300	RS-121
PLS17-560	L-1545W	181.00	181.50	0.50	620	RS-121
PLS17-560	L-1545W	181.50	181.75	0.25	1300	RS-121
PLS17-560	L-1545W	181.75	181.95	0.20	11000	RS-121
PLS17-560	L-1545W	181.95	182.00	0.05	800	RS-121
PLS17-560	L-1545W	182.00	182.05	0.05	600	RS-121
PLS17-560	L-1545W	182.05	182.16	0.11	22500	RS-121
PLS17-560	L-1545W	182.16	182.50	0.34	1400	RS-121
PLS17-560	L-1545W	182.50	183.00	0.50	3400	RS-121
PLS17-560	L-1545W	183.00	183.50	0.50	480	RS-121
PLS17-560	L-1545W	183.50	184.00	0.50	1200	RS-121
PLS17-560	L-1545W	184.00	184.32	0.32	800	RS-121
PLS17-560	L-1545W	184.32	184.50	0.18	12500	RS-121
PLS17-560	L-1545W	184.50	185.00	0.50	560	RS-121
PLS17-560	L-1545W	185.00	188.00	3.00	<300	RS-121
PLS17-560	L-1545W	188.00	188.50	0.50	550	RS-121
PLS17-560	L-1545W	188.50	189.00	0.50	1000	RS-121
PLS17-560	L-1545W	189.00	190.50	1.50	<300	RS-121
PLS17-560	L-1545W	190.50	191.00	0.50	360	RS-121
PLS17-560	L-1545W	191.00	191.50	0.50	520	RS-121
PLS17-560	L-1545W	191.50	192.00	0.50	580	RS-121
PLS17-560	L-1545W	192.00	196.00	4.00	<300	RS-121

PLS17-560	L-1545W	196.00	196.50	0.50	420	RS-121
PLS17-560	L-1545W	196.50	197.00	0.50	850	RS-121
PLS17-560	L-1545W	197.00	197.50	0.50	2500	RS-121
PLS17-560	L-1545W	197.50	198.00	0.50	1100	RS-121
PLS17-560	L-1545W	198.00	198.50	0.50	1300	RS-121
PLS17-560	L-1545W	198.50	199.00	0.50	1300	RS-121
PLS17-560	L-1545W	199.00	199.50	0.50	3200	RS-121
PLS17-560	L-1545W	199.50	200.00	0.50	2200	RS-121
PLS17-560	L-1545W	200.00	200.50	0.50	410	RS-121
PLS17-560	L-1545W	200.50	201.00	0.50	2700	RS-121
PLS17-560	L-1545W	201.00	201.50	0.50	3000	RS-121
PLS17-560	L-1545W	201.50	202.00	0.50	2400	RS-121
PLS17-560	L-1545W	202.00	202.50	0.50	2400	RS-121
PLS17-560	L-1545W	202.50	203.00	0.50	9800	RS-121
PLS17-560	L-1545W	203.00	203.50	0.50	2400	RS-121
PLS17-560	L-1545W	203.50	204.00	0.50	2200	RS-121
PLS17-560	L-1545W	204.00	204.21	0.21	9500	RS-121
PLS17-560	L-1545W	204.21	204.39	0.18	25000	RS-121
PLS17-560	L-1545W	204.39	204.50	0.11	3700	RS-121
PLS17-560	L-1545W	204.50	204.70	0.20	5800	RS-121
PLS17-560	L-1545W	204.70	205.00	0.30	11000	RS-121
PLS17-560	L-1545W	205.00	205.50	0.50	1300	RS-121
PLS17-560	L-1545W	205.50	206.50	1.00	<300	RS-121
PLS17-560	L-1545W	206.50	207.00	0.50	2000	RS-121
PLS17-560	L-1545W	207.00	207.50	0.50	2400	RS-121
PLS17-560	L-1545W	207.50	208.00	0.50	2400	RS-121
PLS17-560	L-1545W	208.00	208.50	0.50	2600	RS-121
PLS17-560	L-1545W	208.50	209.00	0.50	2300	RS-121
PLS17-560	L-1545W	209.00	209.50	0.50	3700	RS-121
PLS17-560	L-1545W	209.50	210.00	0.50	1900	RS-121
PLS17-560	L-1545W	210.00	210.50	0.50	1300	RS-121
PLS17-560	L-1545W	210.50	214.00	3.50	<300	RS-121
PLS17-560	L-1545W	214.00	214.50	0.50	2300	RS-121
PLS17-560	L-1545W	214.50	215.00	0.50	760	RS-121
PLS17-560	L-1545W	215.00	215.50	0.50	2100	RS-121
PLS17-560	L-1545W	215.50	216.00	0.50	5200	RS-121
PLS17-560	L-1545W	216.00	216.50	0.50	1600	RS-121
PLS17-560	L-1545W	216.50	217.00	0.50	350	RS-121
PLS17-560	L-1545W	217.00	217.50	0.50	670	RS-121
PLS17-560	L-1545W	217.50	218.00	0.50	3500	RS-121
PLS17-560	L-1545W	218.00	218.50	0.50	2700	RS-121
PLS17-560	L-1545W	218.50	219.00	0.50	1200	RS-121
PLS17-560	L-1545W	219.00	219.50	0.50	1400	RS-121
PLS17-560	L-1545W	219.50	220.00	0.50	2100	RS-121
PLS17-560	L-1545W	220.00	220.50	0.50	420	RS-121
PLS17-560	L-1545W	220.50	221.00	0.50	2500	RS-121
PLS17-560	L-1545W	221.00	221.50	0.50	3000	RS-121

PLS17-560	L-1545W	221.50	222.00	0.50	4100	RS-121
PLS17-560	L-1545W	222.00	222.50	0.50	1700	RS-121
PLS17-560	L-1545W	222.50	223.00	0.50	1800	RS-121
PLS17-560	L-1545W	223.00	223.50	0.50	3600	RS-121
PLS17-560	L-1545W	223.50	224.00	0.50	1400	RS-121
PLS17-560	L-1545W	224.00	224.50	0.50	650	RS-121
PLS17-560	L-1545W	224.50	226.50	2.00	<300	RS-121
PLS17-560	L-1545W	226.50	227.00	0.50	1400	RS-121
PLS17-560	L-1545W	227.00	227.50	0.50	9000	RS-121
PLS17-560	L-1545W	227.50	228.00	0.50	2500	RS-121
PLS17-560	L-1545W	228.00	228.50	0.50	330	RS-121
PLS17-560	L-1545W	228.50	229.00	0.50	950	RS-121
PLS17-560	L-1545W	229.00	229.50	0.50	1500	RS-121
PLS17-560	L-1545W	229.50	230.00	0.50	<300	RS-121
PLS17-560	L-1545W	230.00	230.50	0.50	950	RS-121
PLS17-560	L-1545W	230.50	231.00	0.50	2100	RS-121
PLS17-560	L-1545W	231.00	231.50	0.50	1200	RS-121
PLS17-560	L-1545W	231.50	232.00	0.50	1300	RS-121
PLS17-560	L-1545W	232.00	232.50	0.50	1800	RS-121
PLS17-560	L-1545W	232.50	233.00	0.50	1100	RS-121
PLS17-560	L-1545W	233.00	233.39	0.39	1400	RS-121
PLS17-560	L-1545W	233.39	233.50	0.11	10600	RS-121
PLS17-560	L-1545W	233.50	233.75	0.25	6900	RS-121
PLS17-560	L-1545W	233.75	234.00	0.25	11000	RS-121
PLS17-560	L-1545W	234.00	234.50	0.50	3400	RS-121
PLS17-560	L-1545W	234.50	235.00	0.50	<300	RS-121
PLS17-560	L-1545W	235.00	235.50	0.50	4400	RS-121
PLS17-560	L-1545W	235.50	236.00	0.50	9100	RS-121
PLS17-560	L-1545W	236.00	237.00	1.00	<300	RS-121
PLS17-560	L-1545W	237.00	237.50	0.50	7700	RS-121
PLS17-560	L-1545W	237.50	237.61	0.11	10300	RS-121
PLS17-560	L-1545W	237.61	238.00	0.39	6400	RS-121
PLS17-560	L-1545W	238.00	238.50	0.50	6000	RS-121
PLS17-560	L-1545W	238.50	239.00	0.50	610	RS-121
PLS17-560	L-1545W	239.00	239.20	0.20	6600	RS-121
PLS17-560	L-1545W	239.20	239.33	0.13	11000	RS-121
PLS17-560	L-1545W	239.33	239.50	0.17	9700	RS-121
PLS17-560	L-1545W	239.50	240.00	0.50	1400	RS-121
PLS17-560	L-1545W	240.00	240.50	0.50	<300	RS-121
PLS17-560	L-1545W	240.50	241.00	0.50	4300	RS-121
PLS17-560	L-1545W	241.00	241.50	0.50	1000	RS-121
PLS17-560	L-1545W	241.50	242.00	0.50	1100	RS-121
PLS17-560	L-1545W	242.00	242.50	0.50	580	RS-121
PLS17-560	L-1545W	242.50	245.00	2.50	<300	RS-121
PLS17-560	L-1545W	245.00	245.50	0.50	550	RS-121