



Fission

URANIUM CORP.

Patterson Lake South - R1620E Zone

Drill Core Hand-Held Scintillometer Readings: Interval Peaks >300 CPS

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS14-196	L-1620E	99.00	99.50	0.50	300	GR-110
PLS14-196	L-1620E	99.50	100.00	0.50	480	GR-110
PLS14-196	L-1620E	100.00	100.50	0.50	2100	GR-110
PLS14-196	L-1620E	100.50	101.00	0.50	3800	GR-110
PLS14-196	L-1620E	101.00	101.50	0.50	4800	GR-110
PLS14-196	L-1620E	101.50	102.00	0.50	6100	GR-110
PLS14-196	L-1620E	102.00	102.50	0.50	1600	GR-110
PLS14-196	L-1620E	102.50	103.00	0.50	960	GR-110
PLS14-196	L-1620E	103.00	103.50	0.50	860	GR-110
PLS14-196	L-1620E	103.50	104.00	0.50	720	GR-110
PLS14-196	L-1620E	104.00	104.50	0.50	660	GR-110
PLS14-196	L-1620E	104.50	105.00	0.50	870	GR-110
PLS14-196	L-1620E	105.00	105.50	0.50	580	GR-110
PLS14-196	L-1620E	105.50	106.00	0.50	350	GR-110
PLS14-196	L-1620E	106.00	106.50	0.50	510	GR-110
PLS14-196	L-1620E	106.50	107.00	0.50	440	GR-110
PLS14-196	L-1620E	107.00	107.50	0.50	460	GR-110
PLS14-196	L-1620E	107.50	108.00	0.50	620	GR-110
PLS14-196	L-1620E	108.00	108.50	0.50	1000	GR-110
PLS14-196	L-1620E	108.50	109.00	0.50	2900	GR-110
PLS14-196	L-1620E	109.00	109.50	0.50	2100	GR-110
PLS14-196	L-1620E	109.50	110.00	0.50	2100	GR-110
PLS14-196	L-1620E	110.00	110.50	0.50	700	GR-110
PLS14-196	L-1620E	110.50	111.00	0.50	450	GR-110
PLS14-196	L-1620E	111.00	111.50	0.50	560	GR-110
PLS14-196	L-1620E	111.50	112.00	0.50	500	GR-110
PLS14-196	L-1620E	112.00	112.50	0.50	380	GR-110
PLS14-196	L-1620E	112.50	113.00	0.50	530	GR-110
PLS14-196	L-1620E	113.00	113.50	0.50	570	GR-110
PLS14-196	L-1620E	113.50	114.00	0.50	560	GR-110
PLS14-196	L-1620E	114.00	114.50	0.50	390	GR-110
PLS14-196	L-1620E	114.50	115.00	0.50	330	GR-110
PLS14-196	L-1620E	115.00	115.50	0.50	960	GR-110
PLS14-196	L-1620E	115.50	116.00	0.50	3500	GR-110
PLS14-196	L-1620E	116.00	116.50	0.50	630	GR-110
PLS14-196	L-1620E	116.50	117.00	0.50	1700	GR-110

PLS14-196	L-1620E	117.00	117.50	0.50	2200	GR-110
PLS14-196	L-1620E	117.50	118.00	0.50	1500	GR-110
PLS14-196	L-1620E	118.00	118.50	0.50	1800	GR-110
PLS14-196	L-1620E	118.50	119.00	0.50	350	GR-110
PLS14-196	L-1620E	119.00	119.50	0.50	4900	GR-110
PLS14-196	L-1620E	119.50	120.00	0.50	2600	GR-110
PLS14-196	L-1620E	120.00	120.50	0.50	820	GR-110
PLS14-196	L-1620E	120.50	121.00	0.50	630	GR-110
PLS14-196	L-1620E	121.00	121.50	0.50	970	GR-110
PLS14-196	L-1620E	121.50	122.00	0.50	850	GR-110
PLS14-196	L-1620E	122.00	122.50	0.50	1600	GR-110
PLS14-196	L-1620E	122.50	123.00	0.50	2800	GR-110
PLS14-196	L-1620E	123.00	123.50	0.50	710	GR-110
PLS14-196	L-1620E	123.50	124.00	0.50	1400	GR-110
PLS14-196	L-1620E	124.00	124.50	0.50	1100	GR-110
PLS14-196	L-1620E	124.50	125.00	0.50	1300	GR-110
PLS14-196	L-1620E	125.00	125.50	0.50	1200	GR-110
PLS14-196	L-1620E	125.50	126.00	0.50	860	GR-110
PLS14-196	L-1620E	126.00	126.50	0.50	950	GR-110
PLS14-196	L-1620E	126.50	127.00	0.50	2700	GR-110
PLS14-196	L-1620E	127.00	127.50	0.50	2300	GR-110
PLS14-196	L-1620E	127.50	128.00	0.50	630	GR-110
PLS14-196	L-1620E	128.00	128.50	0.50	580	GR-110
PLS14-196	L-1620E	128.50	129.00	0.50	300	GR-110
PLS14-196	L-1620E	129.00	137.00	8.00	<300	GR-110
PLS14-196	L-1620E	137.00	137.50	0.50	400	GR-110
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS14-208	L-1620E	78.00	78.50	0.50	310	GR-110
PLS14-208	L-1620E	78.50	79.00	0.50	330	GR-110
PLS14-208	L-1620E	79.00	79.50	0.50	<300	GR-110
PLS14-208	L-1620E	79.50	80.00	0.50	320	GR-110
PLS14-208	L-1620E	80.00	82.00	2.00	<300	GR-110
PLS14-208	L-1620E	82.00	82.50	0.50	1900	GR-110
PLS14-208	L-1620E	82.50	83.00	0.50	2500	GR-110
PLS14-208	L-1620E	83.00	83.50	0.50	1700	GR-110
PLS14-208	L-1620E	83.50	84.00	0.50	1300	GR-110
PLS14-208	L-1620E	84.00	84.50	0.50	3500	GR-110
PLS14-208	L-1620E	84.50	85.00	0.50	880	GR-110
PLS14-208	L-1620E	85.00	85.50	0.50	830	GR-110
PLS14-208	L-1620E	85.50	86.00	0.50	390	GR-110
PLS14-208	L-1620E	86.00	86.50	0.50	420	GR-110
PLS14-208	L-1620E	86.50	87.00	0.50	<300	GR-110
PLS14-208	L-1620E	87.00	87.50	0.50	1000	GR-110
PLS14-208	L-1620E	87.50	88.00	0.50	<300	GR-110
PLS14-208	L-1620E	88.00	88.50	0.50	300	GR-110

PLS14-208	L-1620E	88.50	89.00	0.50	390	GR-110
PLS14-208	L-1620E	89.00	89.50	0.50	470	GR-110
PLS14-208	L-1620E	89.50	90.00	0.50	1100	GR-110
PLS14-208	L-1620E	90.00	91.50	1.50	<300	GR-110
PLS14-208	L-1620E	91.50	92.00	0.50	570	GR-110
PLS14-208	L-1620E	92.00	92.50	0.50	<300	GR-110
PLS14-208	L-1620E	92.50	93.00	0.50	390	GR-110
PLS14-208	L-1620E	93.00	95.00	2.00	<300	GR-110
PLS14-208	L-1620E	95.00	95.50	0.50	600	GR-110
PLS14-208	L-1620E	95.50	97.00	1.50	<300	GR-110
PLS14-208	L-1620E	97.00	97.50	0.50	340	GR-110
PLS14-208	L-1620E	97.50	98.00	0.50	760	GR-110
PLS14-208	L-1620E	98.00	98.50	0.50	3400	GR-110
PLS14-208	L-1620E	98.50	99.00	0.50	1700	GR-110
PLS14-208	L-1620E	99.00	99.50	0.50	530	GR-110
PLS14-208	L-1620E	99.50	100.00	0.50	320	GR-110
PLS14-208	L-1620E	100.00	101.00	1.00	<300	GR-110
PLS14-208	L-1620E	101.00	101.50	0.50	320	GR-110
PLS14-208	L-1620E	101.50	102.00	0.50	<300	GR-110
PLS14-208	L-1620E	102.00	102.50	0.50	400	GR-110
PLS14-208	L-1620E	102.50	103.00	0.50	310	GR-110
PLS14-208	L-1620E	103.00	103.50	0.50	690	GR-110
PLS14-208	L-1620E	103.50	104.00	0.50	1500	GR-110
PLS14-208	L-1620E	104.00	104.50	0.50	<300	GR-110
PLS14-208	L-1620E	104.50	105.00	0.50	470	GR-110
PLS14-208	L-1620E	105.00	105.50	0.50	420	GR-110
PLS14-208	L-1620E	105.50	106.00	0.50	310	GR-110
PLS14-208	L-1620E	106.00	106.50	0.50	600	GR-110
PLS14-208	L-1620E	106.50	107.00	0.50	320	GR-110
PLS14-208	L-1620E	107.00	108.00	1.00	<300	GR-110
PLS14-208	L-1620E	108.00	108.50	0.50	520	GR-110
PLS14-208	L-1620E	108.50	109.00	0.50	1000	GR-110
PLS14-208	L-1620E	109.00	109.50	0.50	920	GR-110
PLS14-208	L-1620E	109.50	110.00	0.50	860	GR-110
PLS14-208	L-1620E	110.00	110.50	0.50	750	GR-110
PLS14-208	L-1620E	110.50	111.00	0.50	680	GR-110
PLS14-208	L-1620E	111.00	111.50	0.50	780	GR-110
PLS14-208	L-1620E	111.50	112.00	0.50	580	GR-110
PLS14-208	L-1620E	112.00	112.50	0.50	950	GR-110
PLS14-208	L-1620E	112.50	113.00	0.50	850	GR-110
PLS14-208	L-1620E	113.00	113.50	0.50	1000	GR-110
PLS14-208	L-1620E	113.50	114.00	0.50	660	GR-110
PLS14-208	L-1620E	114.00	114.50	0.50	1200	GR-110
PLS14-208	L-1620E	114.50	115.00	0.50	520	GR-110
PLS14-208	L-1620E	115.00	115.50	0.50	310	GR-110
PLS14-208	L-1620E	115.50	116.00	0.50	1000	GR-110
PLS14-208	L-1620E	116.00	116.50	0.50	350	GR-110

PLS14-208	L-1620E	116.50	133.00	16.50	<300	GR-110
PLS14-208	L-1620E	133.00	133.50	0.50	310	GR-110
PLS14-208	L-1620E	133.50	134.00	0.50	2500	GR-110
PLS14-208	L-1620E	134.00	134.50	0.50	310	GR-110
PLS14-208	L-1620E	134.50	305.00	170.50	<300	GR-110
PLS14-208	L-1620E	305.00	305.50	0.50	310	GR-110

2015 Winter Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-357	L-1575E	104.00	104.50	0.50	440	RS-121
PLS15-357	L-1575E	104.50	105.00	0.50	530	RS-121
PLS15-357	L-1575E	105.00	105.50	0.50	380	RS-121
PLS15-357	L-1575E	105.50	107.00	1.50	<300	RS-121
PLS15-357	L-1575E	107.00	107.50	0.50	320	RS-121
PLS15-357	L-1575E	107.50	108.00	0.50	420	RS-121
PLS15-357	L-1575E	108.00	108.50	0.50	590	RS-121
PLS15-357	L-1575E	108.50	109.00	0.50	320	RS-121
PLS15-357	L-1575E	109.00	109.50	0.50	1200	RS-121
PLS15-357	L-1575E	109.50	110.00	0.50	2100	RS-121
PLS15-357	L-1575E	110.00	110.50	0.50	4800	RS-121
PLS15-357	L-1575E	110.50	111.00	0.50	1200	RS-121
PLS15-357	L-1575E	111.00	111.50	0.50	490	RS-121
PLS15-357	L-1575E	111.50	113.00	1.50	<300	RS-121
PLS15-357	L-1575E	113.00	113.50	0.50	310	RS-121
PLS15-357	L-1575E	113.50	114.00	0.50	640	RS-121
PLS15-357	L-1575E	114.00	114.50	0.50	340	RS-121
PLS15-357	L-1575E	114.50	117.00	2.50	<300	RS-121
PLS15-357	L-1575E	117.00	117.50	0.50	440	RS-121
PLS15-357	L-1575E	117.50	118.00	0.50	520	RS-121
PLS15-357	L-1575E	118.00	118.50	0.50	510	RS-121
PLS15-357	L-1575E	118.50	120.50	2.00	<300	RS-121
PLS15-357	L-1575E	120.50	121.00	0.50	570	RS-121
PLS15-357	L-1575E	121.00	121.50	0.50	450	RS-121
PLS15-357	L-1575E	121.50	122.00	0.50	430	RS-121
PLS15-357	L-1575E	122.00	123.50	1.50	<300	RS-121
PLS15-357	L-1575E	123.50	124.00	0.50	370	RS-121
PLS15-357	L-1575E	124.00	124.50	0.50	570	RS-121
PLS15-357	L-1575E	124.50	125.00	0.50	<300	RS-121
PLS15-357	L-1575E	125.00	125.50	0.50	340	RS-121
PLS15-357	L-1575E	125.50	126.00	0.50	530	RS-121
PLS15-357	L-1575E	126.00	126.50	0.50	660	RS-121
PLS15-357	L-1575E	126.50	127.00	0.50	960	RS-121
PLS15-357	L-1575E	127.00	127.50	0.50	980	RS-121

2015 Summer Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
---------	------	----------	--------	--------------	---------------	---------------------

PLS15-394	L-1620E	120.00	120.50	0.50	1200	RS-121
PLS15-394	L-1620E	120.50	121.50	1.00	<300	RS-121
PLS15-394	L-1620E	121.50	122.00	0.50	370	RS-121
PLS15-394	L-1620E	122.00	122.50	0.50	6300	RS-121
PLS15-394	L-1620E	122.50	123.00	0.50	3300	RS-121
PLS15-394	L-1620E	123.00	123.50	0.50	2800	RS-121
PLS15-394	L-1620E	123.50	124.00	0.50	1800	RS-121
PLS15-394	L-1620E	124.00	124.50	0.50	780	RS-121
PLS15-394	L-1620E	124.50	124.80	0.30	7500	RS-121
PLS15-394	L-1620E	124.80	124.90	0.10	15200	RS-121
PLS15-394	L-1620E	124.90	125.00	0.10	5200	RS-121
PLS15-394	L-1620E	125.00	125.50	0.50	2000	RS-121
PLS15-394	L-1620E	125.50	126.00	0.50	1300	RS-121
PLS15-394	L-1620E	126.00	126.50	0.50	4800	RS-121
PLS15-394	L-1620E	126.50	127.00	0.50	2900	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-400	L-1620E	90.50	91.00	0.50	510	RS-121
PLS15-400	L-1620E	91.00	91.50	0.50	610	RS-121
PLS15-400	L-1620E	91.50	97.50	0.50	<300	RS-121
PLS15-400	L-1620E	97.50	98.00	0.50	330	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-405	L-1620E	65.50	66.00	0.50	2300	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-413	L-1605E	116.50	117.00	0.50	480	RS-121
PLS15-413	L-1605E	117.00	117.50	0.50	420	RS-121
PLS15-413	L-1605E	117.50	118.00	0.50	660	RS-121
PLS15-413	L-1605E	118.00	118.50	0.50	650	RS-121
PLS15-413	L-1605E	118.50	119.00	0.50	450	RS-121
PLS15-413	L-1605E	119.00	119.50	0.50	2600	RS-121
PLS15-413	L-1605E	119.50	120.00	0.50	920	RS-121
PLS15-413	L-1605E	120.00	120.50	0.50	420	RS-121
PLS15-413	L-1605E	120.50	121.00	0.50	<300	RS-121
PLS15-413	L-1605E	121.00	121.50	0.50	2500	RS-121
PLS15-413	L-1605E	121.50	122.00	0.50	620	RS-121
PLS15-413	L-1605E	122.00	122.50	0.50	610	RS-121
PLS15-413	L-1605E	122.50	123.00	0.50	3300	RS-121
PLS15-413	L-1605E	123.00	123.50	0.50	4400	RS-121
PLS15-413	L-1605E	123.50	124.00	0.50	440	RS-121
PLS15-413	L-1605E	124.00	124.50	0.50	570	RS-121
PLS15-413	L-1605E	124.50	125.00	0.50	560	RS-121
PLS15-413	L-1605E	125.00	125.50	0.50	420	RS-121
PLS15-413	L-1605E	125.50	126.00	0.50	400	RS-121

2016 Winter Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS16-459	L-1395E	No anomalous radioactivity					RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS16-460	L-1500E	65.50	66.00	0.50	370	RS-121	
PLS16-460	L-1500E	66.00	66.50	0.50	1100	RS-121	
PLS16-460	L-1500E	66.50	67.00	0.50	2200	RS-121	
PLS16-460	L-1500E	67.00	67.50	0.50	3400	RS-121	
PLS16-460	L-1500E	67.50	68.00	0.50	580	RS-121	
PLS16-460	L-1500E	68.00	68.50	0.50	510	RS-121	
PLS16-460	L-1500E	68.50	69.00	0.50	950	RS-121	
PLS16-460	L-1500E	69.00	69.50	0.50	570	RS-121	
PLS16-460	L-1500E	69.50	70.00	0.50	1600	RS-121	
PLS16-460	L-1500E	70.00	70.50	0.50	320	RS-121	
PLS16-460	L-1500E	70.50	71.00	0.50	<300	RS-121	
PLS16-460	L-1500E	71.00	71.50	0.50	340	RS-121	
PLS16-460	L-1500E	71.50	72.00	0.50	600	RS-121	
PLS16-460	L-1500E	72.00	72.50	0.50	1000	RS-121	
PLS16-460	L-1500E	72.50	73.00	0.50	2100	RS-121	
PLS16-460	L-1500E	73.00	73.50	0.50	590	RS-121	
PLS16-460	L-1500E	73.50	74.00	0.50	360	RS-121	
PLS16-460	L-1500E	74.00	74.50	0.50	<300	RS-121	
PLS16-460	L-1500E	74.50	75.00	0.50	340	RS-121	
PLS16-460	L-1500E	75.00	75.50	0.50	850	RS-121	
PLS16-460	L-1500E	75.50	76.00	0.50	840	RS-121	
PLS16-460	L-1500E	76.00	76.50	0.50	650	RS-121	
PLS16-460	L-1500E	76.50	77.00	0.50	490	RS-121	
PLS16-460	L-1500E	77.00	77.50	0.50	1800	RS-121	
PLS16-460	L-1500E	77.50	78.00	0.50	780	RS-121	
PLS16-460	L-1500E	78.00	78.50	0.50	480	RS-121	
PLS16-460	L-1500E	78.50	79.00	0.50	5200	RS-121	
PLS16-460	L-1500E	79.00	79.42	0.42	8000	RS-121	
PLS16-460	L-1500E	79.42	79.50	0.08	14500	RS-121	
PLS16-460	L-1500E	79.50	79.67	0.17	7000	RS-121	
PLS16-460	L-1500E	79.67	80.00	0.33	24100	RS-121	
PLS16-460	L-1500E	80.00	80.50	0.50	29300	RS-121	
PLS16-460	L-1500E	80.50	81.00	0.50	23400	RS-121	
PLS16-460	L-1500E	81.00	81.18	0.18	17600	RS-121	
PLS16-460	L-1500E	81.18	81.50	0.32	9400	RS-121	
PLS16-460	L-1500E	81.50	81.82	0.32	9800	RS-121	
PLS16-460	L-1500E	81.82	82.00	0.18	15000	RS-121	
PLS16-460	L-1500E	82.00	82.25	0.25	31800	RS-121	
PLS16-460	L-1500E	82.25	82.50	0.25	4900	RS-121	
PLS16-460	L-1500E	82.50	83.00	0.50	9500	RS-121	
PLS16-460	L-1500E	83.00	83.50	0.50	7600	RS-121	

PLS16-460	L-1500E	83.50	83.86	0.36	7600	RS-121
PLS16-460	L-1500E	83.86	84.00	0.14	10100	RS-121
PLS16-460	L-1500E	84.00	84.50	0.50	3200	RS-121
PLS16-460	L-1500E	84.50	85.00	0.50	3500	RS-121
PLS16-460	L-1500E	85.00	85.50	0.50	5100	RS-121
PLS16-460	L-1500E	85.50	86.00	0.50	5900	RS-121
PLS16-460	L-1500E	86.00	86.50	0.50	24900	RS-121
PLS16-460	L-1500E	86.50	87.00	0.50	32600	RS-121
PLS16-460	L-1500E	87.00	87.21	0.21	5300	RS-121
PLS16-460	L-1500E	87.21	87.37	0.16	15300	RS-121
PLS16-460	L-1500E	87.37	87.50	0.13	8200	RS-121
PLS16-460	L-1500E	87.50	88.00	0.50	2000	RS-121
PLS16-460	L-1500E	88.00	88.50	0.50	8600	RS-121
PLS16-460	L-1500E	88.50	89.00	0.50	4900	RS-121
PLS16-460	L-1500E	89.00	89.50	0.50	2700	RS-121
PLS16-460	L-1500E	89.50	90.00	0.50	6000	RS-121
PLS16-460	L-1500E	90.00	90.50	0.50	1900	RS-121
PLS16-460	L-1500E	90.50	91.00	0.50	1400	RS-121
PLS16-460	L-1500E	91.00	91.50	0.50	1100	RS-121
PLS16-460	L-1500E	91.50	92.00	0.50	710	RS-121
PLS16-460	L-1500E	92.00	92.50	0.50	410	RS-121
PLS16-460	L-1500E	92.50	93.00	0.50	5900	RS-121
PLS16-460	L-1500E	93.00	93.07	0.07	6000	RS-121
PLS16-460	L-1500E	93.07	93.50	0.43	22900	RS-121
PLS16-460	L-1500E	93.50	93.62	0.12	11300	RS-121
PLS16-460	L-1500E	93.62	94.00	0.38	3900	RS-121
PLS16-460	L-1500E	94.00	94.50	0.50	490	RS-121
PLS16-460	L-1500E	94.50	95.00	0.50	1200	RS-121
PLS16-460	L-1500E	95.00	95.50	0.50	3200	RS-121
PLS16-460	L-1500E	95.50	95.57	0.07	5600	RS-121
PLS16-460	L-1500E	95.57	95.73	0.16	25600	RS-121
PLS16-460	L-1500E	95.73	96.00	0.27	8300	RS-121
PLS16-460	L-1500E	96.00	96.50	0.50	1500	RS-121
PLS16-460	L-1500E	96.50	97.00	0.50	810	RS-121
PLS16-460	L-1500E	97.00	97.50	0.50	4000	RS-121
PLS16-460	L-1500E	97.50	97.92	0.42	3600	RS-121
PLS16-460	L-1500E	97.92	98.00	0.08	12900	RS-121
PLS16-460	L-1500E	98.00	98.46	0.46	8300	RS-121
PLS16-460	L-1500E	98.46	98.50	0.04	17000	RS-121
PLS16-460	L-1500E	98.50	99.00	0.50	7900	RS-121
PLS16-460	L-1500E	99.00	99.50	0.50	3600	RS-121
PLS16-460	L-1500E	99.50	100.00	0.50	9500	RS-121
PLS16-460	L-1500E	100.00	100.32	0.32	7000	RS-121
PLS16-460	L-1500E	100.32	100.50	0.18	25700	RS-121
PLS16-460	L-1500E	100.50	101.00	0.50	34800	RS-121
PLS16-460	L-1500E	101.00	101.50	0.50	46400	RS-121
PLS16-460	L-1500E	101.50	102.00	0.50	30100	RS-121

PLS16-460	L-1500E	102.00	102.50	0.50	42700	RS-121
PLS16-460	L-1500E	102.50	103.00	0.50	3100	RS-121
PLS16-460	L-1500E	103.00	103.50	0.50	4000	RS-121
PLS16-460	L-1500E	103.50	104.00	0.50	33300	RS-121
PLS16-460	L-1500E	104.00	104.26	0.26	25800	RS-121
PLS16-460	L-1500E	104.26	104.35	0.09	7100	RS-121
PLS16-460	L-1500E	104.35	104.50	0.15	26300	RS-121
PLS16-460	L-1500E	104.50	104.65	0.15	17200	RS-121
PLS16-460	L-1500E	104.65	105.00	0.35	8600	RS-121
PLS16-460	L-1500E	105.00	105.50	0.50	4100	RS-121
PLS16-460	L-1500E	105.50	106.00	0.50	1300	RS-121
PLS16-460	L-1500E	106.00	106.50	0.50	730	RS-121
PLS16-460	L-1500E	106.50	107.00	0.50	500	RS-121
PLS16-460	L-1500E	107.00	107.50	0.50	380	RS-121
PLS16-460	L-1500E	107.50	108.00	0.50	<300	RS-121
PLS16-460	L-1500E	108.00	108.50	0.50	400	RS-121
PLS16-460	L-1500E	108.50	109.00	0.50	320	RS-121
PLS16-460	L-1500E	109.00	109.50	0.50	490	RS-121
PLS16-460	L-1500E	109.50	110.00	0.50	710	RS-121
PLS16-460	L-1500E	110.00	110.50	0.50	750	RS-121
PLS16-460	L-1500E	110.50	111.00	0.50	730	RS-121
PLS16-460	L-1500E	111.00	111.50	0.50	700	RS-121
PLS16-460	L-1500E	111.50	112.00	0.50	570	RS-121
PLS16-460	L-1500E	112.00	112.50	0.50	850	RS-121
PLS16-460	L-1500E	112.50	113.00	0.50	2700	RS-121
PLS16-460	L-1500E	113.00	113.35	0.35	4500	RS-121
PLS16-460	L-1500E	113.35	113.50	0.15	10600	RS-121
PLS16-460	L-1500E	113.50	114.00	0.50	19500	RS-121
PLS16-460	L-1500E	114.00	114.50	0.50	2800	RS-121
PLS16-460	L-1500E	114.50	115.00	0.50	350	RS-121
PLS16-460	L-1500E	115.00	115.50	0.50	300	RS-121
PLS16-460	L-1500E	115.50	118.00	2.50	<300	RS-121
PLS16-460	L-1500E	118.00	118.50	0.50	3200	RS-121
PLS16-460	L-1500E	118.50	119.00	0.50	8800	RS-121
PLS16-460	L-1500E	119.00	119.50	0.50	2400	RS-121
PLS16-460	L-1500E	119.50	120.00	0.50	2200	RS-121
PLS16-460	L-1500E	120.00	134.50	14.50	<300	RS-121
PLS16-460	L-1500E	134.00	134.50	0.50	350	RS-121
PLS16-460	L-1500E	134.50	135.00	0.50	<300	RS-121
PLS16-460	L-1500E	135.00	135.50	0.50	460	RS-121
PLS16-460	L-1500E	135.50	136.00	0.50	340	RS-121
PLS16-460	L-1500E	136.00	146.50	10.50	<300	RS-121
PLS16-460	L-1500E	146.50	147.00	0.50	380	RS-121
PLS16-460	L-1500E	147.00	147.50	0.50	1500	RS-121
PLS16-460	L-1500E	147.50	148.00	0.50	2400	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-464	L-1485E	69.50	70.00	0.50	480	RS-121
PLS16-464	L-1485E	70.00	70.50	0.50	530	RS-121
PLS16-464	L-1485E	70.50	71.00	0.50	1100	RS-121
PLS16-464	L-1485E	71.00	71.50	0.50	2100	RS-121
PLS16-464	L-1485E	71.50	72.00	0.50	950	RS-121
PLS16-464	L-1485E	72.00	72.50	0.50	810	RS-121
PLS16-464	L-1485E	72.50	73.00	0.50	1400	RS-121
PLS16-464	L-1485E	73.00	73.50	0.50	2600	RS-121
PLS16-464	L-1485E	73.50	74.00	0.50	6400	RS-121
PLS16-464	L-1485E	74.00	74.50	0.50	5900	RS-121
PLS16-464	L-1485E	74.50	75.00	0.50	4700	RS-121
PLS16-464	L-1485E	75.00	75.50	0.50	9100	RS-121
PLS16-464	L-1485E	75.50	76.00	0.50	1500	RS-121
PLS16-464	L-1485E	76.00	76.50	0.50	1600	RS-121
PLS16-464	L-1485E	76.50	77.00	0.50	1400	RS-121
PLS16-464	L-1485E	77.00	77.50	0.50	780	RS-121
PLS16-464	L-1485E	77.50	78.00	0.50	1600	RS-121
PLS16-464	L-1485E	78.00	78.50	0.50	1300	RS-121
PLS16-464	L-1485E	78.50	79.00	0.50	1700	RS-121
PLS16-464	L-1485E	79.00	79.50	0.50	620	RS-121
PLS16-464	L-1485E	79.50	80.00	0.50	500	RS-121
PLS16-464	L-1485E	80.00	80.50	0.50	1800	RS-121
PLS16-464	L-1485E	80.50	81.00	0.50	800	RS-121
PLS16-464	L-1485E	81.00	81.50	0.50	1000	RS-121
PLS16-464	L-1485E	81.50	82.00	0.50	710	RS-121
PLS16-464	L-1485E	82.00	82.50	0.50	820	RS-121
PLS16-464	L-1485E	82.50	83.00	0.50	1900	RS-121
PLS16-464	L-1485E	83.00	83.50	0.50	1100	RS-121
PLS16-464	L-1485E	83.50	84.00	0.50	670	RS-121
PLS16-464	L-1485E	84.00	84.50	0.50	2500	RS-121
PLS16-464	L-1485E	84.50	85.00	0.50	4700	RS-121
PLS16-464	L-1485E	85.00	85.50	0.50	2700	RS-121
PLS16-464	L-1485E	85.50	86.00	0.50	3600	RS-121
PLS16-464	L-1485E	86.00	86.50	0.50	2600	RS-121
PLS16-464	L-1485E	86.50	87.00	0.50	2600	RS-121
PLS16-464	L-1485E	87.00	87.50	0.50	2000	RS-121
PLS16-464	L-1485E	87.50	87.72	0.22	6000	RS-121
PLS16-464	L-1485E	87.72	88.00	0.28	11000	RS-121
PLS16-464	L-1485E	88.00	88.50	0.50	33800	RS-121
PLS16-464	L-1485E	88.50	89.00	0.50	18300	RS-121
PLS16-464	L-1485E	89.00	89.50	0.50	1600	RS-121
PLS16-464	L-1485E	89.50	89.65	0.15	7200	RS-121
PLS16-464	L-1485E	89.65	90.00	0.35	29500	RS-121
PLS16-464	L-1485E	90.00	90.50	0.50	3200	RS-121

PLS16-464	L-1485E	90.50	91.00	0.50	10500	RS-121
PLS16-464	L-1485E	91.00	91.50	0.50	25900	RS-121
PLS16-464	L-1485E	91.50	92.00	0.50	16200	RS-121
PLS16-464	L-1485E	92.00	92.50	0.50	5900	RS-121
PLS16-464	L-1485E	92.50	93.00	0.50	5600	RS-121
PLS16-464	L-1485E	93.00	93.50	0.50	7500	RS-121
PLS16-464	L-1485E	93.50	94.00	0.50	2900	RS-121
PLS16-464	L-1485E	94.00	94.09	0.09	6300	RS-121
PLS16-464	L-1485E	94.09	94.20	0.11	14000	RS-121
PLS16-464	L-1485E	94.20	94.50	0.30	8200	RS-121
PLS16-464	L-1485E	94.50	95.00	0.50	16500	RS-121
PLS16-464	L-1485E	95.00	95.50	0.50	28500	RS-121
PLS16-464	L-1485E	95.50	96.00	0.50	16200	RS-121
PLS16-464	L-1485E	96.00	96.10	0.10	11100	RS-121
PLS16-464	L-1485E	96.10	96.22	0.12	7300	RS-121
PLS16-464	L-1485E	96.22	96.40	0.18	13500	RS-121
PLS16-464	L-1485E	96.40	96.50	0.10	3700	RS-121
PLS16-464	L-1485E	96.50	97.00	0.50	1000	RS-121
PLS16-464	L-1485E	97.00	97.50	0.50	1000	RS-121
PLS16-464	L-1485E	97.50	98.00	0.50	2000	RS-121
PLS16-464	L-1485E	98.00	98.39	0.39	32200	RS-121
PLS16-464	L-1485E	98.39	98.50	0.11	7300	RS-121
PLS16-464	L-1485E	98.50	98.64	0.14	25700	RS-121
PLS16-464	L-1485E	98.64	99.00	0.36	9500	RS-121
PLS16-464	L-1485E	99.00	99.18	0.18	3100	RS-121
PLS16-464	L-1485E	99.18	99.50	0.32	23400	RS-121
PLS16-464	L-1485E	99.50	99.61	0.11	26200	RS-121
PLS16-464	L-1485E	99.61	100.00	0.39	2300	RS-121
PLS16-464	L-1485E	100.00	100.24	0.24	3100	RS-121
PLS16-464	L-1485E	100.24	100.50	0.26	14700	RS-121
PLS16-464	L-1485E	100.50	100.76	0.26	5300	RS-121
PLS16-464	L-1485E	100.76	101.00	0.24	15000	RS-121
PLS16-464	L-1485E	101.00	101.10	0.10	1800	RS-121
PLS16-464	L-1485E	101.10	101.25	0.15	13700	RS-121
PLS16-464	L-1485E	101.25	101.50	0.25	3800	RS-121
PLS16-464	L-1485E	101.50	101.62	0.12	21400	RS-121
PLS16-464	L-1485E	101.62	102.00	0.38	6900	RS-121
PLS16-464	L-1485E	102.00	102.40	0.40	2600	RS-121
PLS16-464	L-1485E	102.40	102.50	0.10	13100	RS-121
PLS16-464	L-1485E	102.50	103.00	0.50	6700	RS-121
PLS16-464	L-1485E	103.00	103.16	0.16	7800	RS-121
PLS16-464	L-1485E	103.16	103.27	0.11	12700	RS-121
PLS16-464	L-1485E	103.27	103.50	0.23	2100	RS-121
PLS16-464	L-1485E	103.50	104.00	0.50	4100	RS-121
PLS16-464	L-1485E	104.00	104.50	0.50	4800	RS-121
PLS16-464	L-1485E	104.50	105.00	0.50	1600	RS-121
PLS16-464	L-1485E	105.00	105.50	0.50	3300	RS-121

PLS16-464	L-1485E	105.50	106.00	0.50	6100	RS-121
PLS16-464	L-1485E	106.00	106.14	0.14	8900	RS-121
PLS16-464	L-1485E	106.14	106.48	0.34	17600	RS-121
PLS16-464	L-1485E	106.48	106.50	0.02	8500	RS-121
PLS16-464	L-1485E	106.50	106.63	0.13	30200	RS-121
PLS16-464	L-1485E	106.63	107.00	0.37	7100	RS-121
PLS16-464	L-1485E	107.00	107.50	0.50	26200	RS-121
PLS16-464	L-1485E	107.50	107.62	0.12	8400	RS-121
PLS16-464	L-1485E	107.62	107.79	0.17	40900	RS-121
PLS16-464	L-1485E	107.79	108.00	0.21	8300	RS-121
PLS16-464	L-1485E	108.00	108.50	0.50	36500	RS-121
PLS16-464	L-1485E	108.50	108.66	0.16	18200	RS-121
PLS16-464	L-1485E	108.66	109.00	0.34	9300	RS-121
PLS16-464	L-1485E	109.00	109.50	0.50	8600	RS-121
PLS16-464	L-1485E	109.50	109.55	0.05	2800	RS-121
PLS16-464	L-1485E	109.55	109.63	0.08	15100	RS-121
PLS16-464	L-1485E	109.63	110.00	0.37	6400	RS-121
PLS16-464	L-1485E	110.00	110.16	0.16	9800	RS-121
PLS16-464	L-1485E	110.16	110.50	0.34	52000	RS-121
PLS16-464	L-1485E	110.50	110.89	0.39	47200	RS-121
PLS16-464	L-1485E	110.89	111.00	0.11	6300	RS-121
PLS16-464	L-1485E	111.00	111.10	0.10	16400	RS-121
PLS16-464	L-1485E	111.10	111.43	0.33	9100	RS-121
PLS16-464	L-1485E	111.43	111.50	0.07	25500	RS-121
PLS16-464	L-1485E	111.50	111.61	0.11	32100	RS-121
PLS16-464	L-1485E	111.61	112.00	0.39	7500	RS-121
PLS16-464	L-1485E	112.00	112.50	0.50	5900	RS-121
PLS16-464	L-1485E	112.50	113.00	0.50	4900	RS-121
PLS16-464	L-1485E	113.00	113.50	0.50	6300	RS-121
PLS16-464	L-1485E	113.50	114.00	0.50	1600	RS-121
PLS16-464	L-1485E	114.00	114.50	0.50	4200	RS-121
PLS16-464	L-1485E	114.50	114.88	0.38	8900	RS-121
PLS16-464	L-1485E	114.88	115.00	0.12	22400	RS-121
PLS16-464	L-1485E	115.00	115.06	0.06	14300	RS-121
PLS16-464	L-1485E	115.06	115.18	0.12	5100	RS-121
PLS16-464	L-1485E	115.18	115.50	0.32	28200	RS-121
PLS16-464	L-1485E	115.50	116.00	0.50	38900	RS-121
PLS16-464	L-1485E	116.00	116.07	0.07	14000	RS-121
PLS16-464	L-1485E	116.07	116.16	0.09	6400	RS-121
PLS16-464	L-1485E	116.16	116.25	0.09	14100	RS-121
PLS16-464	L-1485E	116.25	116.50	0.25	1400	RS-121
PLS16-464	L-1485E	116.50	117.00	0.50	990	RS-121
PLS16-464	L-1485E	117.00	117.50	0.50	690	RS-121
PLS16-464	L-1485E	117.50	118.00	0.50	350	RS-121
PLS16-464	L-1485E	118.00	118.50	0.50	430	RS-121
PLS16-464	L-1485E	118.50	119.00	0.50	380	RS-121
PLS16-464	L-1485E	119.00	119.50	0.50	470	RS-121

PLS16-464	L-1485E	119.50	120.00	0.50	610	RS-121
PLS16-464	L-1485E	120.00	120.50	0.50	700	RS-121
PLS16-464	L-1485E	120.50	121.00	0.50	1400	RS-121
PLS16-464	L-1485E	121.00	124.00	3.00	<300	RS-121
PLS16-464	L-1485E	124.00	124.50	0.50	350	RS-121
PLS16-464	L-1485E	124.50	125.00	0.50	780	RS-121
PLS16-464	L-1485E	125.00	125.50	0.50	1000	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-466	L-1395E	No anomalous radioactivity				RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-468	L-1470E	72.00	72.50	0.50	830	RS-121
PLS16-468	L-1470E	72.50	73.00	0.50	1100	RS-121
PLS16-468	L-1470E	73.00	73.50	0.50	5500	RS-121
PLS16-468	L-1470E	73.50	74.00	0.50	690	RS-121
PLS16-468	L-1470E	74.00	74.50	0.50	1500	RS-121
PLS16-468	L-1470E	74.50	75.00	0.50	540	RS-121
PLS16-468	L-1470E	75.00	75.50	0.50	660	RS-121
PLS16-468	L-1470E	75.50	76.00	0.50	<300	RS-121
PLS16-468	L-1470E	76.00	76.50	0.50	700	RS-121
PLS16-468	L-1470E	76.50	77.00	0.50	1100	RS-121
PLS16-468	L-1470E	77.00	77.50	0.50	2200	RS-121
PLS16-468	L-1470E	77.50	78.00	0.50	2100	RS-121
PLS16-468	L-1470E	78.00	78.50	0.50	1100	RS-121
PLS16-468	L-1470E	78.50	79.00	0.50	660	RS-121
PLS16-468	L-1470E	79.00	79.50	0.50	360	RS-121
PLS16-468	L-1470E	79.50	80.00	0.50	420	RS-121
PLS16-468	L-1470E	80.00	80.50	0.50	<300	RS-121
PLS16-468	L-1470E	80.50	81.00	0.50	570	RS-121
PLS16-468	L-1470E	81.00	81.50	0.50	560	RS-121
PLS16-468	L-1470E	81.50	87.00	5.50	<300	RS-121
PLS16-468	L-1470E	87.00	87.50	0.50	410	RS-121
PLS16-468	L-1470E	87.50	88.00	0.50	720	RS-121
PLS16-468	L-1470E	88.00	88.50	0.50	390	RS-121
PLS16-468	L-1470E	88.50	89.00	0.50	520	RS-121
PLS16-468	L-1470E	89.00	89.50	0.50	330	RS-121
PLS16-468	L-1470E	89.50	90.00	0.50	600	RS-121
PLS16-468	L-1470E	90.00	90.50	0.50	550	RS-121
PLS16-468	L-1470E	90.50	91.00	0.50	2100	RS-121
PLS16-468	L-1470E	91.00	91.50	0.50	2000	RS-121
PLS16-468	L-1470E	91.50	92.00	0.50	900	RS-121
PLS16-468	L-1470E	92.00	92.50	0.50	2400	RS-121
PLS16-468	L-1470E	92.50	93.00	0.50	1400	RS-121
PLS16-468	L-1470E	93.00	93.50	0.50	1300	RS-121
PLS16-468	L-1470E	93.50	94.00	0.50	350	RS-121

PLS16-468	L-1470E	94.00	94.50	0.50	300	RS-121
PLS16-468	L-1470E	94.50	95.00	0.50	300	RS-121
PLS16-468	L-1470E	95.00	95.50	0.50	560	RS-121
PLS16-468	L-1470E	95.50	96.00	0.50	530	RS-121
PLS16-468	L-1470E	96.00	96.50	0.50	1500	RS-121
PLS16-468	L-1470E	96.50	97.00	0.50	710	RS-121
PLS16-468	L-1470E	97.00	97.50	0.50	1200	RS-121
PLS16-468	L-1470E	97.50	98.00	0.50	410	RS-121
PLS16-468	L-1470E	98.00	98.50	0.50	980	RS-121
PLS16-468	L-1470E	98.50	99.00	0.50	3300	RS-121
PLS16-468	L-1470E	99.00	99.50	0.50	1400	RS-121
PLS16-468	L-1470E	99.50	100.00	0.50	680	RS-121
PLS16-468	L-1470E	100.00	100.50	0.50	560	RS-121
PLS16-468	L-1470E	100.50	101.00	0.50	1300	RS-121
PLS16-468	L-1470E	101.00	101.50	0.50	540	RS-121
PLS16-468	L-1470E	101.50	104.50	3.00	<300	RS-121
PLS16-468	L-1470E	104.50	105.00	0.50	390	RS-121
PLS16-468	L-1470E	105.00	105.50	0.50	520	RS-121
PLS16-468	L-1470E	105.50	106.00	0.50	830	RS-121
PLS16-468	L-1470E	106.00	106.50	0.50	1200	RS-121
PLS16-468	L-1470E	106.50	107.00	0.50	2700	RS-121
PLS16-468	L-1470E	107.00	107.50	0.50	4200	RS-121
PLS16-468	L-1470E	107.50	108.00	0.50	1100	RS-121
PLS16-468	L-1470E	108.00	108.50	0.50	830	RS-121
PLS16-468	L-1470E	108.50	109.00	0.50	580	RS-121
PLS16-468	L-1470E	109.00	109.50	0.50	2200	RS-121
PLS16-468	L-1470E	109.50	110.00	0.50	1700	RS-121
PLS16-468	L-1470E	110.00	110.50	0.50	440	RS-121
PLS16-468	L-1470E	110.50	111.00	0.50	820	RS-121
PLS16-468	L-1470E	111.00	111.50	0.50	460	RS-121
PLS16-468	L-1470E	111.50	112.00	0.50	450	RS-121
PLS16-468	L-1470E	112.00	112.50	0.50	360	RS-121
PLS16-468	L-1470E	112.50	113.00	0.50	760	RS-121
PLS16-468	L-1470E	113.00	113.50	0.50	620	RS-121
PLS16-468	L-1470E	113.50	114.00	0.50	890	RS-121
PLS16-468	L-1470E	114.00	114.50	0.50	860	RS-121
PLS16-468	L-1470E	114.50	115.00	0.50	540	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-474	L-1395E	69.50	70.00	0.50	450	RS-121
PLS16-474	L-1395E	70.00	70.50	0.50	590	RS-121
PLS16-474	L-1395E	70.50	71.00	0.50	1200	RS-121
PLS16-474	L-1395E	71.00	71.50	0.50	620	RS-121
PLS16-474	L-1395E	71.50	72.00	0.50	410	RS-121
PLS16-474	L-1395E	72.00	72.50	0.50	1200	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-481	L-1515E	82.00	82.50	0.50	320	RS-121
PLS16-481	L-1515E	82.50	83.00	0.50	400	RS-121
PLS16-481	L-1515E	83.00	87.50	4.50	<300	RS-121
PLS16-481	L-1515E	87.50	88.00	0.50	350	RS-121
PLS16-481	L-1515E	88.00	89.00	1.00	<300	RS-121
PLS16-481	L-1515E	89.00	89.50	0.50	370	RS-121
PLS16-481	L-1515E	89.50	90.00	0.50	530	RS-121
PLS16-481	L-1515E	90.00	90.50	0.50	1900	RS-121
PLS16-481	L-1515E	90.50	91.00	0.50	1800	RS-121
PLS16-481	L-1515E	91.00	91.50	0.50	1300	RS-121
PLS16-481	L-1515E	91.50	92.00	0.50	1200	RS-121
PLS16-481	L-1515E	92.00	92.50	0.50	540	RS-121
PLS16-481	L-1515E	92.50	93.00	0.50	730	RS-121
PLS16-481	L-1515E	93.00	93.50	0.50	570	RS-121
PLS16-481	L-1515E	93.50	94.00	0.50	670	RS-121
PLS16-481	L-1515E	94.00	94.50	0.50	870	RS-121
PLS16-481	L-1515E	94.50	95.00	0.50	2700	RS-121
PLS16-481	L-1515E	95.00	95.50	0.50	990	RS-121
PLS16-481	L-1515E	95.50	96.00	0.50	2600	RS-121
PLS16-481	L-1515E	96.00	96.50	0.50	5700	RS-121
PLS16-481	L-1515E	96.50	97.00	0.50	6400	RS-121
PLS16-481	L-1515E	97.00	97.50	0.50	1000	RS-121
PLS16-481	L-1515E	97.50	98.00	0.50	2100	RS-121
PLS16-481	L-1515E	98.00	98.50	0.50	1200	RS-121
PLS16-481	L-1515E	98.50	99.00	0.50	1100	RS-121
PLS16-481	L-1515E	99.00	99.50	0.50	500	RS-121
PLS16-481	L-1515E	99.50	100.00	0.50	770	RS-121
PLS16-481	L-1515E	100.00	100.50	0.50	<300	RS-121
PLS16-481	L-1515E	100.50	101.00	0.50	430	RS-121
PLS16-481	L-1515E	101.00	108.00	7.00	<300	RS-121
PLS16-481	L-1515E	108.00	108.50	0.50	1500	RS-121
PLS16-481	L-1515E	108.50	109.00	0.50	780	RS-121
PLS16-481	L-1515E	109.00	109.50	0.50	<300	RS-121
PLS16-481	L-1515E	109.50	110.00	0.50	350	RS-121
PLS16-481	L-1515E	110.00	110.50	0.50	610	RS-121
PLS16-481	L-1515E	110.50	111.00	0.50	300	RS-121
PLS16-481	L-1515E	111.00	111.50	0.50	450	RS-121
PLS16-481	L-1515E	111.50	112.00	0.50	570	RS-121
PLS16-481	L-1515E	112.00	112.50	0.50	850	RS-121
PLS16-481	L-1515E	112.50	113.00	0.50	2600	RS-121
PLS16-481	L-1515E	113.00	113.50	0.50	1800	RS-121
PLS16-481	L-1515E	113.50	113.83	0.33	2800	RS-121
PLS16-481	L-1515E	113.83	114.00	0.17	12500	RS-121
PLS16-481	L-1515E	114.00	114.50	0.50	1200	RS-121

PLS16-481	L-1515E	114.50	115.00	0.50	690	RS-121
PLS16-481	L-1515E	115.00	115.50	0.50	620	RS-121
PLS16-481	L-1515E	115.50	116.00	0.50	690	RS-121
PLS16-481	L-1515E	116.00	116.50	0.50	870	RS-121
PLS16-481	L-1515E	116.50	117.00	0.50	810	RS-121
PLS16-481	L-1515E	117.00	117.50	0.50	760	RS-121
PLS16-481	L-1515E	117.50	118.00	0.50	410	RS-121
PLS16-481	L-1515E	118.00	125.50	7.50	<300	RS-121
PLS16-481	L-1515E	125.50	126.00	0.50	460	RS-121
PLS16-481	L-1515E	126.00	126.50	0.50	870	RS-121
PLS16-481	L-1515E	126.50	128.00	1.50	<300	RS-121
PLS16-481	L-1515E	128.00	128.50	0.50	300	RS-121
PLS16-481	L-1515E	128.50	135.50	7.00	<300	RS-121
PLS16-481	L-1515E	135.50	136.00	0.50	660	RS-121
PLS16-481	L-1515E	136.00	136.50	0.50	1200	RS-121
PLS16-481	L-1515E	136.50	137.00	0.50	1300	RS-121
PLS16-481	L-1515E	137.00	137.50	0.50	420	RS-121
PLS16-481	L-1515E	137.50	138.00	0.50	690	RS-121
PLS16-481	L-1515E	138.00	138.50	0.50	660	RS-121
PLS16-481	L-1515E	138.50	139.00	0.50	1700	RS-121
PLS16-481	L-1515E	139.00	139.50	0.50	1500	RS-121
PLS16-481	L-1515E	139.50	140.00	0.50	1100	RS-121
PLS16-481	L-1515E	140.00	140.50	0.50	330	RS-121
PLS16-481	L-1515E	140.50	141.00	0.50	580	RS-121
PLS16-481	L-1515E	141.00	141.50	0.50	950	RS-121
PLS16-481	L-1515E	141.50	142.00	0.50	1400	RS-121
PLS16-481	L-1515E	142.00	142.50	0.50	800	RS-121
PLS16-481	L-1515E	142.50	143.00	0.50	930	RS-121
PLS16-481	L-1515E	143.00	143.50	0.50	520	RS-121
PLS16-481	L-1515E	143.50	144.00	0.50	460	RS-121

2016 Summer Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-485	L-1515E	84.00	84.50	0.50	2500	RS-121
PLS16-485	L-1515E	84.50	85.00	0.50	650	RS-121
PLS16-485	L-1515E	85.00	85.50	0.50	710	RS-121
PLS16-485	L-1515E	85.50	86.00	0.50	360	RS-121
PLS16-485	L-1515E	86.00	86.50	0.50	460	RS-121
PLS16-485	L-1515E	86.50	87.00	0.50	440	RS-121
PLS16-485	L-1515E	87.00	87.50	0.50	360	RS-121
PLS16-485	L-1515E	87.50	88.00	0.50	670	RS-121
PLS16-485	L-1515E	88.00	88.50	0.50	1000	RS-121
PLS16-485	L-1515E	88.50	89.00	0.50	710	RS-121
PLS16-485	L-1515E	89.00	89.50	0.50	770	RS-121
PLS16-485	L-1515E	89.50	90.00	0.50	680	RS-121
PLS16-485	L-1515E	90.00	90.50	0.50	370	RS-121

PLS16-485	L-1515E	90.50	91.00	0.50	470	RS-121
PLS16-485	L-1515E	91.00	91.50	0.50	1600	RS-121
PLS16-485	L-1515E	91.50	92.00	0.50	1300	RS-121
PLS16-485	L-1515E	92.00	92.20	0.20	4500	RS-121
PLS16-485	L-1515E	92.20	92.50	0.30	28200	RS-121
PLS16-485	L-1515E	92.50	93.00	0.50	52800	RS-121
PLS16-485	L-1515E	93.00	93.50	0.50	61300	RS-121
PLS16-485	L-1515E	93.50	94.00	0.50	26900	RS-121
PLS16-485	L-1515E	94.00	94.50	0.50	40400	RS-121
PLS16-485	L-1515E	94.50	95.00	0.50	53900	RS-121
PLS16-485	L-1515E	95.00	95.50	0.50	34900	RS-121
PLS16-485	L-1515E	95.50	96.00	0.50	23700	RS-121
PLS16-485	L-1515E	96.00	96.50	0.50	32900	RS-121
PLS16-485	L-1515E	96.50	97.00	0.50	51600	RS-121
PLS16-485	L-1515E	97.00	97.50	0.50	50400	RS-121
PLS16-485	L-1515E	97.50	98.00	0.50	44200	RS-121
PLS16-485	L-1515E	98.00	98.50	0.50	44100	RS-121
PLS16-485	L-1515E	98.50	98.63	0.13	20600	RS-121
PLS16-485	L-1515E	98.63	98.83	0.20	8800	RS-121
PLS16-485	L-1515E	98.83	99.00	0.17	34500	RS-121
PLS16-485	L-1515E	99.00	99.50	0.50	36000	RS-121
PLS16-485	L-1515E	99.50	100.00	0.50	3100	RS-121
PLS16-485	L-1515E	100.00	100.50	0.50	3300	RS-121
PLS16-485	L-1515E	100.50	101.00	0.50	2000	RS-121
PLS16-485	L-1515E	101.00	101.50	0.50	500	RS-121
PLS16-485	L-1515E	101.50	102.00	0.50	<300	RS-121
PLS16-485	L-1515E	102.00	102.50	0.50	430	RS-121
PLS16-485	L-1515E	102.50	104.00	1.50	<300	RS-121
PLS16-485	L-1515E	104.00	104.50	0.50	580	RS-121
PLS16-485	L-1515E	104.50	105.00	0.50	1500	RS-121
PLS16-485	L-1515E	105.00	105.50	0.50	2700	RS-121
PLS16-485	L-1515E	105.50	106.00	0.50	1800	RS-121
PLS16-485	L-1515E	106.00	106.50	0.50	590	RS-121
PLS16-485	L-1515E	106.50	107.00	0.50	420	RS-121
PLS16-485	L-1515E	107.00	107.50	0.50	450	RS-121
PLS16-485	L-1515E	107.50	108.00	0.50	340	RS-121
PLS16-485	L-1515E	108.00	108.50	0.50	530	RS-121
PLS16-485	L-1515E	108.50	110.50	2.00	<300	RS-121
PLS16-485	L-1515E	110.50	111.00	0.50	350	RS-121
PLS16-485	L-1515E	111.00	112.50	1.50	<300	RS-121
PLS16-485	L-1515E	112.50	113.00	0.50	350	RS-121
PLS16-485	L-1515E	113.00	121.00	8.00	<300	RS-121
PLS16-485	L-1515E	121.00	121.50	0.50	320	RS-121
PLS16-485	L-1515E	121.50	123.00	1.50	<300	RS-121
PLS16-485	L-1515E	123.00	123.50	0.50	330	RS-121
PLS16-485	L-1515E	123.50	124.50	1.00	<300	RS-121
PLS16-485	L-1515E	124.50	125.00	0.50	580	RS-121

PLS16-485	L-1515E	125.00	128.00	3.00	<300	RS-121
PLS16-485	L-1515E	128.00	128.50	0.50	1200	RS-121
PLS16-485	L-1515E	128.50	129.00	0.50	360	RS-121
PLS16-485	L-1515E	129.00	129.50	0.50	370	RS-121
PLS16-485	L-1515E	129.50	139.00	9.50	<300	RS-121
PLS16-485	L-1515E	139.00	139.50	0.50	510	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-487	L-1485E	81.50	82.00	0.50	680	RS-121
PLS16-487	L-1485E	82.00	82.50	0.50	3000	RS-121
PLS16-487	L-1485E	82.50	83.00	0.50	310	RS-121
PLS16-487	L-1485E	83.00	83.50	0.50	520	RS-121
PLS16-487	L-1485E	83.50	84.00	0.50	470	RS-121
PLS16-487	L-1485E	84.00	84.50	0.50	<300	RS-121
PLS16-487	L-1485E	84.50	85.00	0.50	310	RS-121
PLS16-487	L-1485E	85.00	85.50	0.50	400	RS-121
PLS16-487	L-1485E	85.50	87.00	1.50	<300	RS-121
PLS16-487	L-1485E	87.00	87.50	0.50	480	RS-121
PLS16-487	L-1485E	87.50	88.50	1.00	<300	RS-121
PLS16-487	L-1485E	88.50	89.00	0.50	520	RS-121
PLS16-487	L-1485E	89.00	89.50	0.50	<300	RS-121
PLS16-487	L-1485E	89.50	90.00	0.50	1100	RS-121
PLS16-487	L-1485E	90.00	90.50	0.50	9300	RS-121
PLS16-487	L-1485E	90.50	91.00	0.50	390	RS-121
PLS16-487	L-1485E	91.00	91.50	0.50	4200	RS-121
PLS16-487	L-1485E	91.50	92.00	0.50	850	RS-121
PLS16-487	L-1485E	92.00	92.50	0.50	1000	RS-121
PLS16-487	L-1485E	92.50	93.00	0.50	<300	RS-121
PLS16-487	L-1485E	93.00	93.50	0.50	590	RS-121
PLS16-487	L-1485E	93.50	94.00	0.50	610	RS-121
PLS16-487	L-1485E	94.00	94.50	0.50	470	RS-121
PLS16-487	L-1485E	94.50	95.00	0.50	350	RS-121
PLS16-487	L-1485E	95.00	95.50	0.50	3000	RS-121
PLS16-487	L-1485E	95.50	96.00	0.50	2300	RS-121
PLS16-487	L-1485E	96.00	96.50	0.50	1000	RS-121
PLS16-487	L-1485E	96.50	97.00	0.50	1400	RS-121
PLS16-487	L-1485E	97.00	97.50	0.50	1900	RS-121
PLS16-487	L-1485E	97.50	98.00	0.50	7600	RS-121
PLS16-487	L-1485E	98.00	98.50	0.50	1400	RS-121
PLS16-487	L-1485E	98.50	99.00	0.50	700	RS-121
PLS16-487	L-1485E	99.00	99.50	0.50	950	RS-121
PLS16-487	L-1485E	99.50	100.00	0.50	1300	RS-121
PLS16-487	L-1485E	100.00	100.50	0.50	1100	RS-121
PLS16-487	L-1485E	100.50	101.00	0.50	2100	RS-121
PLS16-487	L-1485E	101.00	101.50	0.50	3200	RS-121
PLS16-487	L-1485E	101.50	102.00	0.50	2900	RS-121

PLS16-487	L-1485E	102.00	102.50	0.50	5200	RS-121
PLS16-487	L-1485E	102.50	103.00	0.50	7700	RS-121
PLS16-487	L-1485E	103.00	103.50	0.50	1900	RS-121
PLS16-487	L-1485E	103.50	104.00	0.50	2000	RS-121
PLS16-487	L-1485E	104.00	104.50	0.50	1900	RS-121
PLS16-487	L-1485E	104.50	105.00	0.50	1300	RS-121
PLS16-487	L-1485E	105.00	105.50	0.50	330	RS-121
PLS16-487	L-1485E	105.50	107.00	1.50	<300	RS-121
PLS16-487	L-1485E	107.00	107.50	0.50	330	RS-121
PLS16-487	L-1485E	107.50	108.00	0.50	310	RS-121
PLS16-487	L-1485E	108.00	108.50	0.50	840	RS-121
PLS16-487	L-1485E	108.50	109.00	0.50	800	RS-121
PLS16-487	L-1485E	109.00	109.50	0.50	760	RS-121
PLS16-487	L-1485E	109.50	110.00	0.50	4000	RS-121
PLS16-487	L-1485E	110.00	110.50	0.50	1800	RS-121
PLS16-487	L-1485E	110.50	111.00	0.50	1500	RS-121
PLS16-487	L-1485E	111.00	111.50	0.50	2800	RS-121
PLS16-487	L-1485E	111.50	112.00	0.50	3200	RS-121
PLS16-487	L-1485E	112.00	112.50	0.50	1600	RS-121
PLS16-487	L-1485E	112.50	113.00	0.50	1000	RS-121
PLS16-487	L-1485E	113.00	113.50	0.50	620	RS-121
PLS16-487	L-1485E	113.50	114.00	0.50	750	RS-121
PLS16-487	L-1485E	114.00	114.50	0.50	2400	RS-121
PLS16-487	L-1485E	114.50	115.00	0.50	9400	RS-121
PLS16-487	L-1485E	115.00	115.50	0.50	3100	RS-121
PLS16-487	L-1485E	115.50	116.00	0.50	760	RS-121
PLS16-487	L-1485E	116.00	116.50	0.50	5100	RS-121
PLS16-487	L-1485E	116.50	117.00	0.50	3500	RS-121
PLS16-487	L-1485E	117.00	117.50	0.50	1900	RS-121
PLS16-487	L-1485E	117.50	118.00	0.50	570	RS-121
PLS16-487	L-1485E	118.00	118.50	0.50	470	RS-121
PLS16-487	L-1485E	118.50	119.50	1.00	<300	RS-121
PLS16-487	L-1485E	119.50	120.00	0.50	970	RS-121
PLS16-487	L-1485E	120.00	120.50	0.50	350	RS-121
PLS16-487	L-1485E	120.50	121.00	0.50	310	RS-121
PLS16-487	L-1485E	121.00	121.50	0.50	<300	RS-121
PLS16-487	L-1485E	121.50	122.00	0.50	610	RS-121
PLS16-487	L-1485E	122.00	122.50	0.50	340	RS-121
PLS16-487	L-1485E	122.50	123.00	0.50	930	RS-121
PLS16-487	L-1485E	123.00	123.50	0.50	2100	RS-121
PLS16-487	L-1485E	123.50	124.00	0.50	330	RS-121
PLS16-487	L-1485E	124.00	124.50	0.50	<300	RS-121
PLS16-487	L-1485E	124.50	125.00	0.50	300	RS-121
PLS16-487	L-1485E	125.00	125.50	0.50	<300	RS-121
PLS16-487	L-1485E	125.50	126.00	0.50	460	RS-121
PLS16-487	L-1485E	126.00	126.50	0.50	360	RS-121
PLS16-487	L-1485E	126.50	127.00	0.50	320	RS-121

PLS16-487	L-1485E	127.00	131.50	4.50	<300	RS-121
PLS16-487	L-1485E	131.50	132.00	0.50	400	RS-121
PLS16-487	L-1485E	132.00	132.50	0.50	680	RS-121
PLS16-487	L-1485E	132.50	135.50	3.00	<300	RS-121
PLS16-487	L-1485E	135.50	136.00	0.50	330	RS-121
PLS16-487	L-1485E	136.00	136.50	0.50	840	RS-121
PLS16-487	L-1485E	136.50	137.00	0.50	<300	RS-121
PLS16-487	L-1485E	137.00	137.50	0.50	360	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-489	L-1455E	68.00	68.50	0.50	370	RS-121
PLS16-489	L-1455E	68.50	69.00	0.50	2400	RS-121
PLS16-489	L-1455E	69.00	69.50	0.50	920	RS-121
PLS16-489	L-1455E	69.50	70.00	0.50	<300	RS-121
PLS16-489	L-1455E	70.00	70.50	0.50	420	RS-121
PLS16-489	L-1455E	70.50	71.00	0.50	8500	RS-121
PLS16-489	L-1455E	71.00	71.50	0.50	6200	RS-121
PLS16-489	L-1455E	71.50	72.00	0.50	3500	RS-121
PLS16-489	L-1455E	72.00	72.50	0.50	900	RS-121
PLS16-489	L-1455E	72.50	73.00	0.50	1300	RS-121
PLS16-489	L-1455E	73.00	73.50	0.50	1100	RS-121
PLS16-489	L-1455E	73.50	74.00	0.50	5600	RS-121
PLS16-489	L-1455E	74.00	74.20	0.20	8500	RS-121
PLS16-489	L-1455E	74.20	74.50	0.30	16100	RS-121
PLS16-489	L-1455E	74.50	75.00	0.50	32700	RS-121
PLS16-489	L-1455E	75.00	75.18	0.18	15500	RS-121
PLS16-489	L-1455E	75.18	75.50	0.32	8700	RS-121
PLS16-489	L-1455E	75.50	75.75	0.25	18400	RS-121
PLS16-489	L-1455E	75.75	76.00	0.25	5100	RS-121
PLS16-489	L-1455E	76.00	76.10	0.10	7100	RS-121
PLS16-489	L-1455E	76.10	76.50	0.40	28400	RS-121
PLS16-489	L-1455E	76.50	76.65	0.15	6500	RS-121
PLS16-489	L-1455E	76.65	76.80	0.15	16000	RS-121
PLS16-489	L-1455E	76.80	77.00	0.20	2000	RS-121
PLS16-489	L-1455E	77.00	77.50	0.50	2100	RS-121
PLS16-489	L-1455E	77.50	78.00	0.50	910	RS-121
PLS16-489	L-1455E	78.00	78.20	0.20	7000	RS-121
PLS16-489	L-1455E	78.20	78.30	0.10	16000	RS-121
PLS16-489	L-1455E	78.30	78.50	0.20	1900	RS-121
PLS16-489	L-1455E	78.50	79.00	0.50	9900	RS-121
PLS16-489	L-1455E	79.00	79.50	0.50	1500	RS-121
PLS16-489	L-1455E	79.50	80.00	0.50	500	RS-121
PLS16-489	L-1455E	80.00	80.50	0.50	370	RS-121
PLS16-489	L-1455E	80.50	81.00	0.50	<300	RS-121
PLS16-489	L-1455E	81.00	81.50	0.50	520	RS-121
PLS16-489	L-1455E	81.50	82.00	0.50	550	RS-121

PLS16-489	L-1455E	82.00	82.50	0.50	360	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-494	L-1425E	No anomalous radioactivity				RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-496	L-1485E	66.80	67.00	0.20	420	RS-121
PLS16-496	L-1485E	67.00	67.50	0.50	3300	RS-121
PLS16-496	L-1485E	67.50	68.00	0.50	2800	RS-121
PLS16-496	L-1485E	68.00	68.50	0.50	3800	RS-121
PLS16-496	L-1485E	68.50	69.00	0.50	3200	RS-121
PLS16-496	L-1485E	69.00	69.50	0.50	2300	RS-121
PLS16-496	L-1485E	69.50	70.00	0.50	2800	RS-121
PLS16-496	L-1485E	70.00	70.50	0.50	1300	RS-121
PLS16-496	L-1485E	70.50	71.00	0.50	1400	RS-121
PLS16-496	L-1485E	71.00	71.50	0.50	2000	RS-121
PLS16-496	L-1485E	71.50	72.00	0.50	1800	RS-121
PLS16-496	L-1485E	72.00	72.50	0.50	2000	RS-121
PLS16-496	L-1485E	72.50	73.00	0.50	1400	RS-121
PLS16-496	L-1485E	73.00	73.50	0.50	840	RS-121
PLS16-496	L-1485E	73.50	74.00	0.50	6400	RS-121
PLS16-496	L-1485E	74.00	74.50	0.50	4700	RS-121
PLS16-496	L-1485E	74.50	75.00	0.50	3100	RS-121
PLS16-496	L-1485E	75.00	75.50	0.50	5200	RS-121
PLS16-496	L-1485E	75.50	76.00	0.50	3100	RS-121
PLS16-496	L-1485E	76.00	76.20	0.20	5400	RS-121
PLS16-496	L-1485E	76.20	76.50	0.30	15900	RS-121
PLS16-496	L-1485E	76.50	77.00	0.50	4900	RS-121
PLS16-496	L-1485E	77.00	77.50	0.50	2100	RS-121
PLS16-496	L-1485E	77.50	78.00	0.50	1200	RS-121
PLS16-496	L-1485E	78.00	78.50	0.50	2500	RS-121
PLS16-496	L-1485E	78.50	79.00	0.50	2000	RS-121
PLS16-496	L-1485E	79.00	79.50	0.50	3400	RS-121
PLS16-496	L-1485E	79.50	80.00	0.50	1700	RS-121
PLS16-496	L-1485E	80.00	80.50	0.50	1700	RS-121
PLS16-496	L-1485E	80.50	81.00	0.50	1200	RS-121
PLS16-496	L-1485E	81.00	81.50	0.50	3500	RS-121
PLS16-496	L-1485E	81.50	82.00	0.50	2300	RS-121
PLS16-496	L-1485E	82.00	82.50	0.50	1400	RS-121
PLS16-496	L-1485E	82.50	83.00	0.50	1600	RS-121
PLS16-496	L-1485E	83.00	83.50	0.50	1200	RS-121
PLS16-496	L-1485E	83.50	83.80	0.30	3300	RS-121
PLS16-496	L-1485E	83.80	84.00	0.20	18700	RS-121
PLS16-496	L-1485E	84.00	84.35	0.35	3100	RS-121
PLS16-496	L-1485E	84.35	84.50	0.15	12100	RS-121
PLS16-496	L-1485E	84.50	84.66	0.16	14400	RS-121

PLS16-496	L-1485E	84.66	85.00	0.34	5300	RS-121
PLS16-496	L-1485E	85.00	85.50	0.50	9600	RS-121
PLS16-496	L-1485E	85.50	86.00	0.50	1100	RS-121
PLS16-496	L-1485E	86.00	86.50	0.50	1400	RS-121
PLS16-496	L-1485E	86.50	87.00	0.50	2900	RS-121
PLS16-496	L-1485E	87.00	87.50	0.50	1500	RS-121
PLS16-496	L-1485E	87.50	87.76	0.26	2100	RS-121
PLS16-496	L-1485E	87.76	87.88	0.12	14300	RS-121
PLS16-496	L-1485E	87.88	88.00	0.12	5400	RS-121
PLS16-496	L-1485E	88.00	88.36	0.36	9600	RS-121
PLS16-496	L-1485E	88.36	88.50	0.14	22100	RS-121
PLS16-496	L-1485E	88.50	89.00	0.50	39900	RS-121
PLS16-496	L-1485E	89.00	89.50	0.50	18800	RS-121
PLS16-496	L-1485E	89.50	90.00	0.50	8500	RS-121
PLS16-496	L-1485E	90.00	90.27	0.27	9100	RS-121
PLS16-496	L-1485E	90.27	90.50	0.23	33500	RS-121
PLS16-496	L-1485E	90.50	91.00	0.50	54100	RS-121
PLS16-496	L-1485E	91.00	91.50	0.50	8700	RS-121
PLS16-496	L-1485E	91.50	92.00	0.50	7300	RS-121
PLS16-496	L-1485E	92.00	92.50	0.50	870	RS-121
PLS16-496	L-1485E	92.50	93.00	0.50	1900	RS-121
PLS16-496	L-1485E	93.00	93.50	0.50	1200	RS-121
PLS16-496	L-1485E	93.50	94.50	1.00	<300	RS-121
PLS16-496	L-1485E	94.50	95.00	0.50	310	RS-121
PLS16-496	L-1485E	95.00	95.50	0.50	920	RS-121
PLS16-496	L-1485E	95.50	96.00	0.50	1100	RS-121
PLS16-496	L-1485E	96.00	96.50	0.50	430	RS-121
PLS16-496	L-1485E	96.50	97.00	0.50	430	RS-121
PLS16-496	L-1485E	97.00	97.50	0.50	530	RS-121
PLS16-496	L-1485E	97.50	98.00	0.50	1000	RS-121
PLS16-496	L-1485E	98.00	98.50	0.50	860	RS-121
PLS16-496	L-1485E	98.50	99.00	0.50	380	RS-121
PLS16-496	L-1485E	99.00	99.50	0.50	780	RS-121
PLS16-496	L-1485E	99.50	100.00	0.50	1300	RS-121
PLS16-496	L-1485E	100.00	100.50	0.50	6400	RS-121
PLS16-496	L-1485E	100.50	101.00	0.50	500	RS-121
PLS16-496	L-1485E	101.00	103.00	2.00	<300	RS-121
PLS16-496	L-1485E	103.00	103.50	0.50	330	RS-121
PLS16-496	L-1485E	103.50	104.00	0.50	640	RS-121
PLS16-496	L-1485E	104.00	104.50	0.50	1300	RS-121
PLS16-496	L-1485E	104.50	106.50	2.00	<300	RS-121
PLS16-496	L-1485E	106.50	107.00	0.50	550	RS-121
PLS16-496	L-1485E	107.00	107.50	0.50	1000	RS-121
PLS16-496	L-1485E	107.50	108.00	0.50	700	RS-121
PLS16-496	L-1485E	108.00	109.00	1.00	430	RS-121
PLS16-496	L-1485E	109.00	110.00	1.00	720	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-498	L-1515E	73.00	73.50	0.50	420	RS-121
PLS16-498	L-1515E	73.50	74.00	0.50	320	RS-121
PLS16-498	L-1515E	74.00	74.50	0.50	<300	RS-121
PLS16-498	L-1515E	74.50	75.00	0.50	350	RS-121
PLS16-498	L-1515E	75.00	76.50	1.50	<300	RS-121
PLS16-498	L-1515E	76.50	77.00	0.50	470	RS-121
PLS16-498	L-1515E	77.00	78.00	1.00	<300	RS-121
PLS16-498	L-1515E	78.00	78.50	0.50	400	RS-121
PLS16-498	L-1515E	78.50	79.00	0.50	660	RS-121
PLS16-498	L-1515E	79.00	79.50	0.50	3200	RS-121
PLS16-498	L-1515E	79.50	80.00	0.50	1900	RS-121
PLS16-498	L-1515E	80.00	80.50	0.50	2300	RS-121
PLS16-498	L-1515E	80.50	81.00	0.50	380	RS-121
PLS16-498	L-1515E	81.00	81.50	0.50	1100	RS-121
PLS16-498	L-1515E	81.50	82.00	0.50	9600	RS-121
PLS16-498	L-1515E	82.00	82.50	0.50	4800	RS-121
PLS16-498	L-1515E	82.50	83.00	0.50	4400	RS-121
PLS16-498	L-1515E	83.00	83.50	0.50	2200	RS-121
PLS16-498	L-1515E	83.50	84.00	0.50	3200	RS-121
PLS16-498	L-1515E	84.00	84.50	0.50	1600	RS-121
PLS16-498	L-1515E	84.50	85.00	0.50	2200	RS-121
PLS16-498	L-1515E	85.00	85.35	0.35	5500	RS-121
PLS16-498	L-1515E	85.35	85.50	0.15	10800	RS-121
PLS16-498	L-1515E	85.50	85.60	0.10	12500	RS-121
PLS16-498	L-1515E	85.60	86.00	0.40	9000	RS-121
PLS16-498	L-1515E	86.00	86.30	0.30	6600	RS-121
PLS16-498	L-1515E	86.30	86.50	0.20	12600	RS-121
PLS16-498	L-1515E	86.50	86.70	0.20	8000	RS-121
PLS16-498	L-1515E	86.70	86.90	0.20	11200	RS-121
PLS16-498	L-1515E	86.90	87.00	0.10	5000	RS-121
PLS16-498	L-1515E	87.00	87.50	0.50	5300	RS-121
PLS16-498	L-1515E	87.50	88.00	0.50	1300	RS-121
PLS16-498	L-1515E	88.00	88.50	0.50	2600	RS-121
PLS16-498	L-1515E	88.50	89.00	0.50	4100	RS-121
PLS16-498	L-1515E	89.00	89.50	0.50	26400	RS-121
PLS16-498	L-1515E	89.50	90.00	0.50	2300	RS-121
PLS16-498	L-1515E	90.00	90.50	0.50	1600	RS-121
PLS16-498	L-1515E	90.50	91.00	0.50	1500	RS-121
PLS16-498	L-1515E	91.00	91.30	0.30	1400	RS-121
PLS16-498	L-1515E	91.30	91.50	0.20	15100	RS-121
PLS16-498	L-1515E	91.50	91.65	0.15	10000	RS-121
PLS16-498	L-1515E	91.65	92.00	0.35	2900	RS-121
PLS16-498	L-1515E	92.00	92.50	0.50	7400	RS-121
PLS16-498	L-1515E	92.50	93.00	0.50	1000	RS-121

PLS16-498	L-1515E	93.00	93.50	0.50	810	RS-121
PLS16-498	L-1515E	93.50	93.60	0.10	1300	RS-121
PLS16-498	L-1515E	93.60	93.85	0.25	16100	RS-121
PLS16-498	L-1515E	93.85	94.00	0.15	920	RS-121
PLS16-498	L-1515E	94.00	94.19	0.19	2800	RS-121
PLS16-498	L-1515E	94.19	94.50	0.31	25500	RS-121
PLS16-498	L-1515E	94.50	95.00	0.50	26200	RS-121
PLS16-498	L-1515E	95.00	95.50	0.50	27600	RS-121
PLS16-498	L-1515E	95.50	96.00	0.50	51500	RS-121
PLS16-498	L-1515E	96.00	96.22	0.22	12800	RS-121
PLS16-498	L-1515E	96.22	96.50	0.28	2800	RS-121
PLS16-498	L-1515E	96.50	96.67	0.17	2600	RS-121
PLS16-498	L-1515E	96.67	97.00	0.33	26700	RS-121
PLS16-498	L-1515E	97.00	97.50	0.50	56600	RS-121
PLS16-498	L-1515E	97.50	97.61	0.11	13800	RS-121
PLS16-498	L-1515E	97.61	98.00	0.39	6100	RS-121
PLS16-498	L-1515E	98.00	98.50	0.50	4000	RS-121
PLS16-498	L-1515E	98.50	99.00	0.50	6700	RS-121
PLS16-498	L-1515E	99.00	99.50	0.50	2700	RS-121
PLS16-498	L-1515E	99.50	100.00	0.50	1000	RS-121
PLS16-498	L-1515E	100.00	100.50	0.50	4300	RS-121
PLS16-498	L-1515E	100.50	101.00	0.50	3900	RS-121
PLS16-498	L-1515E	101.00	101.50	0.50	760	RS-121
PLS16-498	L-1515E	101.50	102.00	0.50	880	RS-121
PLS16-498	L-1515E	102.00	102.50	0.50	1800	RS-121
PLS16-498	L-1515E	102.50	103.00	0.50	1700	RS-121
PLS16-498	L-1515E	103.00	103.50	0.50	1200	RS-121
PLS16-498	L-1515E	103.50	104.00	0.50	800	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-500	L-1545E	86.00	86.50	0.50	2300	RS-121
PLS16-500	L-1545E	86.50	87.00	0.50	2000	RS-121
PLS16-500	L-1545E	87.00	87.50	0.50	490	RS-121
PLS16-500	L-1545E	87.50	88.00	0.50	1000	RS-121
PLS16-500	L-1545E	88.00	88.50	0.50	730	RS-121
PLS16-500	L-1545E	88.50	89.00	0.50	460	RS-121
PLS16-500	L-1545E	89.00	89.50	0.50	1800	RS-121
PLS16-500	L-1545E	89.50	90.00	0.50	2300	RS-121
PLS16-500	L-1545E	90.00	90.50	0.50	360	RS-121
PLS16-500	L-1545E	90.50	91.00	0.50	1700	RS-121
PLS16-500	L-1545E	91.00	91.50	0.50	1600	RS-121
PLS16-500	L-1545E	91.50	92.00	0.50	430	RS-121
PLS16-500	L-1545E	92.00	92.50	0.50	610	RS-121
PLS16-500	L-1545E	92.50	93.00	0.50	1800	RS-121
PLS16-500	L-1545E	93.00	93.50	0.50	1400	RS-121
PLS16-500	L-1545E	93.50	94.00	0.50	500	RS-121

PLS16-500	L-1545E	94.00	94.50	0.50	340	RS-121
PLS16-500	L-1545E	94.50	95.00	0.50	430	RS-121
PLS16-500	L-1545E	95.00	95.50	0.50	1600	RS-121
PLS16-500	L-1545E	95.50	95.81	0.31	9600	RS-121
PLS16-500	L-1545E	95.81	96.00	0.19	22000	RS-121
PLS16-500	L-1545E	96.00	96.50	0.50	6000	RS-121
PLS16-500	L-1545E	96.50	97.00	0.50	5900	RS-121
PLS16-500	L-1545E	97.00	97.50	0.50	4400	RS-121
PLS16-500	L-1545E	97.50	98.00	0.50	9100	RS-121
PLS16-500	L-1545E	98.00	98.50	0.50	9700	RS-121
PLS16-500	L-1545E	98.50	98.58	0.08	6800	RS-121
PLS16-500	L-1545E	98.58	99.00	0.42	23000	RS-121
PLS16-500	L-1545E	99.00	99.50	0.50	31800	RS-121
PLS16-500	L-1545E	99.50	100.00	0.50	50000	RS-121
PLS16-500	L-1545E	100.00	100.50	0.50	41600	RS-121
PLS16-500	L-1545E	100.50	101.00	0.50	40300	RS-121
PLS16-500	L-1545E	101.00	101.22	0.22	15500	RS-121
PLS16-500	L-1545E	101.22	101.50	0.28	9100	RS-121
PLS16-500	L-1545E	101.50	102.00	0.50	18800	RS-121
PLS16-500	L-1545E	102.00	102.50	0.50	19200	RS-121
PLS16-500	L-1545E	102.50	103.00	0.50	34100	RS-121
PLS16-500	L-1545E	103.00	103.50	0.50	36900	RS-121
PLS16-500	L-1545E	103.50	104.00	0.50	38000	RS-121
PLS16-500	L-1545E	104.00	104.50	0.50	32300	RS-121
PLS16-500	L-1545E	104.50	105.00	0.50	9800	RS-121
PLS16-500	L-1545E	105.00	105.50	0.50	34700	RS-121
PLS16-500	L-1545E	105.50	106.00	0.50	40100	RS-121
PLS16-500	L-1545E	106.00	106.50	0.50	37700	RS-121
PLS16-500	L-1545E	106.50	107.00	0.50	32000	RS-121
PLS16-500	L-1545E	107.00	107.50	0.50	37800	RS-121
PLS16-500	L-1545E	107.50	107.65	0.15	15700	RS-121
PLS16-500	L-1545E	107.65	108.00	0.35	8200	RS-121
PLS16-500	L-1545E	108.00	108.50	0.50	1300	RS-121
PLS16-500	L-1545E	108.50	109.00	0.50	450	RS-121
PLS16-500	L-1545E	109.00	109.50	0.50	360	RS-121
PLS16-500	L-1545E	109.50	110.00	0.50	300	RS-121
PLS16-500	L-1545E	110.00	110.50	0.50	310	RS-121
PLS16-500	L-1545E	110.50	111.00	0.50	540	RS-121
PLS16-500	L-1545E	111.00	111.50	0.50	670	RS-121
PLS16-500	L-1545E	111.50	112.00	0.50	410	RS-121
PLS16-500	L-1545E	112.00	112.50	0.50	570	RS-121
PLS16-500	L-1545E	112.50	113.00	0.50	750	RS-121
PLS16-500	L-1545E	113.00	113.50	0.50	380	RS-121
PLS16-500	L-1545E	113.50	114.00	0.50	360	RS-121
PLS16-500	L-1545E	114.00	114.50	0.50	370	RS-121
PLS16-500	L-1545E	114.50	115.00	0.50	<300	RS-121
PLS16-500	L-1545E	115.00	115.50	0.50	390	RS-121

PLS16-500	L-1545E	115.50	116.00	0.50	<300	RS-121
PLS16-500	L-1545E	116.00	116.50	0.50	300	RS-121
PLS16-500	L-1545E	116.50	117.00	0.50	350	RS-121
PLS16-500	L-1545E	117.00	122.00	5.00	<300	RS-121
PLS16-500	L-1545E	122.00	122.50	0.50	1100	RS-121
PLS16-500	L-1545E	122.50	123.00	0.50	930	RS-121
PLS16-500	L-1545E	123.00	123.50	0.50	1200	RS-121
PLS16-500	L-1545E	123.50	124.00	0.50	3100	RS-121
PLS16-500	L-1545E	124.00	124.50	0.50	1800	RS-121
PLS16-500	L-1545E	124.50	125.00	0.50	820	RS-121
PLS16-500	L-1545E	125.00	127.50	2.50	<300	RS-121
PLS16-500	L-1545E	127.50	128.00	0.50	320	RS-121
PLS16-500	L-1545E	128.00	128.50	0.50	590	RS-121
PLS16-500	L-1545E	128.50	129.00	0.50	490	RS-121
PLS16-500	L-1545E	129.00	129.50	0.50	530	RS-121
PLS16-500	L-1545E	129.50	130.00	0.50	700	RS-121
PLS16-500	L-1545E	130.00	130.50	0.50	680	RS-121
PLS16-500	L-1545E	130.50	131.00	0.50	450	RS-121
PLS16-500	L-1545E	131.00	131.50	0.50	380	RS-121
PLS16-500	L-1545E	131.50	132.00	0.50	<300	RS-121
PLS16-500	L-1545E	132.00	132.50	0.50	750	RS-121
PLS16-500	L-1545E	132.50	133.00	0.50	560	RS-121
PLS16-500	L-1545E	133.00	133.50	0.50	630	RS-121
PLS16-500	L-1545E	133.50	134.00	0.50	360	RS-121
PLS16-500	L-1545E	134.00	134.50	0.50	540	RS-121
PLS16-500	L-1545E	134.50	135.00	0.50	<300	RS-121
PLS16-500	L-1545E	135.00	135.50	0.50	360	RS-121
PLS16-500	L-1545E	135.50	145.50	10.00	<300	RS-121
PLS16-500	L-1545E	145.50	146.00	0.50	470	RS-121
PLS16-500	L-1545E	146.00	146.50	0.50	470	RS-121

2017 Winter Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-513	L-1470E	70.00	70.50	0.50	460	RS-121
PLS17-513	L-1470E	70.50	71.00	0.50	300	RS-121
PLS17-513	L-1470E	71.00	71.50	0.50	500	RS-121
PLS17-513	L-1470E	71.50	72.00	0.50	310	RS-121
PLS17-513	L-1470E	72.00	72.50	0.50	550	RS-121
PLS17-513	L-1470E	72.50	73.00	0.50	740	RS-121
PLS17-513	L-1470E	73.00	80.50	7.50	<300	RS-121
PLS17-513	L-1470E	80.50	81.00	0.50	1100	RS-121
PLS17-513	L-1470E	81.00	81.50	0.50	1300	RS-121
PLS17-513	L-1470E	81.50	82.00	0.50	780	RS-121
PLS17-513	L-1470E	82.00	82.50	0.50	490	RS-121
PLS17-513	L-1470E	82.50	83.00	0.50	<300	RS-121
PLS17-513	L-1470E	83.00	83.50	0.50	480	RS-121

PLS17-513	L-1470E	83.50	91.00	7.50	<300	RS-121
PLS17-513	L-1470E	91.00	91.50	0.50	730	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-516	L-1455E	106.50	107.00	0.50	430	RS-121
PLS17-516	L-1455E	107.00	107.50	0.50	1400	RS-121
PLS17-516	L-1455E	107.50	108.00	0.50	4300	RS-121
PLS17-516	L-1455E	108.00	108.50	0.50	730	RS-121
PLS17-516	L-1455E	108.50	109.00	0.50	2100	RS-121
PLS17-516	L-1455E	109.00	110.00	1.00	<300	RS-121
PLS17-516	L-1455E	110.00	110.50	0.50	320	RS-121
PLS17-516	L-1455E	110.50	111.00	0.50	530	RS-121
PLS17-516	L-1455E	111.00	111.50	0.50	610	RS-121
PLS17-516	L-1455E	111.50	112.00	0.50	320	RS-121
PLS17-516	L-1455E	112.00	113.00	1.00	<300	RS-121
PLS17-516	L-1455E	113.00	113.50	0.50	500	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-518	L-1485E	62.00	62.50	0.50	320	RS-121
PLS17-518	L-1485E	62.50	63.00	0.50	750	RS-121
PLS17-518	L-1485E	63.00	63.50	0.50	2400	RS-121
PLS17-518	L-1485E	63.50	64.00	0.50	2300	RS-121
PLS17-518	L-1485E	64.00	64.50	0.50	870	RS-121
PLS17-518	L-1485E	64.50	65.00	0.50	1200	RS-121
PLS17-518	L-1485E	65.00	65.50	0.50	540	RS-121
PLS17-518	L-1485E	65.50	66.00	0.50	790	RS-121
PLS17-518	L-1485E	66.00	66.50	0.50	490	RS-121
PLS17-518	L-1485E	66.50	67.00	0.50	830	RS-121
PLS17-518	L-1485E	68.00	68.50	0.50	400	RS-121
PLS17-518	L-1485E	71.00	71.50	0.50	300	RS-121
PLS17-518	L-1485E	72.00	72.50	0.50	670	RS-121
PLS17-518	L-1485E	72.50	73.00	0.50	3300	RS-121
PLS17-518	L-1485E	73.00	73.50	0.50	2000	RS-121
PLS17-518	L-1485E	73.50	74.00	0.50	670	RS-121
PLS17-518	L-1485E	74.00	74.50	0.50	2200	RS-121
PLS17-518	L-1485E	74.50	75.00	0.50	2300	RS-121
PLS17-518	L-1485E	75.00	75.50	0.50	2500	RS-121
PLS17-518	L-1485E	75.50	76.00	0.50	1800	RS-121
PLS17-518	L-1485E	76.00	76.50	0.50	640	RS-121
PLS17-518	L-1485E	76.50	77.00	0.50	2100	RS-121
PLS17-518	L-1485E	77.00	77.50	0.50	1000	RS-121
PLS17-518	L-1485E	77.50	78.00	0.50	1100	RS-121
PLS17-518	L-1485E	78.00	78.50	0.50	1500	RS-121
PLS17-518	L-1485E	78.50	79.00	0.50	940	RS-121
PLS17-518	L-1485E	79.00	79.50	0.50	750	RS-121
PLS17-518	L-1485E	79.50	80.00	0.50	930	RS-121

PLS17-518	L-1485E	80.00	80.31	0.31	6800	RS-121
PLS17-518	L-1485E	80.31	80.50	0.19	21800	RS-121
PLS17-518	L-1485E	80.50	81.00	0.50	6500	RS-121
PLS17-518	L-1485E	81.00	81.50	0.50	7600	RS-121
PLS17-518	L-1485E	81.50	81.74	0.24	6500	RS-121
PLS17-518	L-1485E	81.74	81.90	0.16	16700	RS-121
PLS17-518	L-1485E	81.90	82.00	0.10	2100	RS-121
PLS17-518	L-1485E	82.00	82.50	0.50	2500	RS-121
PLS17-518	L-1485E	82.50	83.00	0.50	1400	RS-121
PLS17-518	L-1485E	83.00	83.23	0.23	4700	RS-121
PLS17-518	L-1485E	83.23	83.50	0.27	10800	RS-121
PLS17-518	L-1485E	83.50	84.00	0.50	18700	RS-121
PLS17-518	L-1485E	84.00	84.21	0.21	9800	RS-121
PLS17-518	L-1485E	84.21	84.36	0.15	24500	RS-121
PLS17-518	L-1485E	84.36	84.50	0.14	4200	RS-121
PLS17-518	L-1485E	84.50	85.00	0.50	7500	RS-121
PLS17-518	L-1485E	85.00	85.20	0.20	3900	RS-121
PLS17-518	L-1485E	85.20	85.42	0.22	25300	RS-121
PLS17-518	L-1485E	85.42	85.50	0.08	2000	RS-121
PLS17-518	L-1485E	85.50	86.00	0.50	1500	RS-121
PLS17-518	L-1485E	86.00	86.50	0.50	5200	RS-121
PLS17-518	L-1485E	86.50	87.00	0.50	800	RS-121
PLS17-518	L-1485E	87.00	87.50	0.50	1200	RS-121
PLS17-518	L-1485E	87.50	88.00	0.50	1000	RS-121
PLS17-518	L-1485E	88.00	88.50	0.50	430	RS-121
PLS17-518	L-1485E	88.50	89.00	0.50	340	RS-121
PLS17-518	L-1485E	89.00	89.50	0.50	370	RS-121
PLS17-518	L-1485E	89.50	90.00	0.50	410	RS-121
PLS17-518	L-1485E	90.00	90.50	0.50	<300	RS-121
PLS17-518	L-1485E	90.50	91.00	0.50	400	RS-121
PLS17-518	L-1485E	91.00	91.50	0.50	510	RS-121
PLS17-518	L-1485E	91.50	92.00	0.50	890	RS-121
PLS17-518	L-1485E	92.00	96.50	4.50	<300	RS-121
PLS17-518	L-1485E	96.50	97.00	0.50	350	RS-121
PLS17-518	L-1485E	97.00	97.50	0.50	<300	RS-121
PLS17-518	L-1485E	97.50	98.00	0.50	370	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-520	L-1515E	84.50	85.00	0.50	830	RS-121
PLS17-520	L-1515E	85.00	85.50	0.50	730	RS-121
PLS17-520	L-1515E	85.50	86.00	0.50	710	RS-121
PLS17-520	L-1515E	86.00	86.50	0.50	530	RS-121
PLS17-520	L-1515E	86.50	87.00	0.50	670	RS-121
PLS17-520	L-1515E	87.00	87.50	0.50	320	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used

PLS17-522	L-1470E	81.50	82.00	0.50	350	RS-121
PLS17-522	L-1470E	82.00	105.00	23.00	<300	RS-121
PLS17-522	L-1470E	105.00	105.50	0.50	5900	RS-121
PLS17-522	L-1470E	105.50	106.00	0.50	660	RS-121
PLS17-522	L-1470E	106.00	106.50	0.50	300	RS-121
PLS17-522	L-1470E	106.50	107.00	0.50	<300	RS-121
PLS17-522	L-1470E	107.00	107.50	0.50	1400	RS-121
PLS17-522	L-1470E	107.50	108.00	0.50	1400	RS-121
PLS17-522	L-1470E	108.00	108.50	0.50	380	RS-121
PLS17-522	L-1470E	108.50	110.00	1.50	<300	RS-121
PLS17-522	L-1470E	110.00	110.50	0.50	320	RS-121
PLS17-522	L-1470E	110.50	111.00	0.50	430	RS-121
PLS17-522	L-1470E	111.00	111.50	0.50	560	RS-121
PLS17-522	L-1470E	111.50	112.00	0.50	310	RS-121
PLS17-522	L-1470E	112.00	112.50	0.50	790	RS-121
PLS17-522	L-1470E	112.50	113.00	0.50	630	RS-121
PLS17-522	L-1470E	113.00	113.50	0.50	590	RS-121
PLS17-522	L-1470E	113.50	114.00	0.50	510	RS-121
PLS17-522	L-1470E	114.00	114.50	0.50	2200	RS-121
PLS17-522	L-1470E	114.50	115.00	0.50	350	RS-121
PLS17-522	L-1470E	115.00	115.50	0.50	790	RS-121
PLS17-522	L-1470E	115.50	116.00	0.50	500	RS-121
PLS17-522	L-1470E	116.00	116.50	0.50	510	RS-121
PLS17-522	L-1470E	116.50	119.50	3.00	<300	RS-121
PLS17-522	L-1470E	119.50	120.00	0.50	400	RS-121
PLS17-522	L-1470E	120.00	120.50	0.50	330	RS-121
PLS17-522	L-1470E	120.50	121.00	0.50	500	RS-121
PLS17-522	L-1470E	121.00	121.50	0.50	320	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-525	L-1485E	130.50	131.00	0.50	320	RS-121
PLS17-525	L-1485E	131.00	131.50	0.50	1200	RS-121
PLS17-525	L-1485E	131.50	132.00	0.50	1200	RS-121
PLS17-525	L-1485E	132.00	133.50	1.50	<300	RS-121
PLS17-525	L-1485E	133.50	134.00	0.50	590	RS-121
PLS17-525	L-1485E	134.00	134.50	0.50	850	RS-121
PLS17-525	L-1485E	134.50	135.00	0.50	480	RS-121
PLS17-525	L-1485E	135.00	142.00	7.00	<300	RS-121
PLS17-525	L-1485E	142.00	142.50	0.50	1100	RS-121
PLS17-525	L-1485E	142.50	143.00	0.50	680	RS-121
PLS17-525	L-1485E	143.00	143.50	0.50	350	RS-121
PLS17-525	L-1485E	143.50	152.50	9.00	<300	RS-121
PLS17-525	L-1485E	152.50	153.00	0.50	340	RS-121
PLS17-525	L-1485E	153.00	153.50	0.50	560	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used

PLS17-527	L-1545E	89.50	90.00	0.50	350	RS-121
PLS17-527	L-1545E	90.00	90.50	0.50	440	RS-121
PLS17-527	L-1545E	90.50	91.00	0.50	380	RS-121
PLS17-527	L-1545E	91.00	91.50	0.50	340	RS-121
PLS17-527	L-1545E	91.50	92.00	0.50	<300	RS-121
PLS17-527	L-1545E	92.00	92.50	0.50	330	RS-121
PLS17-527	L-1545E	92.50	93.00	0.50	740	RS-121
PLS17-527	L-1545E	93.00	93.50	0.50	350	RS-121
PLS17-527	L-1545E	93.50	94.00	0.50	410	RS-121
PLS17-527	L-1545E	94.00	94.50	0.50	1200	RS-121
PLS17-527	L-1545E	94.50	95.00	0.50	500	RS-121
PLS17-527	L-1545E	95.00	95.50	0.50	<300	RS-121
PLS17-527	L-1545E	95.50	96.00	0.50	1600	RS-121
PLS17-527	L-1545E	96.00	96.50	0.50	2900	RS-121
PLS17-527	L-1545E	96.50	97.00	0.50	1000	RS-121
PLS17-527	L-1545E	97.00	97.50	0.50	1100	RS-121
PLS17-527	L-1545E	97.50	98.00	0.50	330	RS-121
PLS17-527	L-1545E	98.00	98.50	0.50	780	RS-121
PLS17-527	L-1545E	98.50	99.00	0.50	800	RS-121
PLS17-527	L-1545E	99.00	99.50	0.50	720	RS-121
PLS17-527	L-1545E	99.50	100.00	0.50	720	RS-121
PLS17-527	L-1545E	100.00	100.50	0.50	680	RS-121
PLS17-527	L-1545E	100.50	101.50	1.00	<300	RS-121
PLS17-527	L-1545E	101.50	102.00	0.50	500	RS-121
PLS17-527	L-1545E	102.00	102.50	0.50	1900	RS-121
PLS17-527	L-1545E	102.50	103.00	0.50	1100	RS-121
PLS17-527	L-1545E	103.00	103.50	0.50	350	RS-121
PLS17-527	L-1545E	103.50	104.00	0.50	560	RS-121
PLS17-527	L-1545E	104.00	104.50	0.50	450	RS-121
PLS17-527	L-1545E	104.50	105.00	0.50	1100	RS-121
PLS17-527	L-1545E	105.00	106.00	1.00	<300	RS-121
PLS17-527	L-1545E	106.00	106.50	0.50	390	RS-121
PLS17-527	L-1545E	106.50	107.00	0.50	440	RS-121
PLS17-527	L-1545E	107.00	108.00	1.00	<300	RS-121
PLS17-527	L-1545E	108.00	108.50	0.50	300	RS-121
PLS17-527	L-1545E	108.50	109.00	0.50	1400	RS-121
PLS17-527	L-1545E	109.00	109.50	0.50	770	RS-121
PLS17-527	L-1545E	109.50	110.00	0.50	400	RS-121
PLS17-527	L-1545E	110.00	110.50	0.50	750	RS-121
PLS17-527	L-1545E	110.50	111.00	0.50	340	RS-121
PLS17-527	L-1545E	111.00	116.00	5.00	<300	RS-121
PLS17-527	L-1545E	116.00	116.50	0.50	320	RS-121
PLS17-527	L-1545E	116.50	117.00	0.50	400	RS-121
PLS17-527	L-1545E	117.00	117.50	0.50	400	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used

PLS17-528	L-1545E	92.00	92.50	0.50	800	RS-121
PLS17-528	L-1545E	92.50	93.00	0.50	1700	RS-121
PLS17-528	L-1545E	93.00	93.50	0.50	1200	RS-121
PLS17-528	L-1545E	93.50	94.00	0.50	680	RS-121
PLS17-528	L-1545E	94.00	94.50	0.50	1200	RS-121
PLS17-528	L-1545E	94.50	95.00	0.50	480	RS-121
PLS17-528	L-1545E	95.00	95.50	0.50	<300	RS-121
PLS17-528	L-1545E	95.50	96.00	0.50	960	RS-121
PLS17-528	L-1545E	96.00	96.50	0.50	940	RS-121
PLS17-528	L-1545E	96.50	97.00	0.50	710	RS-121
PLS17-528	L-1545E	97.00	97.50	0.50	700	RS-121
PLS17-528	L-1545E	97.50	98.00	0.50	310	RS-121
PLS17-528	L-1545E	98.00	98.50	0.50	<300	RS-121
PLS17-528	L-1545E	98.50	99.00	0.50	300	RS-121
PLS17-528	L-1545E	99.00	99.50	0.50	530	RS-121
PLS17-528	L-1545E	99.50	100.00	0.50	410	RS-121
PLS17-528	L-1545E	100.00	100.50	0.50	480	RS-121
PLS17-528	L-1545E	100.50	101.00	0.50	530	RS-121
PLS17-528	L-1545E	101.00	101.50	0.50	2400	RS-121
PLS17-528	L-1545E	101.50	102.00	0.50	420	RS-121
PLS17-528	L-1545E	102.00	103.00	1.00	<300	RS-121
PLS17-528	L-1545E	103.00	103.50	0.50	330	RS-121
PLS17-528	L-1545E	103.50	105.00	1.50	<300	RS-121
PLS17-528	L-1545E	105.00	105.50	0.50	470	RS-121
PLS17-528	L-1545E	105.50	107.00	1.50	<300	RS-121
PLS17-528	L-1545E	107.00	107.50	0.50	1100	RS-121
PLS17-528	L-1545E	107.50	108.00	0.50	<300	RS-121
PLS17-528	L-1545E	108.00	108.50	0.50	970	RS-121
PLS17-528	L-1545E	108.50	109.00	0.50	2700	RS-121
PLS17-528	L-1545E	109.00	109.10	0.10	1600	RS-121
PLS17-528	L-1545E	109.10	109.20	0.10	11000	RS-121
PLS17-528	L-1545E	109.20	109.50	0.30	6200	RS-121
PLS17-528	L-1545E	109.50	110.00	0.50	380	RS-121
PLS17-528	L-1545E	110.00	110.50	0.50	1900	RS-121
PLS17-528	L-1545E	110.50	125.00	14.50	<300	RS-121
PLS17-528	L-1545E	125.00	125.50	0.50	840	RS-121
PLS17-528	L-1545E	125.50	126.00	0.50	920	RS-121
PLS17-528	L-1545E	126.00	126.50	0.50	740	RS-121
PLS17-528	L-1545E	126.50	127.00	0.50	<300	RS-121
PLS17-528	L-1545E	127.00	127.50	0.50	330	RS-121
PLS17-528	L-1545E	127.50	128.00	0.50	600	RS-121
PLS17-528	L-1545E	128.00	129.50	1.50	<300	RS-121
PLS17-528	L-1545E	129.50	130.00	0.50	310	RS-121
PLS17-528	L-1545E	130.00	133.00	3.00	<300	RS-121
PLS17-528	L-1545E	133.00	133.50	0.50	330	RS-121
PLS17-528	L-1545E	133.50	134.00	0.50	370	RS-121
PLS17-528	L-1545E	134.00	134.50	0.50	2000	RS-121

PLS17-528	L-1545E	134.50	135.00	0.50	6300	RS-121
PLS17-528	L-1545E	135.00	135.50	0.50	6100	RS-121
PLS17-528	L-1545E	135.50	136.00	0.50	740	RS-121
PLS17-528	L-1545E	136.00	143.50	7.50	<300	RS-121
PLS17-528	L-1545E	143.50	144.00	0.50	400	RS-121
PLS17-528	L-1545E	144.00	144.50	0.50	1700	RS-121
PLS17-528	L-1545E	144.50	145.00	0.50	1000	RS-121
PLS17-528	L-1545E	145.00	145.50	0.50	330	RS-121
PLS17-528	L-1545E	145.50	146.00	0.50	310	RS-121
PLS17-528	L-1545E	146.00	169.00	23.00	<300	RS-121
PLS17-528	L-1545E	169.00	169.50	0.50	860	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-531	L-1575E	81.00	81.50	0.50	300	RS-121
PLS17-531	L-1575E	81.50	82.00	0.50	500	RS-121
PLS17-531	L-1575E	82.00	82.50	0.50	530	RS-121
PLS17-531	L-1575E	82.50	83.00	0.50	2300	RS-121
PLS17-531	L-1575E	83.00	83.50	0.50	2700	RS-121
PLS17-531	L-1575E	83.50	84.00	0.50	7200	RS-121
PLS17-531	L-1575E	84.00	84.08	0.08	1800	RS-121
PLS17-531	L-1575E	84.08	84.25	0.17	13000	RS-121
PLS17-531	L-1575E	84.25	84.50	0.25	5100	RS-121
PLS17-531	L-1575E	84.50	85.00	0.50	7600	RS-121
PLS17-531	L-1575E	85.00	85.50	0.50	6000	RS-121
PLS17-531	L-1575E	85.50	86.00	0.50	8500	RS-121
PLS17-531	L-1575E	86.00	86.50	0.50	2900	RS-121
PLS17-531	L-1575E	86.50	87.00	0.50	4300	RS-121
PLS17-531	L-1575E	87.00	87.50	0.50	2600	RS-121
PLS17-531	L-1575E	87.50	88.00	0.50	2000	RS-121
PLS17-531	L-1575E	88.00	88.50	0.50	1300	RS-121
PLS17-531	L-1575E	88.50	89.00	0.50	9100	RS-121
PLS17-531	L-1575E	89.00	89.50	0.50	2300	RS-121
PLS17-531	L-1575E	89.50	90.00	0.50	3000	RS-121
PLS17-531	L-1575E	90.00	90.50	0.50	1100	RS-121
PLS17-531	L-1575E	90.50	91.00	0.50	1700	RS-121
PLS17-531	L-1575E	91.00	91.50	0.50	990	RS-121
PLS17-531	L-1575E	91.50	96.50	5.00	<300	RS-121
PLS17-531	L-1575E	96.50	97.00	0.50	1700	RS-121
PLS17-531	L-1575E	97.00	97.50	0.50	1200	RS-121
PLS17-531	L-1575E	97.50	98.00	0.50	1900	RS-121
PLS17-531	L-1575E	98.00	98.50	0.50	960	RS-121
PLS17-531	L-1575E	98.50	99.00	0.50	850	RS-121
PLS17-531	L-1575E	99.00	99.50	0.50	670	RS-121
PLS17-531	L-1575E	99.50	100.00	0.50	2100	RS-121
PLS17-531	L-1575E	100.00	100.50	0.50	900	RS-121
PLS17-531	L-1575E	100.50	101.00	0.50	1100	RS-121

PLS17-531	L-1575E	101.00	101.50	0.50	3000	RS-121
PLS17-531	L-1575E	101.50	102.00	0.50	730	RS-121
PLS17-531	L-1575E	102.00	102.50	0.50	550	RS-121
PLS17-531	L-1575E	102.50	103.00	0.50	<300	RS-121
PLS17-531	L-1575E	103.00	103.50	0.50	760	RS-121
PLS17-531	L-1575E	103.50	104.00	0.50	880	RS-121
PLS17-531	L-1575E	104.00	104.50	0.50	480	RS-121
PLS17-531	L-1575E	104.50	105.00	0.50	350	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS17-534	L-1575E	79.00	79.50	0.50	1400	RS-121
PLS17-534	L-1575E	79.50	80.00	0.50	4500	RS-121
PLS17-534	L-1575E	80.00	80.50	0.50	1100	RS-121
PLS17-534	L-1575E	80.50	81.00	0.50	820	RS-121
PLS17-534	L-1575E	81.00	81.50	0.50	1200	RS-121
PLS17-534	L-1575E	81.50	82.00	0.50	1100	RS-121
PLS17-534	L-1575E	82.00	82.50	0.50	1300	RS-121
PLS17-534	L-1575E	82.50	83.00	0.50	860	RS-121
PLS17-534	L-1575E	83.00	83.50	0.50	5500	RS-121
PLS17-534	L-1575E	83.50	84.00	0.50	<300	RS-121
PLS17-534	L-1575E	84.00	84.50	0.50	330	RS-121
PLS17-534	L-1575E	84.50	85.00	0.50	360	RS-121
PLS17-534	L-1575E	85.00	85.50	0.50	370	RS-121