



Patterson Lake South - 2014 Regional Drilling
Drill Core Hand-Held Scintillometer Readings: Interval Peaks >300 CPS

Hole ID	Corridor	Conductor	From (m)	To (m)	Interval (m)	CPS (Maximum) GR-110
PLS14-152	Patterson Lake	PLG-3C	No anomalous radioactivity			
PLS14-154	Patterson Lake	PLG-3C	No anomalous radioactivity			
PLS14-162	Patterson Lake	PLG-2C	No anomalous radioactivity			
PLS14-168	Patterson Lake	PLG-2C	No anomalous radioactivity			
PLS14-176	Patterson Lake	PLG-3C	No anomalous radioactivity			
PLS14-182	Patterson Lake	PLG-2C	No anomalous radioactivity			
PLS14-188	Patterson Lake	PLG-1B	No anomalous radioactivity			
PLS14-202	Patterson Lake	PLG-2C	No anomalous radioactivity			
PLS14-206	Patterson Lake	PLG-1B	No anomalous radioactivity			
PLS14-212	Patterson Lake	PLG-1B	No anomalous radioactivity			

Patterson Lake South - 2015 Regional Drilling
Drill Core Hand-Held Scintillometer Readings: Interval Peaks >300 CPS

Hole ID	Corridor	Conductor	From (m)	To (m)	Width (m)	CPS Peak Range
PLS15-390	Patterson Lake	NA	No Significant Radioactivity			
PLS15-396	Patterson Lake	PLG-3B	No Significant Radioactivity			
PLS15-401	Patterson Lake	PLG-2C	No Significant Radioactivity			
PLS15-406	Patterson Lake	PLV-4A	No Significant Radioactivity			
PLS15-407	Patterson Lake	PLG-2C	180.5	181.0	0.5	330
			215.5	216.0	0.5	520

PLS15-412	Patterson Lake	PLG-2C	No Significant Radioactivity			
PLS15-419	Patterson Lake	PLG-1B	No Significant Radioactivity			
PLS15-421	Patterson Lake	PLG-2C	No Significant Radioactivity			
PLS15-422	Patterson Lake	PLG-1B	No Significant Radioactivity			
PLS15-425	Patterson Lake	PLG-1B	No Significant Radioactivity			
PLS15-430A	Patterson Lake	PLG-3A	No Significant Radioactivity			
PLS15-437	Patterson Lake	PLB-3A	No Significant Radioactivity			
PLS15-305	Forest Lake	PLG-45B	No anomalous radioactivity			
PLS15-306	Forest Lake	PLG-55A	No anomalous radioactivity			
PLS15-307	Forest Lake	PLG-47A	No anomalous radioactivity			
PLS15-309	Forest Lake	PLG-47A1	No anomalous radioactivity			
PLS15-310	Forest Lake	PLG-54B	178.00 178.50 179.00	178.50 179.00 179.50	0.50 0.50 0.50	340 <300 440
PLS15-313	Forest Lake	PLG-47A	No anomalous radioactivity			
PLS15-314	Forest Lake	PLG-54A	169.00 169.50 170.00	169.50 170.00 170.50	0.50 0.50 0.50	380 600 300
PLS15-316	Forest Lake	PLG-45A	No anomalous radioactivity			
PLS15-317	Patterson Lake	PLG-2C	No anomalous radioactivity			
PLS15-320	Forest Lake	PLG-47A	No anomalous radioactivity			
PLS15-322	Forest Lake	PLG-45B	No anomalous radioactivity			
PLS15-323	Patterson Lake	PLG-1D	No anomalous radioactivity			
PLS15-326	Forest Lake	PLG-63C2	No anomalous radioactivity			
PLS15-329	Patterson Lake	PLG-1D	No anomalous radioactivity			

PLS15-331	Forest Lake	PLG-54A	No anomalous radioactivity			
PLS15-335	Forest Lake	PLG-74B	No anomalous radioactivity			
PLS15-336	Forest Lake	PLG-63C2	No anomalous radioactivity			
PLS15-338	Forest Lake	PLG-73A	No anomalous radioactivity			
PLS15-340	Forest Lake	PLG-63D	244.50	245.00	0.50	320
PLS15-342	Forest Lake	PLG-52B	No anomalous radioactivity			
PLS15-345	Forest Lake	PLG-54A	188.50	189.00	0.50	500
			189.00	331.50	142.50	<300
			331.50	332.00	0.50	490
PLS15-347	Forest Lake	PLG-43B	No anomalous radioactivity			
PLS15-349	Forest Lake	PLG-19F	No anomalous radioactivity			
PLS15-350	Patterson Lake	PLG-1E	No anomalous radioactivity			
PLS15-415	Forest Lake	PLV-96B	No Significant Radioactivity			
PLS15-420	Forest Lake	PLV-84A	No Significant Radioactivity			
PLS15-424	Forest Lake	PLV-68A	No Significant Radioactivity			
PLS15-429	Forest Lake	PLG-37E	No Significant Radioactivity			
PLS15-433	Forest Lake	PLV-41E	273.0	273.5	0.5	360
			287.5	288.0	0.5	320