



# Fission

URANIUM CORP.

## Drill Core Assay Summary: R840W - Patterson Lake South

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-445	151.50	152.00	0.50	0.008
PLS16-445	152.00	152.50	0.50	0.008
PLS16-445	152.50	153.00	0.50	0.008
PLS16-445	153.00	153.50	0.50	0.008
PLS16-445	153.50	154.00	0.50	0.030
PLS16-445	154.00	154.50	0.50	0.003
PLS16-445	154.50	155.00	0.50	0.017
PLS16-445	155.00	155.50	0.50	0.013
PLS16-445	155.50	156.00	0.50	0.006
PLS16-445	156.00	156.50	0.50	0.011
PLS16-445	156.50	157.00	0.50	0.033
PLS16-445	157.00	157.50	0.50	0.023
PLS16-445	157.50	158.00	0.50	0.049
PLS16-445	158.00	158.50	0.50	0.020
PLS16-445	158.50	159.00	0.50	0.010
PLS16-445	159.00	159.50	0.50	0.010
PLS16-445	159.50	160.00	0.50	0.009
PLS16-445	176.00	176.50	0.50	0.007
PLS16-445	176.50	177.00	0.50	0.021
PLS16-445	177.00	177.50	0.50	0.006
PLS16-445	177.50	178.00	0.50	0.024
PLS16-445	178.00	178.50	0.50	0.032
PLS16-445	178.50	179.00	0.50	0.048
PLS16-445	179.00	179.50	0.50	0.035
PLS16-445	179.50	180.00	0.50	0.017
PLS16-445	180.00	180.50	0.50	0.013
PLS16-445	180.50	181.00	0.50	0.035
PLS16-445	181.00	181.50	0.50	0.475
PLS16-445	181.50	182.00	0.50	0.178
PLS16-445	182.00	182.50	0.50	0.107
PLS16-445	182.50	183.00	0.50	0.662
<b>PLS16-445</b>	<b>183.00</b>	<b>183.50</b>	<b>0.50</b>	<b>1.070</b>
PLS16-445	183.50	184.00	0.50	0.079
<b>PLS16-445</b>	<b>184.00</b>	<b>184.50</b>	<b>0.50</b>	<b>1.060</b>
<b>PLS16-445</b>	<b>184.50</b>	<b>185.00</b>	<b>0.50</b>	<b>1.370</b>
PLS16-445	185.00	185.50	0.50	0.028

PLS16-445	185.50	186.00	0.50	0.124
PLS16-445	186.00	186.50	0.50	0.083
PLS16-445	186.50	187.00	0.50	0.049
PLS16-445	187.00	187.50	0.50	0.033
PLS16-445	187.50	188.00	0.50	0.012
PLS16-445	188.00	188.50	0.50	0.009
PLS16-445	188.50	189.00	0.50	0.013
PLS16-445	189.00	189.50	0.50	0.252
PLS16-445	189.50	190.00	0.50	0.521
PLS16-445	190.00	190.50	0.50	0.328
PLS16-445	190.50	191.00	0.50	0.521
PLS16-445	191.00	191.50	0.50	0.526
PLS16-445	191.50	192.00	0.50	0.702
PLS16-445	192.00	192.50	0.50	0.094
PLS16-445	192.50	193.00	0.50	0.127
PLS16-445	193.00	193.50	0.50	0.032
PLS16-445	193.50	194.00	0.50	0.045
PLS16-445	194.00	194.50	0.50	0.020
PLS16-445	194.50	195.00	0.50	0.119
PLS16-445	195.00	195.50	0.50	0.127
PLS16-445	195.50	196.00	0.50	0.167
PLS16-445	196.00	196.50	0.50	0.278
<b>PLS16-445</b>	<b>196.50</b>	<b>197.00</b>	<b>0.50</b>	<b>2.000</b>
<b>PLS16-445</b>	<b>197.00</b>	<b>197.50</b>	<b>0.50</b>	<b>1.640</b>
PLS16-445	197.50	198.00	0.50	0.543
PLS16-445	198.00	198.50	0.50	0.518
PLS16-445	198.50	199.00	0.50	0.967
PLS16-445	199.00	199.50	0.50	0.011
PLS16-445	199.50	200.00	0.50	0.009
PLS16-445	200.00	200.50	0.50	0.086
PLS16-445	200.50	201.00	0.50	0.035
PLS16-445	201.00	201.50	0.50	0.733
PLS16-445	201.50	202.00	0.50	0.119
PLS16-445	202.00	202.50	0.50	0.049
PLS16-445	202.50	203.00	0.50	0.069
PLS16-445	203.00	203.50	0.50	0.340
PLS16-445	203.50	204.00	0.50	0.063
PLS16-445	204.00	204.50	0.50	0.102
PLS16-445	204.50	205.00	0.50	0.245
PLS16-445	205.00	205.50	0.50	0.132
PLS16-445	205.50	206.00	0.50	0.024
PLS16-445	206.00	206.50	0.50	0.166
PLS16-445	206.50	207.00	0.50	0.962
PLS16-445	207.00	207.50	0.50	0.686
PLS16-445	207.50	208.00	0.50	0.442
PLS16-445	208.00	208.50	0.50	0.255
PLS16-445	208.50	209.00	0.50	0.038

PLS16-445	209.00	209.50	0.50	0.181
PLS16-445	209.50	210.00	0.50	0.397
PLS16-445	210.00	210.50	0.50	0.085
PLS16-445	210.50	211.00	0.50	0.790
<b>PLS16-445</b>	<b>211.00</b>	<b>211.50</b>	<b>0.50</b>	<b>10.200</b>
<b>PLS16-445</b>	<b>211.50</b>	<b>212.00</b>	<b>0.50</b>	<b>18.500</b>
<b>PLS16-445</b>	<b>212.00</b>	<b>212.50</b>	<b>0.50</b>	<b>12.200</b>
<b>PLS16-445</b>	<b>212.50</b>	<b>213.00</b>	<b>0.50</b>	<b>5.210</b>
<b>PLS16-445</b>	<b>213.00</b>	<b>213.50</b>	<b>0.50</b>	<b>1.960</b>
<b>PLS16-445</b>	<b>213.50</b>	<b>214.00</b>	<b>0.50</b>	<b>1.380</b>
PLS16-445	214.00	214.50	0.50	0.248
PLS16-445	214.50	215.00	0.50	0.167
PLS16-445	215.00	215.50	0.50	0.055
PLS16-445	215.50	216.00	0.50	0.032
PLS16-445	216.00	216.50	0.50	0.036
PLS16-445	216.50	217.00	0.50	0.045
PLS16-445	217.00	217.50	0.50	0.121
PLS16-445	217.50	218.00	0.50	0.134
PLS16-445	218.00	218.50	0.50	0.039
PLS16-445	218.50	219.00	0.50	0.015
PLS16-445	219.00	219.50	0.50	0.004
PLS16-445	219.50	220.00	0.50	0.032
PLS16-445	220.00	220.50	0.50	0.004
PLS16-445	220.50	221.00	0.50	0.010
PLS16-445	221.00	221.50	0.50	0.003
PLS16-445	221.50	222.00	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-462	141.00	141.50	0.50	0.005
PLS16-462	141.50	142.00	0.50	0.008
PLS16-462	142.00	142.50	0.50	0.007
PLS16-462	142.50	143.00	0.50	0.002
PLS16-462	143.00	143.50	0.50	0.008
PLS16-462	143.50	144.00	0.50	0.026
PLS16-462	144.00	144.50	0.50	0.033
PLS16-462	144.50	145.00	0.50	0.924
PLS16-462	145.00	145.50	0.50	0.057
PLS16-462	145.50	146.00	0.50	0.122
PLS16-462	146.00	146.50	0.50	0.043
PLS16-462	146.50	147.00	0.50	0.152
PLS16-462	147.00	147.50	0.50	0.228
PLS16-462	147.50	148.00	0.50	0.026
PLS16-462	148.00	148.50	0.50	0.020
PLS16-462	148.50	149.00	0.50	0.008
PLS16-462	149.00	149.50	0.50	0.029
PLS16-462	149.50	150.00	0.50	0.020
PLS16-462	150.00	150.50	0.50	0.022

PLS16-462	150.50	151.00	0.50	0.013
PLS16-462	151.00	151.50	0.50	0.020
PLS16-462	151.50	152.00	0.50	0.011
PLS16-462	152.00	152.50	0.50	0.012
PLS16-462	152.50	153.00	0.50	0.017
PLS16-462	153.00	153.50	0.50	0.024
PLS16-462	153.50	154.00	0.50	0.017
PLS16-462	154.00	154.50	0.50	0.012
PLS16-462	154.50	155.00	0.50	0.068
PLS16-462	155.00	155.50	0.50	0.015
PLS16-462	155.50	156.00	0.50	0.020
PLS16-462	156.00	156.50	0.50	0.013
PLS16-462	156.50	157.00	0.50	0.015
PLS16-462	157.00	157.50	0.50	0.005
PLS16-462	157.50	158.00	0.50	0.004
PLS16-462	158.00	158.50	0.50	0.003
PLS16-462	158.50	159.00	0.50	0.002
PLS16-462	159.00	159.50	0.50	0.004
PLS16-462	159.50	160.00	0.50	0.020
PLS16-462	160.00	160.50	0.50	0.060
PLS16-462	160.50	161.00	0.50	0.072
PLS16-462	161.00	161.50	0.50	0.103
PLS16-462	161.50	162.00	0.50	0.256
PLS16-462	162.00	162.50	0.50	0.390
PLS16-462	162.50	163.00	0.50	0.133
PLS16-462	163.00	163.50	0.50	0.171
<b>PLS16-462</b>	<b>163.50</b>	<b>164.00</b>	<b>0.50</b>	<b>1.230</b>
<b>PLS16-462</b>	<b>164.00</b>	<b>164.50</b>	<b>0.50</b>	<b>1.260</b>
<b>PLS16-462</b>	<b>164.50</b>	<b>165.00</b>	<b>0.50</b>	<b>2.280</b>
<b>PLS16-462</b>	<b>165.00</b>	<b>165.50</b>	<b>0.50</b>	<b>1.320</b>
<b>PLS16-462</b>	<b>165.50</b>	<b>166.00</b>	<b>0.50</b>	<b>2.950</b>
<b>PLS16-462</b>	<b>166.00</b>	<b>166.50</b>	<b>0.50</b>	<b>3.080</b>
<b>PLS16-462</b>	<b>166.50</b>	<b>167.00</b>	<b>0.50</b>	<b>3.340</b>
<b>PLS16-462</b>	<b>167.00</b>	<b>167.50</b>	<b>0.50</b>	<b>2.200</b>
<b>PLS16-462</b>	<b>167.50</b>	<b>168.00</b>	<b>0.50</b>	<b>1.830</b>
<b>PLS16-462</b>	<b>168.00</b>	<b>168.50</b>	<b>0.50</b>	<b>5.110</b>
<b>PLS16-462</b>	<b>168.50</b>	<b>169.00</b>	<b>0.50</b>	<b>2.450</b>
<b>PLS16-462</b>	<b>169.00</b>	<b>169.50</b>	<b>0.50</b>	<b>3.200</b>
PLS16-462	169.50	170.00	0.50	0.081
<b>PLS16-462</b>	<b>170.00</b>	<b>170.50</b>	<b>0.50</b>	<b>3.090</b>
<b>PLS16-462</b>	<b>170.50</b>	<b>171.00</b>	<b>0.50</b>	<b>5.760</b>
<b>PLS16-462</b>	<b>171.00</b>	<b>171.50</b>	<b>0.50</b>	<b>1.720</b>
<b>PLS16-462</b>	<b>171.50</b>	<b>172.00</b>	<b>0.50</b>	<b>2.210</b>
PLS16-462	172.00	172.50	0.50	0.084
PLS16-462	172.50	173.00	0.50	0.404
PLS16-462	173.00	173.50	0.50	0.386
PLS16-462	173.50	174.00	0.50	0.011

PLS16-462	174.00	174.50	0.50	0.008
PLS16-462	174.50	175.00	0.50	0.011
PLS16-462	175.00	175.50	0.50	0.100
PLS16-462	175.50	176.00	0.50	0.227
PLS16-462	176.00	176.50	0.50	0.212
PLS16-462	176.50	177.00	0.50	0.016
PLS16-462	177.00	177.50	0.50	0.082
<b>PLS16-462</b>	<b>177.50</b>	<b>178.00</b>	<b>0.50</b>	<b>1.130</b>
PLS16-462	178.00	178.50	0.50	0.217
PLS16-462	178.50	179.00	0.50	0.449
PLS16-462	179.00	179.50	0.50	0.351
PLS16-462	179.50	180.00	0.50	0.085
PLS16-462	180.00	180.50	0.50	0.035
PLS16-462	180.50	181.00	0.50	0.005
PLS16-462	181.00	181.50	0.50	0.009
PLS16-462	181.50	182.00	0.50	0.161
PLS16-462	182.00	182.50	0.50	0.011
PLS16-462	182.50	183.00	0.50	0.013
PLS16-462	183.00	183.50	0.50	0.023
PLS16-462	183.50	184.00	0.50	0.018
PLS16-462	184.00	184.50	0.50	0.009
PLS16-462	184.50	185.00	0.50	0.009
PLS16-462	185.00	185.50	0.50	0.013
PLS16-462	185.50	186.00	0.50	0.018
PLS16-462	186.00	186.50	0.50	0.014
PLS16-462	186.50	187.00	0.50	0.006
PLS16-462	187.00	187.50	0.50	0.009
PLS16-462	187.50	188.00	0.50	0.003
PLS16-462	195.50	196.00	0.50	0.006
PLS16-462	196.00	196.50	0.50	0.006
PLS16-462	196.50	197.00	0.50	0.014
PLS16-462	197.00	197.50	0.50	0.005
PLS16-462	197.50	198.00	0.50	0.022
PLS16-462	198.00	198.50	0.50	0.092
PLS16-462	198.50	199.00	0.50	0.131
PLS16-462	199.00	199.50	0.50	0.076
PLS16-462	199.50	200.00	0.50	0.068
PLS16-462	200.00	200.50	0.50	0.108
PLS16-462	200.50	201.00	0.50	0.029
PLS16-462	201.00	201.50	0.50	0.094
PLS16-462	201.50	202.00	0.50	0.216
PLS16-462	202.00	202.50	0.50	0.196
PLS16-462	202.50	203.00	0.50	0.248
PLS16-462	203.00	203.50	0.50	0.436
PLS16-462	203.50	204.00	0.50	0.029
PLS16-462	204.00	204.50	0.50	0.053
PLS16-462	204.50	205.00	0.50	0.704

PLS16-462	205.00	205.50	0.50	0.642
PLS16-462	205.50	206.00	0.50	0.360
PLS16-462	206.00	206.50	0.50	0.442
PLS16-462	206.50	207.00	0.50	0.119
PLS16-462	207.00	207.50	0.50	0.528
PLS16-462	207.50	208.00	0.50	0.226
PLS16-462	208.00	208.50	0.50	0.009
PLS16-462	208.50	209.00	0.50	0.009
PLS16-462	209.00	209.50	0.50	0.049
PLS16-462	209.50	210.00	0.50	0.353
PLS16-462	210.00	210.50	0.50	0.808
PLS16-462	210.50	211.00	0.50	0.249
PLS16-462	211.00	211.50	0.50	0.019
PLS16-462	211.50	212.00	0.50	0.069
PLS16-462	212.00	212.50	0.50	0.106
PLS16-462	212.50	213.00	0.50	0.120
PLS16-462	213.00	213.50	0.50	0.131
PLS16-462	213.50	214.00	0.50	0.009
PLS16-462	214.00	214.50	0.50	0.028
PLS16-462	214.50	215.00	0.50	0.022
PLS16-462	215.00	215.50	0.50	0.007
PLS16-462	215.50	216.00	0.50	0.012
PLS16-462	216.00	216.50	0.50	0.011
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-465	154.00	154.50	0.50	0.002
PLS16-465	154.50	155.00	0.50	0.003
PLS16-465	155.00	155.50	0.50	0.001
PLS16-465	155.50	156.00	0.50	0.010
PLS16-465	156.00	156.50	0.50	0.010
PLS16-465	156.50	157.00	0.50	0.014
PLS16-465	157.00	157.50	0.50	0.003
PLS16-465	157.50	158.00	0.50	0.005
PLS16-465	158.00	158.50	0.50	0.009
PLS16-465	158.50	159.00	0.50	0.008
PLS16-465	159.00	159.50	0.50	0.004
PLS16-465	159.50	160.00	0.50	0.004
PLS16-465	160.00	160.50	0.50	0.002
PLS16-465	160.50	161.00	0.50	0.010
PLS16-465	161.00	161.50	0.50	0.001
PLS16-465	161.50	162.00	0.50	<0.001
PLS16-465	162.00	162.50	0.50	0.003
PLS16-465	162.50	163.00	0.50	0.004
PLS16-465	163.00	163.50	0.50	0.005
PLS16-465	163.50	164.00	0.50	0.005
PLS16-465	164.00	164.50	0.50	0.007
PLS16-465	164.50	165.00	0.50	0.021

PLS16-465	165.00	165.50	0.50	0.008
PLS16-465	165.50	166.00	0.50	0.016
PLS16-465	166.00	166.50	0.50	0.005
PLS16-465	166.50	167.00	0.50	0.007
PLS16-465	167.00	167.50	0.50	0.008
PLS16-465	167.50	168.00	0.50	0.003
PLS16-465	168.00	168.50	0.50	0.003
PLS16-465	168.50	169.00	0.50	0.002
PLS16-465	169.00	169.50	0.50	0.003
PLS16-465	169.50	170.00	0.50	0.001
PLS16-465	170.00	170.50	0.50	0.006
PLS16-465	170.50	171.00	0.50	0.004
PLS16-465	171.00	171.50	0.50	0.015
PLS16-465	171.50	172.00	0.50	0.440
<b>PLS16-465</b>	<b>172.00</b>	<b>172.50</b>	<b>0.50</b>	<b>1.200</b>
<b>PLS16-465</b>	<b>172.50</b>	<b>173.00</b>	<b>0.50</b>	<b>1.400</b>
PLS16-465	173.00	173.50	0.50	0.996
PLS16-465	173.50	174.00	0.50	0.157
PLS16-465	174.00	174.50	0.50	0.088
PLS16-465	174.50	175.00	0.50	0.076
PLS16-465	175.00	175.50	0.50	0.037
PLS16-465	175.50	176.00	0.50	0.172
PLS16-465	176.00	176.50	0.50	0.162
PLS16-465	176.50	177.00	0.50	0.017
PLS16-465	177.00	177.50	0.50	0.017
PLS16-465	177.50	178.00	0.50	0.023
PLS16-465	178.00	178.50	0.50	0.026
PLS16-465	178.50	179.00	0.50	0.188
PLS16-465	179.00	179.50	0.50	0.218
PLS16-465	179.50	180.00	0.50	0.142
PLS16-465	180.00	180.50	0.50	0.019
PLS16-465	180.50	181.00	0.50	0.045
PLS16-465	181.00	181.50	0.50	0.647
PLS16-465	181.50	182.00	0.50	0.560
PLS16-465	182.00	182.50	0.50	0.194
PLS16-465	182.50	183.00	0.50	0.366
PLS16-465	183.00	183.50	0.50	0.110
PLS16-465	183.50	184.00	0.50	0.050
PLS16-465	184.00	184.50	0.50	0.100
PLS16-465	184.50	185.00	0.50	0.019
PLS16-465	185.00	185.50	0.50	0.067
PLS16-465	185.50	186.00	0.50	0.107
<b>PLS16-465</b>	<b>186.00</b>	<b>186.50</b>	<b>0.50</b>	<b>1.790</b>
<b>PLS16-465</b>	<b>186.50</b>	<b>187.00</b>	<b>0.50</b>	<b>4.320</b>
PLS16-465	187.00	187.50	0.50	0.422
PLS16-465	187.50	188.00	0.50	0.326
<b>PLS16-465</b>	<b>188.00</b>	<b>188.50</b>	<b>0.50</b>	<b>1.040</b>

<b>PLS16-465</b>	<b>188.50</b>	<b>189.00</b>	<b>0.50</b>	<b>3.750</b>
PLS16-465	189.00	189.50	0.50	0.180
PLS16-465	189.50	190.00	0.50	0.172
PLS16-465	190.00	190.50	0.50	0.062
<b>PLS16-465</b>	<b>190.50</b>	<b>191.00</b>	<b>0.50</b>	<b>2.910</b>
<b>PLS16-465</b>	<b>191.00</b>	<b>191.50</b>	<b>0.50</b>	<b>6.070</b>
<b>PLS16-465</b>	<b>191.50</b>	<b>192.00</b>	<b>0.50</b>	<b>2.160</b>
PLS16-465	192.00	192.50	0.50	0.139
PLS16-465	192.50	193.00	0.50	0.108
PLS16-465	193.00	193.50	0.50	0.152
PLS16-465	193.50	194.00	0.50	0.266
<b>PLS16-465</b>	<b>194.00</b>	<b>194.50</b>	<b>0.50</b>	<b>1.120</b>
PLS16-465	194.50	195.00	0.50	0.279
PLS16-465	195.00	195.50	0.50	0.027
PLS16-465	195.50	196.00	0.50	0.219
PLS16-465	196.00	196.50	0.50	0.933
PLS16-465	196.50	197.00	0.50	0.022
PLS16-465	197.00	197.50	0.50	0.012
PLS16-465	197.50	198.00	0.50	0.082
PLS16-465	198.00	198.50	0.50	0.046
PLS16-465	198.50	199.00	0.50	0.014
PLS16-465	199.00	199.50	0.50	0.050
PLS16-465	199.50	200.00	0.50	0.027
PLS16-465	200.00	200.50	0.50	0.075
PLS16-465	200.50	201.00	0.50	0.029
PLS16-465	201.00	201.50	0.50	0.020
PLS16-465	201.50	202.00	0.50	0.064
PLS16-465	202.00	202.50	0.50	0.331
PLS16-465	202.50	203.00	0.50	0.023
PLS16-465	203.00	203.50	0.50	0.012
PLS16-465	203.50	204.00	0.50	0.017
PLS16-465	204.00	204.50	0.50	0.021
PLS16-465	204.50	205.00	0.50	0.013
PLS16-465	205.00	205.50	0.50	0.238
PLS16-465	205.50	206.00	0.50	0.697
PLS16-465	206.00	206.50	0.50	0.521
PLS16-465	206.50	207.00	0.50	0.012
PLS16-465	207.00	207.50	0.50	0.013
PLS16-465	207.50	208.00	0.50	0.093
PLS16-465	208.00	208.50	0.50	0.010
PLS16-465	208.50	209.00	0.50	0.011
PLS16-465	209.00	209.50	0.50	0.762
PLS16-465	209.50	210.00	0.50	0.203
<b>PLS16-465</b>	<b>210.00</b>	<b>210.50</b>	<b>0.50</b>	<b>1.280</b>
PLS16-465	210.50	211.00	0.50	0.287
PLS16-465	211.00	211.50	0.50	0.042
PLS16-465	211.50	212.00	0.50	0.017



PLS16-465	212.00	212.50	0.50	0.024
PLS16-465	212.50	213.00	0.50	0.024
PLS16-465	213.00	213.50	0.50	0.471
PLS16-465	213.50	214.00	0.50	0.359
PLS16-465	214.00	214.50	0.50	0.414
PLS16-465	214.50	215.00	0.50	0.114
PLS16-465	215.00	215.50	0.50	0.095
PLS16-465	215.50	216.00	0.50	0.077
PLS16-465	216.00	216.50	0.50	0.032
PLS16-465	216.50	217.00	0.50	0.017
PLS16-465	217.00	217.50	0.50	0.113
PLS16-465	217.50	218.00	0.50	0.028
PLS16-465	218.00	218.50	0.50	0.320
PLS16-465	218.50	219.00	0.50	0.096
PLS16-465	219.00	219.50	0.50	0.101
PLS16-465	219.50	220.00	0.50	0.042
PLS16-465	220.00	220.50	0.50	0.004
PLS16-465	220.50	221.00	0.50	0.019
PLS16-465	221.00	221.50	0.50	0.058
PLS16-465	221.50	222.00	0.50	0.007
PLS16-465	222.00	222.50	0.50	0.001
PLS16-465	222.50	223.00	0.50	0.009
PLS16-465	223.00	223.50	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-470	186.50	187.00	0.50	0.006
PLS16-470	187.00	187.50	0.50	0.007
PLS16-470	187.50	188.00	0.50	0.014
PLS16-470	188.00	188.50	0.50	0.006
PLS16-470	188.50	189.00	0.50	0.375
PLS16-470	189.00	189.50	0.50	0.088
PLS16-470	189.50	190.00	0.50	0.014
PLS16-470	190.00	190.50	0.50	0.002
PLS16-470	190.50	191.00	0.50	0.001
PLS16-470	191.00	191.50	0.50	<0.001
PLS16-470	191.50	192.00	0.50	<0.001
PLS16-470	192.00	192.50	0.50	0.004
PLS16-470	192.50	193.00	0.50	0.002
PLS16-470	193.00	193.50	0.50	0.014
PLS16-470	193.50	194.00	0.50	0.004
PLS16-470	194.00	194.50	0.50	0.021
PLS16-470	194.50	195.00	0.50	0.009
PLS16-470	195.00	195.50	0.50	0.005
PLS16-470	195.50	196.00	0.50	0.004
PLS16-470	196.00	196.50	0.50	0.014
PLS16-470	196.50	197.00	0.50	0.029
PLS16-470	197.00	197.50	0.50	0.020

PLS16-470	197.50	198.00	0.50	0.008
PLS16-470	198.00	198.50	0.50	0.011
PLS16-470	198.50	199.00	0.50	0.002
PLS16-470	199.00	199.50	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-473	136.50	137.00	0.50	0.009
PLS16-473	137.00	137.50	0.50	0.004
PLS16-473	137.50	138.00	0.50	0.004
PLS16-473	138.00	138.50	0.50	0.007
PLS16-473	138.50	139.00	0.50	0.022
PLS16-473	139.00	139.50	0.50	0.024
PLS16-473	139.50	140.00	0.50	0.008
PLS16-473	140.00	140.50	0.50	0.002
PLS16-473	140.50	141.00	0.50	0.003
PLS16-473	141.00	141.50	0.50	0.005
PLS16-473	141.50	142.00	0.50	0.003
PLS16-473	142.00	142.50	0.50	0.004
PLS16-473	142.50	143.00	0.50	0.005
PLS16-473	143.00	143.50	0.50	0.003
PLS16-473	143.50	144.00	0.50	0.005
PLS16-473	144.00	144.50	0.50	0.004
PLS16-473	144.50	145.00	0.50	0.003
PLS16-473	145.00	145.50	0.50	0.008
PLS16-473	145.50	146.00	0.50	0.022
PLS16-473	146.00	146.50	0.50	0.017
PLS16-473	146.50	147.00	0.50	0.014
PLS16-473	147.00	147.50	0.50	0.011
PLS16-473	147.50	148.00	0.50	0.005
PLS16-473	148.00	148.50	0.50	0.006
PLS16-473	148.50	149.00	0.50	0.002
PLS16-473	149.00	149.50	0.50	0.005
PLS16-473	149.50	150.00	0.50	0.008
PLS16-473	150.00	150.50	0.50	0.013
PLS16-473	150.50	151.00	0.50	0.014
PLS16-473	151.00	151.50	0.50	0.042
PLS16-473	151.50	152.00	0.50	0.028
PLS16-473	152.00	152.50	0.50	0.022
PLS16-473	152.50	153.00	0.50	0.024
PLS16-473	153.00	153.50	0.50	0.020
PLS16-473	153.50	154.00	0.50	0.020
PLS16-473	154.00	154.50	0.50	0.027
PLS16-473	154.50	155.00	0.50	0.038
PLS16-473	155.00	155.50	0.50	0.033
PLS16-473	155.50	156.00	0.50	0.008
PLS16-473	156.00	156.50	0.50	0.016
PLS16-473	156.50	157.00	0.50	0.020

PLS16-473	157.00	157.50	0.50	0.123
PLS16-473	157.50	158.00	0.50	0.013
PLS16-473	158.00	158.50	0.50	0.007
PLS16-473	158.50	159.00	0.50	0.023
PLS16-473	159.00	159.50	0.50	0.024
PLS16-473	159.50	160.00	0.50	0.624
PLS16-473	160.00	160.50	0.50	0.115
PLS16-473	160.50	161.00	0.50	0.111
PLS16-473	161.00	161.50	0.50	0.349
PLS16-473	161.50	162.00	0.50	0.060
PLS16-473	162.00	162.50	0.50	0.098
PLS16-473	162.50	163.00	0.50	0.219
PLS16-473	163.00	163.50	0.50	0.496
PLS16-473	163.50	164.00	0.50	0.329
PLS16-473	164.00	164.50	0.50	0.355
PLS16-473	164.50	165.00	0.50	0.159
PLS16-473	165.00	165.50	0.50	0.006
PLS16-473	165.50	166.00	0.50	0.001
PLS16-473	166.00	166.50	0.50	<0.001
PLS16-473	166.50	167.00	0.50	<0.001
PLS16-473	167.00	167.50	0.50	<0.001
PLS16-473	185.00	185.50	0.50	<0.001
PLS16-473	185.50	186.00	0.50	0.002
PLS16-473	186.00	186.50	0.50	0.009
PLS16-473	186.50	187.00	0.50	0.007
PLS16-473	187.00	187.50	0.50	0.012
PLS16-473	187.50	188.00	0.50	0.007
PLS16-473	188.00	188.50	0.50	0.079
PLS16-473	188.50	189.00	0.50	0.073
PLS16-473	189.00	189.50	0.50	0.046
PLS16-473	189.50	190.00	0.50	0.044
PLS16-473	190.00	190.50	0.50	0.043
PLS16-473	190.50	191.00	0.50	0.079
PLS16-473	191.00	191.50	0.50	0.079
PLS16-473	191.50	192.00	0.50	0.064
PLS16-473	192.00	192.50	0.50	0.082
PLS16-473	192.50	193.00	0.50	0.029
PLS16-473	193.00	193.50	0.50	0.006
PLS16-473	193.50	194.00	0.50	0.008
PLS16-473	194.00	194.50	0.50	0.005
PLS16-473	194.50	195.00	0.50	0.002
PLS16-473	195.00	195.50	0.50	0.013
PLS16-473	195.50	196.00	0.50	0.004
PLS16-473	196.00	196.50	0.50	0.014
PLS16-473	196.50	197.00	0.50	0.015
PLS16-473	197.00	197.50	0.50	0.056
PLS16-473	197.50	198.00	0.50	0.173

PLS16-473	198.00	198.50	0.50	0.118
PLS16-473	198.50	199.00	0.50	0.098
PLS16-473	199.00	199.50	0.50	0.282
PLS16-473	199.50	200.00	0.50	0.149
PLS16-473	200.00	200.50	0.50	0.060
PLS16-473	200.50	201.00	0.50	0.050
PLS16-473	201.00	201.50	0.50	0.016
PLS16-473	201.50	202.00	0.50	0.025
PLS16-473	202.00	202.50	0.50	0.002
PLS16-473	202.50	203.00	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-476	168.70	169.00	0.30	0.141
PLS16-476	169.00	169.50	0.50	0.939
PLS16-476	169.50	170.00	0.50	0.621
PLS16-476	170.00	170.50	0.50	0.385
PLS16-476	170.50	171.00	0.50	0.565
PLS16-476	171.00	171.50	0.50	0.193
PLS16-476	171.50	172.00	0.50	0.047
PLS16-476	172.00	172.50	0.50	0.038
PLS16-476	172.50	173.00	0.50	0.108
PLS16-476	173.00	173.50	0.50	0.016
PLS16-476	173.50	174.00	0.50	0.022
PLS16-476	174.00	174.50	0.50	0.118
PLS16-476	174.50	175.00	0.50	0.761
PLS16-476	175.00	175.50	0.50	0.985
PLS16-476	175.50	176.00	0.50	0.512
<b>PLS16-476</b>	<b>176.00</b>	<b>176.50</b>	<b>0.50</b>	<b>1.050</b>
PLS16-476	176.50	177.00	0.50	0.215
<b>PLS16-476</b>	<b>177.00</b>	<b>177.50</b>	<b>0.50</b>	<b>1.230</b>
<b>PLS16-476</b>	<b>177.50</b>	<b>178.00</b>	<b>0.50</b>	<b>1.090</b>
<b>PLS16-476</b>	<b>178.00</b>	<b>178.50</b>	<b>0.50</b>	<b>1.480</b>
<b>PLS16-476</b>	<b>178.50</b>	<b>179.00</b>	<b>0.50</b>	<b>2.260</b>
PLS16-476	179.00	179.50	0.50	0.515
PLS16-476	179.50	180.00	0.50	0.311
<b>PLS16-476</b>	<b>180.00</b>	<b>180.50</b>	<b>0.50</b>	<b>1.290</b>
<b>PLS16-476</b>	<b>180.50</b>	<b>181.00</b>	<b>0.50</b>	<b>1.480</b>
PLS16-476	181.00	181.50	0.50	0.143
PLS16-476	181.50	182.00	0.50	0.107
PLS16-476	182.00	182.50	0.50	0.298
<b>PLS16-476</b>	<b>182.50</b>	<b>183.00</b>	<b>0.50</b>	<b>1.830</b>
PLS16-476	183.00	183.50	0.50	0.916
PLS16-476	183.50	184.00	0.50	0.882
PLS16-476	184.00	184.50	0.50	0.272
PLS16-476	184.50	185.00	0.50	0.549
PLS16-476	185.00	185.50	0.50	0.238
PLS16-476	185.50	186.00	0.50	0.243

PLS16-476	186.00	186.50	0.50	0.011
PLS16-476	186.50	187.00	0.50	0.026
PLS16-476	187.00	187.50	0.50	0.023
PLS16-476	187.50	188.00	0.50	0.264
PLS16-476	188.00	188.50	0.50	0.300
PLS16-476	188.50	189.00	0.50	0.013
PLS16-476	189.00	189.50	0.50	0.010
PLS16-476	189.50	190.00	0.50	0.003
PLS16-476	190.00	190.50	0.50	0.008
PLS16-476	190.50	191.00	0.50	0.016
PLS16-476	191.00	191.50	0.50	0.019
PLS16-476	191.50	192.00	0.50	0.010
PLS16-476	192.00	192.50	0.50	0.024
PLS16-476	192.50	193.00	0.50	0.030
PLS16-476	193.00	193.50	0.50	0.030
<b>PLS16-476</b>	<b>193.50</b>	<b>194.00</b>	<b>0.50</b>	<b>1.840</b>
<b>PLS16-476</b>	<b>194.00</b>	<b>194.50</b>	<b>0.50</b>	<b>2.350</b>
PLS16-476	194.50	195.00	0.50	0.397
PLS16-476	195.00	195.50	0.50	0.223
PLS16-476	195.50	196.00	0.50	0.228
<b>PLS16-476</b>	<b>196.00</b>	<b>196.50</b>	<b>0.50</b>	<b>1.530</b>
PLS16-476	196.50	197.00	0.50	0.736
PLS16-476	197.00	197.50	0.50	0.053
PLS16-476	197.50	198.00	0.50	0.065
<b>PLS16-476</b>	<b>198.00</b>	<b>198.50</b>	<b>0.50</b>	<b>3.260</b>
<b>PLS16-476</b>	<b>198.50</b>	<b>199.00</b>	<b>0.50</b>	<b>1.810</b>
PLS16-476	199.00	199.50	0.50	0.052
PLS16-476	199.50	200.00	0.50	0.039
PLS16-476	200.00	200.50	0.50	0.113
PLS16-476	200.50	201.00	0.50	0.400
PLS16-476	201.00	201.50	0.50	0.134
PLS16-476	201.50	202.00	0.50	0.849
PLS16-476	202.00	202.50	0.50	0.145
PLS16-476	202.50	203.00	0.50	0.356
PLS16-476	203.00	203.50	0.50	0.121
PLS16-476	203.50	204.00	0.50	0.019
PLS16-476	204.00	204.50	0.50	0.005
PLS16-476	204.50	205.00	0.50	0.003
PLS16-476	205.00	205.50	0.50	0.002
PLS16-476	205.50	206.00	0.50	0.002
PLS16-476	206.00	206.50	0.50	0.002
PLS16-476	206.50	207.00	0.50	0.003
PLS16-476	207.00	207.50	0.50	0.002
PLS16-476	207.50	208.00	0.50	0.001
PLS16-476	208.00	208.50	0.50	0.013
PLS16-476	208.50	209.00	0.50	0.048
PLS16-476	209.00	209.50	0.50	0.116

PLS16-476	209.50	210.00	0.50	0.011
PLS16-476	210.00	210.50	0.50	0.002
PLS16-476	210.50	211.00	0.50	0.006
PLS16-476	211.00	211.50	0.50	0.005
PLS16-476	211.50	212.00	0.50	0.001
PLS16-476	212.00	212.50	0.50	0.001
PLS16-476	212.50	213.00	0.50	0.001
PLS16-476	213.00	213.50	0.50	0.002
PLS16-476	213.50	214.00	0.50	0.001
PLS16-476	214.00	214.50	0.50	0.002
PLS16-476	214.50	215.00	0.50	0.002
PLS16-476	215.00	215.50	0.50	0.002
PLS16-476	215.50	216.00	0.50	0.369
PLS16-476	216.00	216.50	0.50	0.055
PLS16-476	216.50	217.00	0.50	0.028
PLS16-476	217.00	217.50	0.50	0.037
PLS16-476	217.50	218.00	0.50	0.012
PLS16-476	218.00	218.50	0.50	0.002
PLS16-476	218.50	219.00	0.50	0.002
PLS16-476	219.00	219.50	0.50	<0.001
PLS16-476	228.50	229.00	0.50	0.002
PLS16-476	229.00	229.50	0.50	<0.001
PLS16-476	229.50	230.00	0.50	<0.001
PLS16-476	230.00	230.50	0.50	0.009
PLS16-476	230.50	231.00	0.50	0.008
PLS16-476	231.00	231.50	0.50	0.002
PLS16-476	231.50	232.00	0.50	0.002
PLS16-476	232.00	232.50	0.50	0.003
PLS16-476	232.50	233.00	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-479	111.50	112.00	0.50	0.006
PLS16-479	112.00	112.50	0.50	0.005
PLS16-479	112.50	113.00	0.50	0.005
PLS16-479	113.00	113.50	0.50	0.008
PLS16-479	113.50	114.00	0.50	0.011
PLS16-479	114.00	114.50	0.50	0.025
PLS16-479	114.50	115.00	0.50	0.026
PLS16-479	115.00	115.50	0.50	0.042
PLS16-479	115.50	116.00	0.50	0.028
PLS16-479	116.00	116.50	0.50	0.023
PLS16-479	116.50	117.00	0.50	0.029
PLS16-479	117.00	117.50	0.50	0.018
PLS16-479	117.50	118.00	0.50	0.006
PLS16-479	138.50	139.00	0.50	0.008
PLS16-479	139.00	139.50	0.50	0.006
PLS16-479	139.50	140.00	0.50	0.004

PLS16-479	140.00	140.50	0.50	0.006
PLS16-479	140.50	141.00	0.50	0.026
PLS16-479	141.00	141.50	0.50	0.049
PLS16-479	141.50	142.00	0.50	0.012
PLS16-479	142.00	142.50	0.50	0.010
PLS16-479	142.50	143.00	0.50	0.007
PLS16-479	143.00	143.50	0.50	0.021
PLS16-479	143.50	144.00	0.50	0.013
PLS16-479	144.00	144.50	0.50	0.013
PLS16-479	144.50	145.00	0.50	0.006
PLS16-479	145.00	145.50	0.50	0.007
PLS16-479	145.50	146.00	0.50	0.006
PLS16-479	146.00	146.50	0.50	0.006
PLS16-479	146.50	147.00	0.50	0.003
PLS16-479	147.00	147.50	0.50	0.009
PLS16-479	147.50	148.00	0.50	0.036
PLS16-479	148.00	148.50	0.50	0.162
PLS16-479	148.50	149.00	0.50	0.040
PLS16-479	149.00	149.50	0.50	0.124
PLS16-479	149.50	150.00	0.50	0.129
PLS16-479	150.00	150.50	0.50	0.245
<b>PLS16-479</b>	<b>150.50</b>	<b>151.00</b>	<b>0.50</b>	<b>2.560</b>
<b>PLS16-479</b>	<b>151.00</b>	<b>151.50</b>	<b>0.50</b>	<b>4.640</b>
<b>PLS16-479</b>	<b>151.50</b>	<b>152.00</b>	<b>0.50</b>	<b>9.650</b>
<b>PLS16-479</b>	<b>152.00</b>	<b>152.50</b>	<b>0.50</b>	<b>5.200</b>
<b>PLS16-479</b>	<b>152.50</b>	<b>153.00</b>	<b>0.50</b>	<b>4.350</b>
<b>PLS16-479</b>	<b>153.00</b>	<b>153.50</b>	<b>0.50</b>	<b>3.380</b>
<b>PLS16-479</b>	<b>153.50</b>	<b>154.00</b>	<b>0.50</b>	<b>1.180</b>
PLS16-479	154.00	154.50	0.50	0.046
PLS16-479	154.50	155.00	0.50	0.016
PLS16-479	155.00	155.50	0.50	0.037
PLS16-479	155.50	156.00	0.50	0.078
PLS16-479	156.00	156.50	0.50	0.086
PLS16-479	156.50	157.00	0.50	0.013
PLS16-479	157.00	157.50	0.50	0.038
PLS16-479	157.50	158.00	0.50	0.046
<b>PLS16-479</b>	<b>158.00</b>	<b>158.50</b>	<b>0.50</b>	<b>1.890</b>
<b>PLS16-479</b>	<b>158.50</b>	<b>159.00</b>	<b>0.50</b>	<b>3.400</b>
<b>PLS16-479</b>	<b>159.00</b>	<b>159.50</b>	<b>0.50</b>	<b>1.300</b>
PLS16-479	159.50	160.00	0.50	0.220
PLS16-479	160.00	160.50	0.50	0.171
PLS16-479	160.50	161.00	0.50	0.014
PLS16-479	161.00	161.50	0.50	0.120
PLS16-479	161.50	162.00	0.50	0.039
PLS16-479	162.00	162.50	0.50	0.003
PLS16-479	162.50	163.00	0.50	0.009
PLS16-479	163.00	163.50	0.50	0.024

PLS16-479	163.50	164.00	0.50	0.442
<b>PLS16-479</b>	<b>164.00</b>	<b>164.50</b>	<b>0.50</b>	<b>3.230</b>
<b>PLS16-479</b>	<b>164.50</b>	<b>165.00</b>	<b>0.50</b>	<b>6.480</b>
PLS16-479	165.00	165.50	0.50	0.494
<b>PLS16-479</b>	<b>165.50</b>	<b>166.00</b>	<b>0.50</b>	<b>4.210</b>
PLS16-479	166.00	166.50	0.50	0.584
PLS16-479	166.50	167.00	0.50	0.491
<b>PLS16-479</b>	<b>167.00</b>	<b>167.50</b>	<b>0.50</b>	<b>1.670</b>
<b>PLS16-479</b>	<b>167.50</b>	<b>168.00</b>	<b>0.50</b>	<b>1.830</b>
<b>PLS16-479</b>	<b>168.00</b>	<b>168.50</b>	<b>0.50</b>	<b>1.090</b>
PLS16-479	168.50	169.00	0.50	0.468
PLS16-479	169.00	169.50	0.50	0.198
PLS16-479	169.50	170.00	0.50	0.193
PLS16-479	170.00	170.50	0.50	0.122
PLS16-479	170.50	171.00	0.50	0.017
PLS16-479	171.00	171.50	0.50	0.012
PLS16-479	171.50	172.00	0.50	0.017
PLS16-479	172.00	172.50	0.50	0.009
PLS16-479	172.50	173.00	0.50	0.019
PLS16-479	173.00	173.50	0.50	0.040
PLS16-479	173.50	174.00	0.50	0.085
PLS16-479	174.00	174.50	0.50	0.006
PLS16-479	174.50	175.00	0.50	0.003
PLS16-479	175.00	175.50	0.50	0.086
PLS16-479	175.50	176.00	0.50	0.066
PLS16-479	176.00	176.50	0.50	0.011
PLS16-479	176.50	177.00	0.50	0.016
PLS16-479	177.00	177.50	0.50	0.010
PLS16-479	177.50	178.00	0.50	0.021
PLS16-479	178.00	178.50	0.50	0.015
PLS16-479	178.50	179.00	0.50	0.010
PLS16-479	179.00	179.50	0.50	0.007
PLS16-479	179.50	180.00	0.50	0.001
PLS16-479	180.00	180.50	0.50	0.002
PLS16-479	180.50	181.00	0.50	<0.001
PLS16-479	181.00	181.50	0.50	0.002
PLS16-479	181.50	182.00	0.50	0.001
PLS16-479	182.00	182.50	0.50	<0.001
PLS16-479	182.50	183.00	0.50	0.005
PLS16-479	183.00	183.50	0.50	0.008
PLS16-479	183.50	184.00	0.50	0.006
PLS16-479	184.00	184.50	0.50	0.011
PLS16-479	184.50	185.00	0.50	0.015
PLS16-479	185.00	185.50	0.50	0.020
PLS16-479	185.50	186.00	0.50	0.018
PLS16-479	186.00	186.50	0.50	0.017
PLS16-479	186.50	187.00	0.50	0.002



PLS16-479	187.00	187.50	0.50	<0.001
PLS16-479	187.50	188.00	0.50	0.004
PLS16-479	188.00	188.50	0.50	<0.001
PLS16-479	278.00	278.50	0.50	0.002
PLS16-479	278.50	279.00	0.50	0.003
PLS16-479	279.00	279.50	0.50	0.001
PLS16-479	279.50	280.00	0.50	0.003
PLS16-479	280.00	280.50	0.50	0.065
PLS16-479	280.50	281.00	0.50	0.007
PLS16-479	281.00	281.50	0.50	0.018
PLS16-479	281.50	282.00	0.50	0.004
PLS16-479	282.00	282.50	0.50	0.002
PLS16-479	282.50	283.00	0.50	0.006
PLS16-479	283.00	283.50	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-483	137.50	138.00	0.50	0.003
PLS16-483	138.00	138.50	0.50	0.002
PLS16-483	138.50	139.00	0.50	0.008
PLS16-483	139.00	139.50	0.50	0.012
PLS16-483	139.50	140.00	0.50	0.041
PLS16-483	140.00	140.50	0.50	0.018
PLS16-483	140.50	141.00	0.50	0.017
PLS16-483	141.00	141.50	0.50	0.013
PLS16-483	141.50	142.00	0.50	0.010
PLS16-483	142.00	142.50	0.50	0.007
PLS16-483	142.50	143.00	0.50	0.014
PLS16-483	148.50	149.00	0.50	0.010
PLS16-483	149.00	149.50	0.50	0.008
PLS16-483	149.50	150.00	0.50	0.006
PLS16-483	150.00	150.50	0.50	0.020
PLS16-483	150.50	151.00	0.50	0.011
PLS16-483	151.00	151.50	0.50	0.012
PLS16-483	151.50	152.00	0.50	0.013
PLS16-483	152.00	152.50	0.50	0.014
PLS16-483	152.50	153.00	0.50	0.023
PLS16-483	153.00	153.50	0.50	0.059
PLS16-483	153.50	154.00	0.50	0.019
PLS16-483	154.00	154.50	0.50	0.027
PLS16-483	154.50	155.00	0.50	0.020
PLS16-483	155.00	155.50	0.50	0.083
PLS16-483	155.50	156.00	0.50	0.025
PLS16-483	156.00	156.50	0.50	0.007
PLS16-483	156.50	157.00	0.50	0.008
PLS16-483	157.00	157.50	0.50	0.006
PLS16-483	165.00	165.50	0.50	0.004
PLS16-483	165.50	166.00	0.50	0.003

PLS16-483	166.00	166.50	0.50	0.006
PLS16-483	166.50	167.00	0.50	0.007
PLS16-483	167.00	167.50	0.50	0.052
PLS16-483	167.50	168.00	0.50	0.024
PLS16-483	168.00	168.50	0.50	0.001
PLS16-483	168.50	169.00	0.50	0.003
PLS16-483	169.00	169.50	0.50	0.002
PLS16-483	169.50	170.00	0.50	0.008
PLS16-483	170.00	170.50	0.50	0.048
PLS16-483	170.50	171.00	0.50	0.008
PLS16-483	171.00	171.50	0.50	0.029
PLS16-483	171.50	172.00	0.50	0.015
PLS16-483	172.00	172.50	0.50	0.014
PLS16-483	172.50	173.00	0.50	0.014
PLS16-483	173.00	173.50	0.50	0.026
PLS16-483	173.50	174.00	0.50	0.018
PLS16-483	174.00	174.50	0.50	0.013
PLS16-483	174.50	175.00	0.50	0.004
PLS16-483	175.00	175.50	0.50	0.002
PLS16-483	175.50	176.00	0.50	0.003
PLS16-483	205.50	206.00	0.50	0.010
PLS16-483	206.00	206.50	0.50	0.003
PLS16-483	206.50	207.00	0.50	0.012
PLS16-483	207.00	207.50	0.50	0.018
PLS16-483	207.50	208.00	0.50	0.009
PLS16-483	208.00	208.50	0.50	0.044
PLS16-483	208.50	209.00	0.50	0.044
PLS16-483	209.00	209.50	0.50	0.098
PLS16-483	209.50	210.00	0.50	0.184
PLS16-483	210.00	210.50	0.50	0.073
PLS16-483	210.50	211.00	0.50	0.465
PLS16-483	211.00	211.50	0.50	0.105
PLS16-483	211.50	212.00	0.50	0.931
PLS16-483	212.00	212.50	0.50	0.153
PLS16-483	212.50	213.00	0.50	0.077
PLS16-483	213.00	213.50	0.50	0.519
PLS16-483	213.50	214.00	0.50	0.178
PLS16-483	214.00	214.50	0.50	0.120
PLS16-483	214.50	215.00	0.50	0.075
PLS16-483	215.00	215.50	0.50	0.024
PLS16-483	215.50	216.00	0.50	0.095
PLS16-483	216.00	216.50	0.50	0.038
PLS16-483	216.50	217.00	0.50	0.024
PLS16-483	217.00	217.50	0.50	0.003
PLS16-483	217.50	218.00	0.50	<0.001
PLS16-483	218.00	218.50	0.50	0.001

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-484	183.50	184.00	0.50	0.001
PLS16-484	184.00	184.50	0.50	0.001
PLS16-484	184.50	185.00	0.50	0.005
PLS16-484	185.00	185.50	0.50	0.015
PLS16-484	185.50	186.00	0.50	0.090
PLS16-484	186.00	186.50	0.50	0.050
PLS16-484	186.50	187.00	0.50	0.200
PLS16-484	187.00	187.50	0.50	0.496
PLS16-484	187.50	188.00	0.50	0.082
PLS16-484	188.00	188.50	0.50	0.042
PLS16-484	188.50	189.00	0.50	0.027
PLS16-484	189.00	189.50	0.50	0.022
PLS16-484	189.50	190.00	0.50	0.021
PLS16-484	190.00	190.50	0.50	0.005
PLS16-484	190.50	191.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-488	145.50	146.00	0.50	0.005
PLS16-488	146.00	146.50	0.50	0.006
PLS16-488	146.50	147.00	0.50	0.013
PLS16-488	147.00	147.50	0.50	0.009
PLS16-488	147.50	148.00	0.50	0.030
PLS16-488	148.00	148.50	0.50	0.008
PLS16-488	148.50	149.00	0.50	0.018
PLS16-488	149.00	149.50	0.50	0.012
PLS16-488	149.50	150.00	0.50	0.008
PLS16-488	150.00	150.50	0.50	0.011
PLS16-488	150.50	151.00	0.50	0.004
PLS16-488	151.00	151.50	0.50	0.007
PLS16-488	151.50	152.00	0.50	0.006
PLS16-488	152.00	152.50	0.50	0.005
PLS16-488	152.50	153.00	0.50	0.002
PLS16-488	153.00	153.50	0.50	0.006
PLS16-488	153.50	154.00	0.50	0.050
PLS16-488	154.00	154.50	0.50	0.007
PLS16-488	154.50	155.00	0.50	0.006
PLS16-488	155.00	155.50	0.50	0.006
PLS16-488	155.50	156.00	0.50	0.008
PLS16-488	156.00	156.50	0.50	0.010
PLS16-488	156.50	157.00	0.50	0.011
PLS16-488	157.00	157.50	0.50	0.013
PLS16-488	157.50	158.00	0.50	0.014
PLS16-488	158.00	158.50	0.50	0.020
PLS16-488	158.50	159.00	0.50	0.092
PLS16-488	159.00	159.50	0.50	0.052
PLS16-488	159.50	160.00	0.50	0.099

PLS16-488	160.00	160.50	0.50	0.086
PLS16-488	160.50	161.00	0.50	0.007
PLS16-488	161.00	161.50	0.50	0.008
PLS16-488	161.50	162.00	0.50	0.014
PLS16-488	162.00	162.50	0.50	0.020
PLS16-488	162.50	163.00	0.50	0.029
PLS16-488	163.00	163.50	0.50	0.024
PLS16-488	163.50	164.00	0.50	0.032
PLS16-488	164.00	164.50	0.50	0.032
PLS16-488	164.50	165.00	0.50	0.017
PLS16-488	165.00	165.50	0.50	0.019
PLS16-488	165.50	166.00	0.50	0.006
PLS16-488	166.00	166.50	0.50	0.009
PLS16-488	166.50	167.00	0.50	0.008
PLS16-488	167.00	167.50	0.50	0.008
PLS16-488	167.50	168.00	0.50	0.006
PLS16-488	168.00	168.50	0.50	0.006
PLS16-488	168.50	169.00	0.50	0.003
PLS16-488	169.00	169.50	0.50	0.005
PLS16-488	169.50	170.00	0.50	0.003
PLS16-488	170.00	170.50	0.50	0.003
PLS16-488	170.50	171.00	0.50	0.003
PLS16-488	171.00	171.50	0.50	0.024
PLS16-488	171.50	172.00	0.50	0.011
PLS16-488	172.00	172.50	0.50	0.028
PLS16-488	172.50	173.00	0.50	0.040
PLS16-488	173.00	173.50	0.50	0.005
PLS16-488	173.50	174.00	0.50	0.036
PLS16-488	174.00	174.50	0.50	0.009
PLS16-488	174.50	175.00	0.50	0.005
PLS16-488	175.00	175.50	0.50	0.003
PLS16-488	175.50	176.00	0.50	0.006
PLS16-488	176.00	176.50	0.50	0.009
PLS16-488	176.50	177.00	0.50	0.332
PLS16-488	177.00	177.50	0.50	0.060
PLS16-488	177.50	178.00	0.50	0.023
PLS16-488	178.00	178.50	0.50	0.058
PLS16-488	178.50	179.00	0.50	0.013
PLS16-488	179.00	179.50	0.50	0.004
PLS16-488	179.50	180.00	0.50	0.001
PLS16-488	180.00	180.50	0.50	<0.001
PLS16-488	180.50	181.00	0.50	0.001
PLS16-488	181.00	181.50	0.50	0.001
PLS16-488	181.50	182.00	0.50	0.002
PLS16-488	182.00	182.50	0.50	0.002
PLS16-488	182.50	183.00	0.50	0.002
PLS16-488	183.00	183.50	0.50	0.002

PLS16-488	183.50	184.00	0.50	0.002
PLS16-488	184.00	184.50	0.50	0.010
PLS16-488	184.50	185.00	0.50	0.048
PLS16-488	185.00	185.50	0.50	0.178
PLS16-488	185.50	186.00	0.50	0.234
PLS16-488	186.00	186.50	0.50	0.251
PLS16-488	186.50	187.00	0.50	0.073
PLS16-488	187.00	187.50	0.50	0.107
PLS16-488	187.50	188.00	0.50	0.032
PLS16-488	188.00	188.50	0.50	0.114
PLS16-488	188.50	189.00	0.50	0.003
PLS16-488	189.00	189.50	0.50	0.002
PLS16-488	189.50	190.00	0.50	0.001
PLS16-488	190.00	190.50	0.50	0.002
PLS16-488	190.50	191.00	0.50	0.115
PLS16-488	191.00	191.50	0.50	0.032
PLS16-488	191.50	192.00	0.50	0.006
PLS16-488	192.00	192.50	0.50	0.002
PLS16-488	192.50	193.00	0.50	0.001
PLS16-488	193.00	193.50	0.50	0.008
PLS16-488	193.50	194.00	0.50	0.006
PLS16-488	194.00	194.50	0.50	0.041
PLS16-488	194.50	195.00	0.50	0.169
PLS16-488	195.00	195.50	0.50	0.046
PLS16-488	195.50	196.00	0.50	0.012
PLS16-488	196.00	196.50	0.50	0.025
PLS16-488	196.50	197.00	0.50	0.081
PLS16-488	197.00	197.50	0.50	0.086
PLS16-488	197.50	198.00	0.50	0.904
PLS16-488	198.00	198.50	0.50	0.050
PLS16-488	198.50	199.00	0.50	0.002
PLS16-488	199.00	199.50	0.50	<0.001
PLS16-488	199.50	200.00	0.50	<0.001
PLS16-488	200.00	200.50	0.50	0.004
PLS16-488	205.50	206.00	0.50	0.006
PLS16-488	206.00	206.50	0.50	0.004
PLS16-488	206.50	207.00	0.50	0.006
PLS16-488	207.00	207.50	0.50	0.011
PLS16-488	207.50	208.00	0.50	0.040
PLS16-488	208.00	208.50	0.50	0.011
PLS16-488	208.50	209.00	0.50	0.004
PLS16-488	209.00	209.50	0.50	0.001
PLS16-488	209.50	210.00	0.50	0.002
PLS16-488	285.00	285.50	0.50	0.001
PLS16-488	285.50	286.00	0.50	0.001
PLS16-488	286.00	286.50	0.50	0.005
PLS16-488	286.50	287.00	0.50	0.006

PLS16-488	287.00	287.50	0.50	0.055
PLS16-488	287.50	288.00	0.50	0.297
PLS16-488	288.00	288.50	0.50	0.076
PLS16-488	288.50	289.00	0.50	0.071
PLS16-488	289.00	289.50	0.50	0.009
PLS16-488	289.50	290.00	0.50	0.004
PLS16-488	290.00	290.50	0.50	<0.001
PLS16-488	290.50	291.00	0.50	0.006
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-491	248.00	248.50	0.50	0.006
PLS16-491	248.50	249.00	0.50	0.014
PLS16-491	249.00	249.50	0.50	0.012
PLS16-491	249.50	250.00	0.50	0.048
PLS16-491	250.00	250.50	0.50	0.006
PLS16-491	250.50	251.00	0.50	0.004
PLS16-491	251.00	251.50	0.50	0.001
PLS16-491	251.50	252.00	0.50	<0.001
PLS16-491	252.00	252.50	0.50	<0.001
PLS16-491	279.00	279.50	0.50	<0.001
PLS16-491	279.50	280.00	0.50	<0.001
PLS16-491	280.00	280.50	0.50	<0.001
PLS16-491	280.50	281.00	0.50	<0.001
PLS16-491	281.00	281.50	0.50	<0.001
PLS16-491	281.50	282.00	0.50	<0.001
PLS16-491	282.00	282.50	0.50	<0.001
PLS16-491	282.50	283.00	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-493	98.50	99.00	0.50	0.007
PLS16-493	99.00	100.00	1.00	0.094
PLS16-493	100.00	101.00	1.00	0.083
PLS16-493	101.00	101.50	0.50	0.050
PLS16-493	101.50	102.00	0.50	0.045
PLS16-493	102.00	102.50	0.50	0.033
PLS16-493	102.50	103.00	0.50	0.042
PLS16-493	103.00	103.50	0.50	0.076
PLS16-493	103.50	104.00	0.50	0.021
PLS16-493	104.00	104.50	0.50	0.007
PLS16-493	104.50	105.00	0.50	0.006
PLS16-493	105.00	105.50	0.50	0.003
PLS16-493	105.50	106.00	0.50	0.003
PLS16-493	161.00	161.50	0.50	0.003
PLS16-493	161.50	162.00	0.50	0.002
PLS16-493	162.00	162.50	0.50	0.002
PLS16-493	162.50	163.00	0.50	0.002
PLS16-493	163.00	163.50	0.50	0.004
PLS16-493	163.50	164.00	0.50	0.048

PLS16-493	164.00	164.50	0.50	0.112
PLS16-493	164.50	165.00	0.50	0.010
PLS16-493	165.00	165.50	0.50	0.008
PLS16-493	165.50	166.00	0.50	0.030
PLS16-493	166.00	166.50	0.50	0.018
PLS16-493	166.50	167.00	0.50	0.012
PLS16-493	167.00	167.50	0.50	0.008
PLS16-493	167.50	168.00	0.50	0.027
PLS16-493	168.00	168.50	0.50	0.011
PLS16-493	168.50	169.00	0.50	0.009
PLS16-493	169.00	169.50	0.50	0.022
PLS16-493	169.50	170.00	0.50	0.084
<b>PLS16-493</b>	<b>170.00</b>	<b>170.50</b>	<b>0.50</b>	<b>1.060</b>
<b>PLS16-493</b>	<b>170.50</b>	<b>171.00</b>	<b>0.50</b>	<b>1.150</b>
PLS16-493	171.00	171.50	0.50	0.125
<b>PLS16-493</b>	<b>171.50</b>	<b>172.00</b>	<b>0.50</b>	<b>4.990</b>
<b>PLS16-493</b>	<b>172.00</b>	<b>172.50</b>	<b>0.50</b>	<b>2.140</b>
<b>PLS16-493</b>	<b>172.50</b>	<b>173.00</b>	<b>0.50</b>	<b>4.200</b>
<b>PLS16-493</b>	<b>173.00</b>	<b>173.50</b>	<b>0.50</b>	<b>1.240</b>
PLS16-493	173.50	174.00	0.50	0.347
PLS16-493	174.00	174.50	0.50	0.071
PLS16-493	174.50	175.00	0.50	0.030
PLS16-493	175.00	175.50	0.50	0.145
PLS16-493	175.50	176.00	0.50	0.130
PLS16-493	176.00	176.50	0.50	0.401
<b>PLS16-493</b>	<b>176.50</b>	<b>177.00</b>	<b>0.50</b>	<b>1.120</b>
<b>PLS16-493</b>	<b>177.00</b>	<b>177.50</b>	<b>0.50</b>	<b>8.550</b>
<b>PLS16-493</b>	<b>177.50</b>	<b>178.00</b>	<b>0.50</b>	<b>10.000</b>
PLS16-493	178.00	178.50	0.50	0.528
<b>PLS16-493</b>	<b>178.50</b>	<b>179.00</b>	<b>0.50</b>	<b>4.010</b>
<b>PLS16-493</b>	<b>179.00</b>	<b>179.50</b>	<b>0.50</b>	<b>1.250</b>
<b>PLS16-493</b>	<b>179.50</b>	<b>180.00</b>	<b>0.50</b>	<b>1.080</b>
<b>PLS16-493</b>	<b>180.00</b>	<b>180.50</b>	<b>0.50</b>	<b>2.410</b>
<b>PLS16-493</b>	<b>180.50</b>	<b>181.00</b>	<b>0.50</b>	<b>1.550</b>
PLS16-493	181.00	181.50	0.50	0.596
PLS16-493	181.50	182.00	0.50	0.914
<b>PLS16-493</b>	<b>182.00</b>	<b>182.50</b>	<b>0.50</b>	<b>1.310</b>
<b>PLS16-493</b>	<b>182.50</b>	<b>183.00</b>	<b>0.50</b>	<b>2.010</b>
PLS16-493	183.00	183.50	0.50	0.937
PLS16-493	183.50	184.00	0.50	0.939
<b>PLS16-493</b>	<b>184.00</b>	<b>184.50</b>	<b>0.50</b>	<b>1.160</b>
<b>PLS16-493</b>	<b>184.50</b>	<b>185.00</b>	<b>0.50</b>	<b>1.040</b>
PLS16-493	185.00	185.50	0.50	0.360
PLS16-493	185.50	186.00	0.50	0.458
<b>PLS16-493</b>	<b>186.00</b>	<b>186.50</b>	<b>0.50</b>	<b>5.040</b>
<b>PLS16-493</b>	<b>186.50</b>	<b>187.00</b>	<b>0.50</b>	<b>5.980</b>
<b>PLS16-493</b>	<b>187.00</b>	<b>187.50</b>	<b>0.50</b>	<b>5.150</b>

PLS16-493	187.50	188.00	0.50	0.017
PLS16-493	188.00	188.50	0.50	0.003
PLS16-493	188.50	189.00	0.50	0.007
PLS16-493	189.00	189.50	0.50	0.006
PLS16-493	189.50	190.00	0.50	0.001
PLS16-493	190.00	190.50	0.50	<0.001
PLS16-493	190.50	191.00	0.50	0.001
PLS16-493	191.00	191.50	0.50	0.002
PLS16-493	191.50	192.00	0.50	0.002
PLS16-493	192.00	192.50	0.50	0.001
PLS16-493	192.50	193.00	0.50	0.007
PLS16-493	193.00	193.50	0.50	0.022
PLS16-493	193.50	194.00	0.50	0.008
PLS16-493	194.00	194.50	0.50	0.002
PLS16-493	194.50	195.00	0.50	0.002
PLS16-493	195.00	195.50	0.50	0.004
PLS16-493	195.50	196.00	0.50	0.002
PLS16-493	196.00	196.50	0.50	0.002
PLS16-493	196.50	197.00	0.50	0.001
PLS16-493	197.00	197.50	0.50	0.002
PLS16-493	197.50	198.00	0.50	0.001
PLS16-493	198.00	198.50	0.50	0.002
PLS16-493	198.50	199.00	0.50	0.051
PLS16-493	199.00	199.50	0.50	0.292
PLS16-493	199.50	200.00	0.50	0.173
PLS16-493	200.00	200.50	0.50	0.412
PLS16-493	200.50	201.00	0.50	0.054
PLS16-493	201.00	201.50	0.50	0.269
<b>PLS16-493</b>	<b>201.50</b>	<b>202.00</b>	<b>0.50</b>	<b>2.530</b>
<b>PLS16-493</b>	<b>202.00</b>	<b>202.50</b>	<b>0.50</b>	<b>5.220</b>
PLS16-493	202.50	203.00	0.50	0.029
PLS16-493	203.00	203.50	0.50	0.048
PLS16-493	203.50	204.00	0.50	0.004
PLS16-493	204.00	204.50	0.50	0.002
PLS16-493	204.50	205.00	0.50	0.002
PLS16-493	205.00	205.50	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-495	135.00	135.50	0.50	0.005
PLS16-495	135.50	136.00	0.50	0.010
PLS16-495	136.00	136.50	0.50	0.024
PLS16-495	136.50	137.00	0.50	0.030
PLS16-495	137.00	137.50	0.50	0.042
PLS16-495	137.50	138.00	0.50	0.044
PLS16-495	138.00	138.50	0.50	0.203
<b>PLS16-495</b>	<b>138.50</b>	<b>139.00</b>	<b>0.50</b>	<b>1.290</b>
PLS16-495	139.00	139.50	0.50	0.543



<b>PLS16-495</b>	<b>139.50</b>	<b>140.00</b>	<b>0.50</b>	<b>6.230</b>
<b>PLS16-495</b>	<b>140.00</b>	<b>140.50</b>	<b>0.50</b>	<b>11.600</b>
<b>PLS16-495</b>	<b>140.50</b>	<b>141.00</b>	<b>0.50</b>	<b>3.120</b>
PLS16-495	141.00	141.50	0.50	0.498
PLS16-495	141.50	142.00	0.50	0.566
PLS16-495	142.00	142.50	0.50	0.567
<b>PLS16-495</b>	<b>142.50</b>	<b>143.00</b>	<b>0.50</b>	<b>4.920</b>
<b>PLS16-495</b>	<b>143.00</b>	<b>143.50</b>	<b>0.50</b>	<b>6.930</b>
<b>PLS16-495</b>	<b>143.50</b>	<b>144.00</b>	<b>0.50</b>	<b>3.310</b>
<b>PLS16-495</b>	<b>144.00</b>	<b>144.50</b>	<b>0.50</b>	<b>1.870</b>
<b>PLS16-495</b>	<b>144.50</b>	<b>145.00</b>	<b>0.50</b>	<b>4.680</b>
<b>PLS16-495</b>	<b>145.00</b>	<b>145.50</b>	<b>0.50</b>	<b>7.420</b>
<b>PLS16-495</b>	<b>145.50</b>	<b>146.00</b>	<b>0.50</b>	<b>10.900</b>
<b>PLS16-495</b>	<b>146.00</b>	<b>146.50</b>	<b>0.50</b>	<b>7.320</b>
<b>PLS16-495</b>	<b>146.50</b>	<b>147.00</b>	<b>0.50</b>	<b>2.640</b>
PLS16-495	147.00	147.50	0.50	0.071
PLS16-495	147.50	148.00	0.50	0.077
PLS16-495	148.00	148.50	0.50	0.030
PLS16-495	148.50	149.00	0.50	0.016
PLS16-495	149.00	149.50	0.50	0.044
PLS16-495	149.50	150.00	0.50	0.006
PLS16-495	150.00	150.50	0.50	0.003
PLS16-495	150.50	151.00	0.50	0.013
PLS16-495	151.00	151.50	0.50	0.008
PLS16-495	151.50	152.00	0.50	0.011
PLS16-495	152.00	152.50	0.50	0.027
PLS16-495	152.50	153.00	0.50	0.032
PLS16-495	153.00	153.50	0.50	0.054
PLS16-495	153.50	154.00	0.50	0.027
PLS16-495	154.00	154.50	0.50	0.080
PLS16-495	154.50	155.00	0.50	0.366
PLS16-495	155.00	155.50	0.50	0.710
PLS16-495	155.50	156.00	0.50	0.991
PLS16-495	156.00	156.50	0.50	0.671
PLS16-495	156.50	157.00	0.50	0.562
PLS16-495	157.00	157.50	0.50	0.740
PLS16-495	157.50	158.00	0.50	0.465
<b>PLS16-495</b>	<b>158.00</b>	<b>158.50</b>	<b>0.50</b>	<b>1.030</b>
<b>PLS16-495</b>	<b>158.50</b>	<b>159.00</b>	<b>0.50</b>	<b>1.150</b>
<b>PLS16-495</b>	<b>159.00</b>	<b>159.50</b>	<b>0.50</b>	<b>1.410</b>
PLS16-495	159.50	160.00	0.50	0.287
PLS16-495	160.00	160.50	0.50	0.126
PLS16-495	160.50	161.00	0.50	0.068
PLS16-495	161.00	161.50	0.50	0.299
PLS16-495	161.50	162.00	0.50	0.548
PLS16-495	162.00	162.50	0.50	0.458
PLS16-495	162.50	163.00	0.50	0.226

PLS16-495	163.00	163.50	0.50	0.405
PLS16-495	163.50	164.00	0.50	0.146
PLS16-495	164.00	164.50	0.50	0.461
PLS16-495	164.50	165.00	0.50	0.143
PLS16-495	165.00	165.50	0.50	0.066
PLS16-495	165.50	166.00	0.50	0.051
PLS16-495	166.00	166.50	0.50	0.465
PLS16-495	166.50	167.00	0.50	0.621
<b>PLS16-495</b>	<b>167.00</b>	<b>167.50</b>	<b>0.50</b>	<b>1.020</b>
PLS16-495	167.50	168.00	0.50	0.395
PLS16-495	168.00	168.50	0.50	0.087
PLS16-495	168.50	169.00	0.50	0.047
PLS16-495	169.00	169.50	0.50	0.052
PLS16-495	169.50	170.00	0.50	0.006
PLS16-495	170.00	170.50	0.50	0.024
PLS16-495	170.50	171.00	0.50	0.092
PLS16-495	171.00	171.50	0.50	0.014
PLS16-495	171.50	172.00	0.50	0.128
PLS16-495	172.00	172.50	0.50	0.020
<b>PLS16-495</b>	<b>172.50</b>	<b>173.00</b>	<b>0.50</b>	<b>2.090</b>
PLS16-495	173.00	173.50	0.50	0.120
PLS16-495	173.50	174.00	0.50	0.014
PLS16-495	174.00	174.50	0.50	0.087
PLS16-495	174.50	175.00	0.50	0.183
PLS16-495	175.00	175.50	0.50	0.058
PLS16-495	175.50	176.00	0.50	0.076
PLS16-495	176.00	176.50	0.50	0.036
PLS16-495	176.50	177.00	0.50	0.027
PLS16-495	177.00	177.50	0.50	0.046
PLS16-495	177.50	178.00	0.50	0.657
<b>PLS16-495</b>	<b>178.00</b>	<b>178.50</b>	<b>0.50</b>	<b>4.970</b>
PLS16-495	178.50	179.00	0.50	0.476
PLS16-495	179.00	179.50	0.50	0.214
PLS16-495	179.50	180.00	0.50	0.846
PLS16-495	180.00	180.50	0.50	0.193
PLS16-495	180.50	181.00	0.50	0.167
PLS16-495	181.00	181.50	0.50	0.450
PLS16-495	181.50	182.00	0.50	0.161
PLS16-495	182.00	182.50	0.50	0.813
PLS16-495	182.50	183.00	0.50	0.662
PLS16-495	183.00	183.50	0.50	0.592
PLS16-495	183.50	184.00	0.50	0.053
PLS16-495	184.00	184.50	0.50	0.005
PLS16-495	184.50	185.00	0.50	0.005
PLS16-495	185.00	185.50	0.50	0.020
PLS16-495	185.50	186.00	0.50	0.011
PLS16-495	186.00	186.50	0.50	0.007

PLS16-495	186.50	187.00	0.50	0.018
PLS16-495	187.00	187.50	0.50	0.003
PLS16-495	187.50	188.00	0.50	0.018
PLS16-495	188.00	188.50	0.50	0.002
PLS16-495	188.50	189.00	0.50	0.012
PLS16-495	189.00	189.50	0.50	0.010
PLS16-495	189.50	190.00	0.50	0.013
PLS16-495	190.00	190.50	0.50	0.005
PLS16-495	190.50	191.00	0.50	0.009
PLS16-495	191.00	191.50	0.50	0.005
PLS16-495	191.50	192.00	0.50	0.014
PLS16-495	192.00	192.50	0.50	0.042
PLS16-495	192.50	193.00	0.50	0.017
PLS16-495	193.00	193.50	0.50	0.008
PLS16-495	193.50	194.00	0.50	0.006
PLS16-495	194.00	194.50	0.50	0.004
PLS16-495	194.50	195.00	0.50	0.010
PLS16-495	195.00	195.50	0.50	0.005
PLS16-495	195.50	196.00	0.50	0.004
PLS16-495	196.00	196.50	0.50	0.007
PLS16-495	196.50	197.00	0.50	0.051
PLS16-495	197.00	197.50	0.50	0.009
PLS16-495	197.50	198.00	0.50	0.012
PLS16-495	198.00	198.50	0.50	0.015
PLS16-495	198.50	199.00	0.50	0.008
PLS16-495	199.00	199.50	0.50	0.048
PLS16-495	199.50	200.00	0.50	0.017
PLS16-495	200.00	200.50	0.50	0.012
PLS16-495	200.50	201.00	0.50	0.048
PLS16-495	201.00	201.50	0.50	0.035
PLS16-495	201.50	202.00	0.50	0.024
PLS16-495	202.00	202.50	0.50	0.043
PLS16-495	202.50	203.00	0.50	0.094
PLS16-495	203.00	203.50	0.50	0.067
PLS16-495	203.50	204.00	0.50	0.053
PLS16-495	204.00	204.50	0.50	0.031
PLS16-495	204.50	205.00	0.50	0.251
PLS16-495	205.00	205.50	0.50	0.145
PLS16-495	205.50	206.00	0.50	0.495
PLS16-495	206.00	206.50	0.50	0.223
PLS16-495	206.50	207.00	0.50	0.110
PLS16-495	207.00	207.50	0.50	0.027
PLS16-495	207.50	208.00	0.50	0.267
PLS16-495	208.00	208.50	0.50	0.634
PLS16-495	208.50	209.00	0.50	0.273
PLS16-495	209.00	209.50	0.50	0.274
PLS16-495	209.50	210.00	0.50	0.365

PLS16-495	210.00	210.50	0.50	0.732
PLS16-495	210.50	211.00	0.50	0.796
PLS16-495	211.00	211.50	0.50	0.272
PLS16-495	211.50	212.00	0.50	0.128
PLS16-495	212.00	212.50	0.50	0.008
PLS16-495	212.50	213.00	0.50	0.029
PLS16-495	213.00	213.50	0.50	0.031
PLS16-495	213.50	214.00	0.50	0.115
PLS16-495	214.00	214.50	0.50	0.270
PLS16-495	214.50	215.00	0.50	0.362
PLS16-495	215.00	215.50	0.50	0.011
PLS16-495	215.50	216.00	0.50	0.050
PLS16-495	216.00	216.50	0.50	0.164
PLS16-495	216.50	217.00	0.50	0.065
PLS16-495	217.00	217.50	0.50	0.006
PLS16-495	217.50	218.00	0.50	0.004
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-499	No Significant Mineralization			
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-501	140.50	141.00	0.50	0.024
PLS16-501	141.00	141.50	0.50	0.030
PLS16-501	141.50	142.00	0.50	0.020
PLS16-501	142.00	142.50	0.50	0.013
PLS16-501	142.50	143.00	0.50	0.051
PLS16-501	143.00	143.50	0.50	0.029
PLS16-501	143.50	144.00	0.50	0.005
PLS16-501	144.00	144.50	0.50	0.009
PLS16-501	144.50	145.00	0.50	0.010
PLS16-501	145.00	145.50	0.50	0.016
PLS16-501	145.50	146.00	0.50	0.016
PLS16-501	146.00	146.50	0.50	0.041
PLS16-501	146.50	147.00	0.50	0.044
PLS16-501	147.00	147.50	0.50	0.030
PLS16-501	147.50	148.00	0.50	0.024
PLS16-501	148.00	148.50	0.50	0.035
<b>PLS16-501</b>	<b>148.50</b>	<b>149.00</b>	<b>0.50</b>	<b>2.520</b>
<b>PLS16-501</b>	<b>149.00</b>	<b>149.50</b>	<b>0.50</b>	<b>5.890</b>
<b>PLS16-501</b>	<b>149.50</b>	<b>150.00</b>	<b>0.50</b>	<b>2.080</b>
<b>PLS16-501</b>	<b>150.00</b>	<b>150.50</b>	<b>0.50</b>	<b>9.160</b>
PLS16-501	150.50	151.00	0.50	0.106
PLS16-501	151.00	151.50	0.50	0.018
PLS16-501	151.50	152.00	0.50	0.002
PLS16-501	152.00	152.50	0.50	0.002
PLS16-501	152.50	153.00	0.50	0.004
PLS16-501	153.00	153.50	0.50	0.003
PLS16-501	153.50	154.00	0.50	0.002

PLS16-501	154.00	154.50	0.50	0.005
PLS16-501	154.50	155.00	0.50	0.004
PLS16-501	155.00	155.50	0.50	0.007
PLS16-501	155.50	156.00	0.50	0.009
PLS16-501	156.00	156.50	0.50	0.013
PLS16-501	156.50	157.00	0.50	0.012
PLS16-501	157.00	157.50	0.50	0.022
PLS16-501	157.50	158.00	0.50	0.043
PLS16-501	158.00	158.50	0.50	0.009
PLS16-501	158.50	159.00	0.50	0.007
PLS16-501	159.00	159.50	0.50	0.012
PLS16-501	159.50	160.00	0.50	0.150
PLS16-501	160.00	160.50	0.50	0.172
PLS16-501	160.50	161.00	0.50	0.008
PLS16-501	161.00	161.50	0.50	<0.001
PLS16-501	161.50	162.00	0.50	<0.001
PLS16-501	162.00	162.50	0.50	0.002
PLS16-501	185.50	186.00	0.50	<0.001
PLS16-501	186.00	186.50	0.50	<0.001
PLS16-501	186.50	187.00	0.50	0.002
PLS16-501	187.00	187.50	0.50	0.034
PLS16-501	187.50	188.00	0.50	0.129
PLS16-501	188.00	188.50	0.50	0.028
PLS16-501	188.50	189.00	0.50	0.005
PLS16-501	189.00	189.50	0.50	0.010
PLS16-501	189.50	190.00	0.50	0.010
PLS16-501	190.00	190.50	0.50	<0.001
PLS16-501	200.50	201.00	0.50	<0.001
PLS16-501	201.00	201.50	0.50	0.011
PLS16-501	201.50	202.00	0.50	0.002
PLS16-501	202.00	202.50	0.50	0.008
PLS16-501	202.50	203.00	0.50	0.048
PLS16-501	203.00	203.50	0.50	0.014
PLS16-501	203.50	204.00	0.50	0.020
PLS16-501	204.00	204.50	0.50	0.060
PLS16-501	204.50	205.00	0.50	0.002
PLS16-501	205.00	205.50	0.50	0.002
PLS16-501	205.50	206.00	0.50	0.006
PLS16-501	206.00	206.50	0.50	0.008
PLS16-501	206.50	207.00	0.50	0.012
PLS16-501	207.00	207.50	0.50	0.010
PLS16-501	207.50	208.00	0.50	0.008
PLS16-501	208.00	208.50	0.50	0.038
PLS16-501	208.50	209.00	0.50	0.361
PLS16-501	209.00	209.50	0.50	0.709
PLS16-501	209.50	210.00	0.50	0.614
PLS16-501	210.00	210.50	0.50	0.153

PLS16-501	210.50	211.00	0.50	0.002
PLS16-501	211.00	211.50	0.50	<0.001
PLS16-501	211.50	212.00	0.50	<0.001
PLS16-501	212.00	212.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-502	170.00	170.50	0.50	0.002
PLS16-502	170.50	171.00	0.50	0.012
PLS16-502	171.00	171.50	0.50	0.013
PLS16-502	171.50	172.00	0.50	0.011
PLS16-502	172.00	172.50	0.50	0.026
PLS16-502	172.50	173.00	0.50	0.063
PLS16-502	173.00	173.50	0.50	0.011
PLS16-502	173.50	174.00	0.50	0.012
PLS16-502	174.00	174.50	0.50	0.009
PLS16-502	174.50	175.00	0.50	0.003
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-504	144.00	144.50	0.50	0.009
PLS16-504	144.50	145.00	0.50	0.008
PLS16-504	145.00	145.50	0.50	0.008
PLS16-504	145.50	146.00	0.50	0.015
PLS16-504	146.00	146.50	0.50	0.286
PLS16-504	146.50	147.00	0.50	0.125
PLS16-504	147.00	147.50	0.50	0.034
PLS16-504	147.50	148.00	0.50	0.122
PLS16-504	148.00	148.50	0.50	0.232
PLS16-504	148.50	149.00	0.50	0.098
PLS16-504	149.00	149.50	0.50	0.006
PLS16-504	149.50	150.00	0.50	0.012
PLS16-504	150.00	150.50	0.50	0.025
PLS16-504	150.50	151.00	0.50	0.032
PLS16-504	151.00	151.50	0.50	0.047
PLS16-504	151.50	152.00	0.50	0.086
PLS16-504	152.00	152.50	0.50	0.220
PLS16-504	152.50	153.00	0.50	0.047
PLS16-504	153.00	153.50	0.50	0.020
PLS16-504	153.50	154.00	0.50	0.030
PLS16-504	154.00	154.50	0.50	0.017
PLS16-504	154.50	155.00	0.50	0.094
PLS16-504	155.00	155.50	0.50	0.169
PLS16-504	155.50	156.00	0.50	0.013
PLS16-504	156.00	156.50	0.50	0.009
PLS16-504	156.50	157.00	0.50	0.012
PLS16-504	157.00	157.50	0.50	0.026
PLS16-504	157.50	158.00	0.50	0.006
PLS16-504	158.00	158.50	0.50	0.043
PLS16-504	158.50	159.00	0.50	0.059

PLS16-504	159.00	159.50	0.50	0.006
PLS16-504	159.50	160.00	0.50	0.002
PLS16-504	160.00	160.50	0.50	0.045
PLS16-504	160.50	161.00	0.50	0.502
PLS16-504	161.00	161.50	0.50	0.635
<b>PLS16-504</b>	<b>161.50</b>	<b>162.00</b>	<b>0.50</b>	<b>5.380</b>
<b>PLS16-504</b>	<b>162.00</b>	<b>162.50</b>	<b>0.50</b>	<b>31.500</b>
<b>PLS16-504</b>	<b>162.50</b>	<b>163.00</b>	<b>0.50</b>	<b>24.600</b>
<b>PLS16-504</b>	<b>163.00</b>	<b>163.50</b>	<b>0.50</b>	<b>16.700</b>
<b>PLS16-504</b>	<b>163.50</b>	<b>164.00</b>	<b>0.50</b>	<b>18.000</b>
<b>PLS16-504</b>	<b>164.00</b>	<b>164.50</b>	<b>0.50</b>	<b>24.000</b>
<b>PLS16-504</b>	<b>164.50</b>	<b>165.00</b>	<b>0.50</b>	<b>29.600</b>
<b>PLS16-504</b>	<b>165.00</b>	<b>165.50</b>	<b>0.50</b>	<b>41.200</b>
<b>PLS16-504</b>	<b>165.50</b>	<b>166.00</b>	<b>0.50</b>	<b>22.000</b>
<b>PLS16-504</b>	<b>166.00</b>	<b>166.50</b>	<b>0.50</b>	<b>2.100</b>
<b>PLS16-504</b>	<b>166.50</b>	<b>167.00</b>	<b>0.50</b>	<b>1.230</b>
<b>PLS16-504</b>	<b>167.00</b>	<b>167.50</b>	<b>0.50</b>	<b>1.890</b>
PLS16-504	167.50	168.00	0.50	0.652
PLS16-504	168.00	168.50	0.50	0.075
PLS16-504	168.50	169.00	0.50	0.263
PLS16-504	169.00	169.50	0.50	0.127
PLS16-504	169.50	170.00	0.50	0.014
PLS16-504	170.00	170.50	0.50	0.018
PLS16-504	170.50	171.00	0.50	0.016
PLS16-504	171.00	171.50	0.50	0.018
PLS16-504	171.50	172.00	0.50	0.009
PLS16-504	172.00	172.50	0.50	0.008
PLS16-504	172.50	173.00	0.50	0.007
PLS16-504	173.00	173.50	0.50	0.002
PLS16-504	196.50	197.00	0.50	0.028
PLS16-504	197.00	197.50	0.50	0.005
PLS16-504	197.50	198.00	0.50	0.006
PLS16-504	198.00	198.50	0.50	0.006
PLS16-504	198.50	199.00	0.50	0.104
PLS16-504	199.00	199.50	0.50	0.162
PLS16-504	199.50	200.00	0.50	0.089
PLS16-504	200.00	200.50	0.50	0.004
PLS16-504	200.50	201.00	0.50	0.034
PLS16-504	201.00	201.50	0.50	0.006
PLS16-504	201.50	202.00	0.50	0.004
PLS16-504	202.00	202.50	0.50	0.004
PLS16-504	202.50	203.00	0.50	0.022
PLS16-504	203.00	203.50	0.50	0.009
PLS16-504	203.50	204.00	0.50	0.004
PLS16-504	204.00	204.50	0.50	0.002
PLS16-504	204.50	205.00	0.50	<0.001
PLS16-504	205.00	205.50	0.50	<0.001

PLS16-504	205.50	206.00	0.50	0.056
PLS16-504	206.00	206.50	0.50	0.457
PLS16-504	206.50	207.00	0.50	0.265
PLS16-504	207.00	207.50	0.50	0.036
PLS16-504	207.50	208.00	0.50	0.028
PLS16-504	208.00	208.50	0.50	0.027
PLS16-504	208.50	209.00	0.50	0.067
PLS16-504	209.00	209.50	0.50	0.130
PLS16-504	209.50	210.00	0.50	0.014
PLS16-504	210.00	210.50	0.50	0.037
PLS16-504	210.50	211.00	0.50	0.790
<b>PLS16-504</b>	<b>211.00</b>	<b>211.50</b>	<b>0.50</b>	<b>2.800</b>
<b>PLS16-504</b>	<b>211.50</b>	<b>212.00</b>	<b>0.50</b>	<b>1.180</b>
<b>PLS16-504</b>	<b>212.00</b>	<b>212.50</b>	<b>0.50</b>	<b>1.400</b>
PLS16-504	212.50	213.00	0.50	0.731
<b>PLS16-504</b>	<b>213.00</b>	<b>213.50</b>	<b>0.50</b>	<b>13.500</b>
<b>PLS16-504</b>	<b>213.50</b>	<b>214.00</b>	<b>0.50</b>	<b>6.870</b>
<b>PLS16-504</b>	<b>214.00</b>	<b>214.50</b>	<b>0.50</b>	<b>13.200</b>
<b>PLS16-504</b>	<b>214.50</b>	<b>215.00</b>	<b>0.50</b>	<b>13.300</b>
PLS16-504	215.00	215.50	0.50	0.620
PLS16-504	215.50	216.00	0.50	0.193
PLS16-504	216.00	216.50	0.50	0.014
PLS16-504	216.50	217.00	0.50	0.006
PLS16-504	217.00	217.50	0.50	0.003
PLS16-504	217.50	218.00	0.50	0.004
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-505	144.50	145.00	0.50	0.012
PLS16-505	145.00	145.50	0.50	0.013
PLS16-505	145.50	146.00	0.50	0.009
PLS16-505	146.00	146.50	0.50	0.012
PLS16-505	146.50	147.00	0.50	0.012
PLS16-505	147.00	147.50	0.50	0.045
PLS16-505	147.50	148.00	0.50	0.072
PLS16-505	148.00	148.50	0.50	0.119
PLS16-505	148.50	149.00	0.50	0.027
PLS16-505	149.00	149.50	0.50	0.265
PLS16-505	149.50	150.00	0.50	0.418
PLS16-505	150.00	150.50	0.50	0.105
PLS16-505	150.50	151.00	0.50	0.007
PLS16-505	151.00	151.50	0.50	0.010
PLS16-505	151.50	152.00	0.50	0.079
PLS16-505	152.00	152.50	0.50	0.170
PLS16-505	152.50	153.00	0.50	0.696
PLS16-505	153.00	153.50	0.50	0.167
PLS16-505	153.50	154.00	0.50	0.015
PLS16-505	154.00	154.50	0.50	0.009



PLS16-505	154.50	155.00	0.50	0.009
PLS16-505	155.00	155.50	0.50	0.008
PLS16-505	155.50	156.00	0.50	0.009
PLS16-505	156.00	156.50	0.50	0.008
PLS16-505	156.50	157.00	0.50	0.005
PLS16-505	157.00	157.50	0.50	0.008
PLS16-505	157.50	158.00	0.50	0.010
PLS16-505	158.00	158.50	0.50	0.034
PLS16-505	158.50	159.00	0.50	0.239
PLS16-505	159.00	159.50	0.50	0.410
PLS16-505	159.50	160.00	0.50	0.098
PLS16-505	160.00	160.50	0.50	0.012
PLS16-505	160.50	161.00	0.50	0.004
PLS16-505	161.00	161.50	0.50	0.010
PLS16-505	161.50	162.00	0.50	0.002
PLS16-505	162.00	162.50	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-506	128.00	128.50	0.50	0.021
PLS16-506	128.50	129.00	0.50	0.035
PLS16-506	129.00	129.50	0.50	0.028
PLS16-506	129.50	130.00	0.50	0.023
PLS16-506	130.00	130.50	0.50	0.033
PLS16-506	130.50	131.00	0.50	0.132
PLS16-506	131.00	131.50	0.50	0.053
PLS16-506	131.50	132.00	0.50	0.036
PLS16-506	132.00	132.50	0.50	0.172
PLS16-506	132.50	133.00	0.50	0.064
PLS16-506	133.00	133.50	0.50	0.179
PLS16-506	133.50	134.00	0.50	0.060
PLS16-506	134.00	134.50	0.50	0.106
PLS16-506	134.50	135.00	0.50	0.082
PLS16-506	135.00	135.50	0.50	0.050
PLS16-506	135.50	136.00	0.50	0.010
PLS16-506	136.00	136.50	0.50	0.023
PLS16-506	136.50	137.00	0.50	0.050
PLS16-506	137.00	137.50	0.50	0.018
PLS16-506	137.50	138.00	0.50	0.033
PLS16-506	138.00	138.50	0.50	0.228
PLS16-506	138.50	139.00	0.50	0.112
PLS16-506	139.00	139.50	0.50	0.125
PLS16-506	139.50	140.00	0.50	0.107
PLS16-506	140.00	140.50	0.50	0.093
PLS16-506	140.50	141.00	0.50	0.074
PLS16-506	141.00	141.50	0.50	0.090
PLS16-506	141.50	142.00	0.50	0.197
PLS16-506	142.00	142.50	0.50	0.042

PLS16-506	142.50	143.00	0.50	0.071
PLS16-506	143.00	143.50	0.50	0.022
PLS16-506	143.50	144.00	0.50	0.058
PLS16-506	144.00	144.50	0.50	0.019
PLS16-506	144.50	145.00	0.50	0.079
PLS16-506	145.00	145.50	0.50	0.013
PLS16-506	145.50	146.00	0.50	0.007
PLS16-506	146.00	146.50	0.50	0.018
PLS16-506	146.50	147.00	0.50	0.015
PLS16-506	147.00	147.50	0.50	0.010
PLS16-506	147.50	148.00	0.50	0.619
PLS16-506	148.00	148.50	0.50	0.947
<b>PLS16-506</b>	<b>148.50</b>	<b>149.00</b>	<b>0.50</b>	<b>2.430</b>
PLS16-506	149.00	149.50	0.50	0.981
PLS16-506	149.50	150.00	0.50	0.002
PLS16-506	150.00	150.50	0.50	0.004
PLS16-506	150.50	151.00	0.50	0.010
PLS16-506	151.00	151.50	0.50	0.086
PLS16-506	151.50	152.00	0.50	0.658
PLS16-506	152.00	152.50	0.50	0.358
PLS16-506	152.50	153.00	0.50	0.116
PLS16-506	153.00	153.50	0.50	0.113
PLS16-506	153.50	154.00	0.50	0.179
PLS16-506	154.00	154.50	0.50	0.022
PLS16-506	154.50	155.00	0.50	0.004
PLS16-506	155.00	155.50	0.50	0.004
PLS16-506	155.50	156.00	0.50	0.001
PLS16-506	215.50	216.00	0.50	<0.001
PLS16-506	216.00	216.50	0.50	<0.001
PLS16-506	216.50	217.00	0.50	<0.001
PLS16-506	217.00	217.50	0.50	0.005
PLS16-506	217.50	218.00	0.50	0.010
PLS16-506	218.00	218.50	0.50	0.001
PLS16-506	218.50	219.00	0.50	0.018
PLS16-506	219.00	219.50	0.50	<0.001
PLS16-506	219.50	220.00	0.50	<0.001
PLS16-506	220.00	220.50	0.50	<0.001
PLS16-506	220.50	221.00	0.50	<0.001
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-507	No Significant Mineralization			
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-508	106.50	107.00	0.50	0.012
PLS16-508	107.00	107.50	0.50	0.038
PLS16-508	107.50	108.00	0.50	0.024
PLS16-508	108.00	108.50	0.50	0.006
PLS16-508	108.50	109.00	0.50	0.024

PLS16-508	109.00	109.50	0.50	0.027
PLS16-508	109.50	110.00	0.50	0.010
PLS16-508	110.00	110.50	0.50	0.052
PLS16-508	110.50	111.00	0.50	0.052
PLS16-508	111.00	111.50	0.50	0.058
PLS16-508	111.50	112.00	0.50	0.050
PLS16-508	112.00	112.50	0.50	0.097
PLS16-508	112.50	113.00	0.50	0.043
PLS16-508	113.00	113.50	0.50	0.028
PLS16-508	113.50	114.00	0.50	0.047
PLS16-508	114.00	114.50	0.50	0.074
PLS16-508	114.50	115.00	0.50	0.019
PLS16-508	115.00	115.50	0.50	0.042
PLS16-508	115.50	116.00	0.50	0.064
PLS16-508	116.00	116.50	0.50	0.009
PLS16-508	116.50	117.00	0.50	0.038
PLS16-508	117.00	117.50	0.50	0.047
PLS16-508	117.50	118.00	0.50	0.068
PLS16-508	118.00	118.50	0.50	0.076
PLS16-508	118.50	119.00	0.50	0.058
PLS16-508	119.00	119.50	0.50	0.074
PLS16-508	119.50	120.00	0.50	0.036
PLS16-508	120.00	120.50	0.50	0.050
PLS16-508	120.50	121.00	0.50	0.134
PLS16-508	121.00	121.50	0.50	0.186
PLS16-508	121.50	122.00	0.50	0.146
PLS16-508	122.00	122.50	0.50	0.045
PLS16-508	122.50	123.00	0.50	0.043
PLS16-508	123.00	123.50	0.50	0.014
PLS16-508	123.50	124.00	0.50	0.076
PLS16-508	124.00	124.50	0.50	0.015
PLS16-508	124.50	125.00	0.50	0.019
PLS16-508	125.00	125.50	0.50	0.022
PLS16-508	125.50	126.00	0.50	0.023
PLS16-508	126.00	126.50	0.50	0.175
<b>PLS16-508</b>	<b>126.50</b>	<b>127.00</b>	<b>0.50</b>	<b>1.660</b>
PLS16-508	127.00	127.50	0.50	0.111
PLS16-508	127.50	128.00	0.50	0.090
PLS16-508	128.00	128.50	0.50	0.036
PLS16-508	128.50	129.00	0.50	0.042
PLS16-508	129.00	129.50	0.50	0.180
PLS16-508	129.50	130.00	0.50	0.031
PLS16-508	130.00	130.50	0.50	0.269
PLS16-508	130.50	131.00	0.50	0.058
PLS16-508	131.00	131.50	0.50	0.044
PLS16-508	131.50	132.00	0.50	0.217
PLS16-508	132.00	132.50	0.50	0.178

PLS16-508	132.50	133.00	0.50	0.208
PLS16-508	133.00	133.50	0.50	0.153
PLS16-508	133.50	134.00	0.50	0.064
PLS16-508	134.00	134.50	0.50	0.068
PLS16-508	134.50	135.00	0.50	0.102
PLS16-508	135.00	135.50	0.50	0.066
PLS16-508	135.50	136.00	0.50	0.068
PLS16-508	136.00	136.50	0.50	0.080
PLS16-508	136.50	137.00	0.50	0.077
PLS16-508	137.00	137.50	0.50	0.651
PLS16-508	137.50	138.00	0.50	0.093
PLS16-508	138.00	138.50	0.50	0.486
PLS16-508	138.50	139.00	0.50	0.088
PLS16-508	139.00	139.50	0.50	0.738
PLS16-508	139.50	140.00	0.50	0.290
<b>PLS16-508</b>	<b>140.00</b>	<b>140.50</b>	<b>0.50</b>	<b>1.620</b>
PLS16-508	140.50	141.00	0.50	0.324
PLS16-508	141.00	141.50	0.50	0.180
PLS16-508	141.50	142.00	0.50	0.208
PLS16-508	142.00	142.50	0.50	0.288
PLS16-508	142.50	143.00	0.50	0.088
PLS16-508	143.00	143.50	0.50	0.089
PLS16-508	143.50	144.00	0.50	0.092
PLS16-508	144.00	144.50	0.50	0.372
PLS16-508	144.50	145.00	0.50	0.371
<b>PLS16-508</b>	<b>145.00</b>	<b>145.50</b>	<b>0.50</b>	<b>1.940</b>
PLS16-508	145.50	146.00	0.50	0.771
PLS16-508	146.00	146.50	0.50	0.675
<b>PLS16-508</b>	<b>146.50</b>	<b>147.00</b>	<b>0.50</b>	<b>1.150</b>
PLS16-508	147.00	147.50	0.50	0.448
PLS16-508	147.50	148.00	0.50	0.337
PLS16-508	148.00	148.50	0.50	0.143
PLS16-508	148.50	149.00	0.50	0.025
PLS16-508	149.00	149.50	0.50	0.016
PLS16-508	149.50	150.00	0.50	0.021
PLS16-508	150.00	150.50	0.50	0.016
PLS16-508	150.50	151.00	0.50	0.021
PLS16-508	151	151.5	0.50	0.011
PLS16-508	151.50	152.00	0.50	0.039
PLS16-508	152.00	152.50	0.50	0.019
PLS16-508	152.50	153.00	0.50	0.018
PLS16-508	153.00	153.50	0.50	0.006
PLS16-508	153.50	154.00	0.50	0.016
PLS16-508	154.00	154.50	0.50	0.130
PLS16-508	154.50	155.00	0.50	0.177
PLS16-508	155.00	155.50	0.50	0.036
PLS16-508	155.50	156.00	0.50	0.340

PLS16-508	156.00	156.50	0.50	0.423
PLS16-508	156.50	157.00	0.50	0.128
PLS16-508	157.00	157.50	0.50	0.032
PLS16-508	157.50	158.00	0.50	0.125
PLS16-508	158.00	158.50	0.50	0.094
PLS16-508	158.50	159.00	0.50	0.013
PLS16-508	159.00	159.50	0.50	0.002
PLS16-508	159.50	160.00	0.50	0.002
PLS16-508	160.00	160.50	0.50	0.002
PLS16-508	160.50	161.00	0.50	0.050
PLS16-508	161.00	161.50	0.50	0.308
PLS16-508	161.50	162.00	0.50	0.400
PLS16-508	162.00	162.50	0.50	0.080
PLS16-508	162.50	163.00	0.50	0.230
<b>PLS16-508</b>	<b>163.00</b>	<b>163.50</b>	<b>0.50</b>	<b>1.090</b>
<b>PLS16-508</b>	<b>163.50</b>	<b>164.00</b>	<b>0.50</b>	<b>1.000</b>
PLS16-508	164.00	164.50	0.50	0.910
PLS16-508	164.50	165.00	0.50	0.004
PLS16-508	165.00	165.50	0.50	0.004
PLS16-508	165.50	166.00	0.50	0.022
PLS16-508	166.00	166.50	0.50	0.015
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS16-510	175.00	175.50	0.50	<0.001
PLS16-510	175.50	176.00	0.50	0.002
PLS16-510	176.00	176.50	0.50	0.004
PLS16-510	176.50	177.00	0.50	0.027
PLS16-510	177.00	177.50	0.50	0.009
PLS16-510	177.50	178.00	0.50	0.022
PLS16-510	178.00	178.50	0.50	0.004
PLS16-510	178.50	179.00	0.50	0.001
PLS16-510	179.00	179.50	0.50	0.001
PLS16-510	179.50	180.00	0.50	<0.001
PLS16-510	180.00	180.50	0.50	<0.001
PLS16-510	180.50	181.00	0.50	0.002
PLS16-510	181.00	181.50	0.50	<0.001
PLS16-510	181.50	182.00	0.50	0.002
PLS16-510	182.00	182.50	0.50	<0.001
PLS16-510	182.50	183.00	0.50	0.009
PLS16-510	183.00	183.50	0.50	0.025
PLS16-510	183.50	184.00	0.50	0.064
PLS16-510	184.00	184.50	0.50	0.077
PLS16-510	184.50	185.00	0.50	0.006
PLS16-510	185.00	185.50	0.50	0.006
PLS16-510	185.50	186.00	0.50	0.003
PLS16-510	186.00	186.50	0.50	0.002
PLS16-510	186.50	187.00	0.50	0.004

PLS16-510	187.00	187.50	0.50	0.009
PLS16-510	187.50	188.00	0.50	0.002
PLS16-510	188.00	188.50	0.50	0.003
PLS16-510	188.50	189.00	0.50	0.002
PLS16-510	189.00	189.50	0.50	0.005
PLS16-510	189.50	190.00	0.50	0.097
PLS16-510	190.00	190.50	0.50	0.116
PLS16-510	190.50	191.00	0.50	0.007
PLS16-510	191.00	191.50	0.50	0.018
PLS16-510	191.50	192.00	0.50	0.012
PLS16-510	192.00	192.50	0.50	0.002
PLS16-510	201.50	202.00	0.50	0.001
PLS16-510	202.00	202.50	0.50	0.001
PLS16-510	202.50	203.00	0.50	0.002
PLS16-510	203.00	203.50	0.50	0.014
PLS16-510	203.50	204.00	0.50	0.019
PLS16-510	204.00	204.50	0.50	0.079
PLS16-510	204.50	205.00	0.50	0.089
PLS16-510	205.00	205.50	0.50	0.074
PLS16-510	205.50	206.00	0.50	0.006
PLS16-510	206.00	206.50	0.50	0.002
PLS16-510	206.50	207.00	0.50	0.002
PLS16-510	207.00	207.50	0.50	0.001
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS16-512	105.50	106.00	0.50	0.006
PLS16-512	106.00	106.50	0.50	0.015
PLS16-512	106.50	107.00	0.50	0.008
PLS16-512	107.00	107.50	0.50	0.009
PLS16-512	107.50	108.00	0.50	0.019
PLS16-512	108.00	108.50	0.50	0.033
PLS16-512	108.50	109.00	0.50	0.080
PLS16-512	109.00	109.50	0.50	0.056
PLS16-512	109.50	110.00	0.50	0.008
PLS16-512	110.00	110.50	0.50	0.054
PLS16-512	110.50	111.00	0.50	0.480
<b>PLS16-512</b>	<b>111.00</b>	<b>111.50</b>	<b>0.50</b>	<b>1.830</b>
PLS16-512	111.50	112.00	0.50	0.095
PLS16-512	112.00	112.50	0.50	0.280
PLS16-512	112.50	113.00	0.50	0.005
PLS16-512	113.00	113.50	0.50	0.293
PLS16-512	113.50	114.00	0.50	0.281
PLS16-512	114	114.5	0.50	0.044
PLS16-512	114.50	115.00	0.50	0.010
PLS16-512	115.00	115.50	0.50	0.012
<b>PLS16-512</b>	<b>115.50</b>	<b>116.00</b>	<b>0.50</b>	<b>1.570</b>
PLS16-512	116.00	116.50	0.50	0.764

PLS16-512	116.50	117.00	0.50	0.820
PLS16-512	117.00	117.50	0.50	0.386
PLS16-512	117.50	118.00	0.50	0.037
PLS16-512	118.00	118.50	0.50	0.069
PLS16-512	118.50	119.00	0.50	0.053
PLS16-512	119.00	119.50	0.50	0.112
PLS16-512	119.50	120.00	0.50	0.111
PLS16-512	120.00	120.50	0.50	0.071
PLS16-512	120.50	121.00	0.50	0.027
PLS16-512	121.00	121.50	0.50	0.076
PLS16-512	121.50	122.00	0.50	0.054
PLS16-512	122.00	122.50	0.50	0.038
PLS16-512	122.50	123.00	0.50	0.089
PLS16-512	123.00	123.50	0.50	0.130
PLS16-512	123.50	124.00	0.50	0.467
<b>PLS16-512</b>	<b>124.00</b>	<b>124.50</b>	<b>0.50</b>	<b>1.070</b>
PLS16-512	124.50	125.00	0.50	0.125
PLS16-512	125.00	125.50	0.50	0.461
PLS16-512	125.50	126.00	0.50	0.387
<b>PLS16-512</b>	<b>126.00</b>	<b>126.50</b>	<b>0.50</b>	<b>1.650</b>
<b>PLS16-512</b>	<b>126.50</b>	<b>127.00</b>	<b>0.50</b>	<b>1.190</b>
PLS16-512	127.00	127.50	0.50	0.264
PLS16-512	127.50	128.00	0.50	0.206
PLS16-512	128.00	128.50	0.50	0.022
PLS16-512	128.50	129.00	0.50	0.018
PLS16-512	129.00	129.50	0.50	0.076
PLS16-512	129.50	130.00	0.50	0.049
PLS16-512	130.00	130.50	0.50	0.082
PLS16-512	130.50	131.00	0.50	0.204
PLS16-512	131.00	131.50	0.50	0.334
PLS16-512	131.50	132.00	0.50	0.058
PLS16-512	132.00	132.50	0.50	0.016
PLS16-512	132.50	133.00	0.50	0.238
PLS16-512	133.00	133.50	0.50	0.014
PLS16-512	133.50	134.00	0.50	0.163
PLS16-512	134.00	134.50	0.50	0.073
PLS16-512	134.50	135.00	0.50	0.062
PLS16-512	135.00	135.50	0.50	0.066
PLS16-512	135.50	136.00	0.50	0.091
PLS16-512	136.00	136.50	0.50	0.047
PLS16-512	136.50	137.00	0.50	0.014
PLS16-512	137.00	137.50	0.50	0.107
PLS16-512	137.50	138.00	0.50	0.779
PLS16-512	138.00	138.50	0.50	0.039
PLS16-512	138.50	139.00	0.50	0.119
PLS16-512	139.00	139.50	0.50	0.055
PLS16-512	139.50	140.00	0.50	0.162

<b>PLS16-512</b>	<b>140.00</b>	<b>140.50</b>	<b>0.50</b>	<b>1.030</b>
<b>PLS16-512</b>	<b>140.50</b>	<b>141.00</b>	<b>0.50</b>	<b>2.040</b>
<b>PLS16-512</b>	<b>141.00</b>	<b>141.50</b>	<b>0.50</b>	<b>10.100</b>
<b>PLS16-512</b>	<b>141.50</b>	<b>142.00</b>	<b>0.50</b>	<b>15.900</b>
<b>PLS16-512</b>	<b>142.00</b>	<b>142.50</b>	<b>0.50</b>	<b>13.200</b>
<b>PLS16-512</b>	<b>142.50</b>	<b>143.00</b>	<b>0.50</b>	<b>8.940</b>
PLS16-512	143.00	143.50	0.50	0.230
PLS16-512	143.50	144.00	0.50	0.511
<b>PLS16-512</b>	<b>144.00</b>	<b>144.50</b>	<b>0.50</b>	<b>1.120</b>
<b>PLS16-512</b>	<b>144.50</b>	<b>145.00</b>	<b>0.50</b>	<b>1.260</b>
PLS16-512	145.00	145.50	0.50	0.940
<b>PLS16-512</b>	<b>145.50</b>	<b>146.00</b>	<b>0.50</b>	<b>2.160</b>
PLS16-512	146.00	146.50	0.50	0.104
<b>PLS16-512</b>	<b>146.50</b>	<b>147.00</b>	<b>0.50</b>	<b>2.970</b>
<b>PLS16-512</b>	<b>147.00</b>	<b>147.50</b>	<b>0.50</b>	<b>3.920</b>
<b>PLS16-512</b>	<b>147.50</b>	<b>148.00</b>	<b>0.50</b>	<b>11.600</b>
<b>PLS16-512</b>	<b>148.00</b>	<b>148.50</b>	<b>0.50</b>	<b>11.900</b>
<b>PLS16-512</b>	<b>148.50</b>	<b>149.00</b>	<b>0.50</b>	<b>13.500</b>
<b>PLS16-512</b>	<b>149.00</b>	<b>149.50</b>	<b>0.50</b>	<b>11.400</b>
<b>PLS16-512</b>	<b>149.50</b>	<b>150.00</b>	<b>0.50</b>	<b>9.860</b>
<b>PLS16-512</b>	<b>150.00</b>	<b>150.50</b>	<b>0.50</b>	<b>1.510</b>
PLS16-512	150.50	151.00	0.50	0.485
PLS16-512	151.00	151.50	0.50	0.262
PLS16-512	151.50	152.00	0.50	0.678
PLS16-512	152.00	152.50	0.50	0.245
PLS16-512	152.50	153.00	0.50	0.084
PLS16-512	153.00	153.50	0.50	0.347
PLS16-512	153.50	154.00	0.50	0.679
<b>PLS16-512</b>	<b>154.00</b>	<b>154.50</b>	<b>0.50</b>	<b>2.880</b>
PLS16-512	154.50	155.00	0.50	0.532
PLS16-512	155.00	155.50	0.50	0.429
PLS16-512	155.50	156.00	0.50	0.921
PLS16-512	156.00	156.50	0.50	0.165
PLS16-512	156.50	157.00	0.50	0.075
PLS16-512	157.00	157.50	0.50	0.046
PLS16-512	157.50	158.00	0.50	0.027
PLS16-512	158.00	158.50	0.50	0.308
PLS16-512	158.50	159.00	0.50	0.178
PLS16-512	159.00	159.50	0.50	0.122
PLS16-512	159.50	160.00	0.50	0.007
PLS16-512	160.00	160.50	0.50	0.086
PLS16-512	160.50	161.00	0.50	0.108
PLS16-512	161.00	161.50	0.50	0.384
PLS16-512	161.50	162.00	0.50	0.193
PLS16-512	162.00	162.50	0.50	0.422
PLS16-512	162.50	163.00	0.50	0.018
PLS16-512	163.00	163.50	0.50	0.040



PLS16-512	163.50	164.00	0.50	0.003
PLS16-512	164.00	164.50	0.50	0.009
PLS16-512	164.50	165.00	0.50	0.007
PLS16-512	165.00	165.50	0.50	0.010
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-515	139.50	140.00	0.50	0.005
PLS17-515	140.00	140.50	0.50	0.011
PLS17-515	140.50	141.00	0.50	0.012
PLS17-515	141.00	141.50	0.50	0.053
PLS17-515	141.50	142.00	0.50	0.063
PLS17-515	142.00	142.50	0.50	0.061
PLS17-515	142.50	143.00	0.50	0.025
PLS17-515	143.00	143.50	0.50	0.034
PLS17-515	143.50	144.00	0.50	0.063
PLS17-515	144.00	144.50	0.50	0.021
PLS17-515	144.50	145.00	0.50	0.022
PLS17-515	145.00	145.50	0.50	0.022
PLS17-515	145.50	146.00	0.50	0.022
PLS17-515	146.00	146.50	0.50	0.016
PLS17-515	146.50	147.00	0.50	0.054
PLS17-515	147.00	147.50	0.50	0.034
PLS17-515	147.50	148.00	0.50	0.017
PLS17-515	148.00	148.50	0.50	0.015
PLS17-515	148.50	149.00	0.50	0.044
PLS17-515	149.00	149.50	0.50	0.038
PLS17-515	149.50	150.00	0.50	0.124
PLS17-515	150.00	150.50	0.50	0.273
PLS17-515	150.50	151.00	0.50	0.020
PLS17-515	151.00	151.50	0.50	0.010
PLS17-515	151.50	152.00	0.50	0.039
PLS17-515	152.00	152.50	0.50	0.055
PLS17-515	152.50	153.00	0.50	0.027
PLS17-515	153.00	153.50	0.50	0.009
PLS17-515	153.50	154.00	0.50	0.012
PLS17-515	154.00	154.50	0.50	0.020
PLS17-515	154.50	155.00	0.50	0.005
PLS17-515	155.00	155.50	0.50	0.012
PLS17-515	155.50	156.00	0.50	0.014
PLS17-515	156.00	156.50	0.50	0.011
PLS17-515	156.50	157.00	0.50	0.004
PLS17-515	157.00	157.50	0.50	0.003
PLS17-515	157.50	158.00	0.50	0.004
PLS17-515	158.00	158.50	0.50	0.012
PLS17-515	158.50	159.00	0.50	0.020
PLS17-515	159.00	159.50	0.50	0.014
PLS17-515	159.50	160.00	0.50	0.009

PLS17-515	160.00	160.50	0.50	0.007
PLS17-515	160.50	161.00	0.50	0.021
PLS17-515	161.00	161.50	0.50	0.023
PLS17-515	161.50	162.00	0.50	0.056
PLS17-515	162.00	162.50	0.50	0.011
PLS17-515	162.50	163.00	0.50	0.012
PLS17-515	163.00	163.50	0.50	0.005
PLS17-515	163.50	164.00	0.50	0.016
PLS17-515	164.00	164.50	0.50	0.003
PLS17-515	164.50	165.00	0.50	0.007
PLS17-515	165.00	165.50	0.50	0.052
PLS17-515	165.50	166.00	0.50	0.028
PLS17-515	166.00	166.50	0.50	0.045
PLS17-515	166.50	167.00	0.50	0.009
PLS17-515	167.00	167.50	0.50	0.018
PLS17-515	167.50	168.00	0.50	0.135
PLS17-515	168.00	168.50	0.50	0.099
PLS17-515	168.50	169.00	0.50	0.083
PLS17-515	169.00	169.50	0.50	0.050
PLS17-515	169.50	170.00	0.50	0.042
PLS17-515	170.00	170.50	0.50	0.231
PLS17-515	170.50	171.00	0.50	0.064
PLS17-515	171.00	171.50	0.50	0.045
PLS17-515	171.50	172.00	0.50	0.059
PLS17-515	172.00	172.50	0.50	0.183
PLS17-515	172.50	173.00	0.50	0.371
PLS17-515	173.00	173.50	0.50	0.229
PLS17-515	173.50	174.00	0.50	0.026
PLS17-515	174.00	174.50	0.50	0.185
PLS17-515	174.50	175.00	0.50	0.142
PLS17-515	175.00	175.50	0.50	0.436
PLS17-515	175.50	176.00	0.50	0.033
PLS17-515	176.00	176.50	0.50	0.010
PLS17-515	176.50	177.00	0.50	0.038
PLS17-515	177.00	177.50	0.50	0.070
PLS17-515	177.50	178.00	0.50	0.098
<b>PLS17-515</b>	<b>178.00</b>	<b>178.50</b>	<b>0.50</b>	<b>3.980</b>
<b>PLS17-515</b>	<b>178.50</b>	<b>179.00</b>	<b>0.50</b>	<b>8.590</b>
<b>PLS17-515</b>	<b>179.00</b>	<b>179.50</b>	<b>0.50</b>	<b>4.130</b>
<b>PLS17-515</b>	<b>179.50</b>	<b>180.00</b>	<b>0.50</b>	<b>5.990</b>
<b>PLS17-515</b>	<b>180.00</b>	<b>180.50</b>	<b>0.50</b>	<b>5.850</b>
<b>PLS17-515</b>	<b>180.50</b>	<b>181.00</b>	<b>0.50</b>	<b>6.230</b>
<b>PLS17-515</b>	<b>181.00</b>	<b>181.50</b>	<b>0.50</b>	<b>12.800</b>
<b>PLS17-515</b>	<b>181.50</b>	<b>182.00</b>	<b>0.50</b>	<b>13.800</b>
<b>PLS17-515</b>	<b>182.00</b>	<b>182.50</b>	<b>0.50</b>	<b>19.200</b>
<b>PLS17-515</b>	<b>182.50</b>	<b>183.00</b>	<b>0.50</b>	<b>11.500</b>
<b>PLS17-515</b>	<b>183.00</b>	<b>183.50</b>	<b>0.50</b>	<b>13.000</b>

<b>PLS17-515</b>	<b>183.50</b>	<b>184.00</b>	<b>0.50</b>	<b>3.350</b>
<b>PLS17-515</b>	<b>184.00</b>	<b>184.50</b>	<b>0.50</b>	<b>1.710</b>
<b>PLS17-515</b>	<b>184.50</b>	<b>185.00</b>	<b>0.50</b>	<b>1.630</b>
<b>PLS17-515</b>	<b>185.00</b>	<b>185.50</b>	<b>0.50</b>	<b>1.220</b>
<b>PLS17-515</b>	<b>185.50</b>	<b>186.00</b>	<b>0.50</b>	<b>1.840</b>
PLS17-515	186.00	186.50	0.50	0.781
<b>PLS17-515</b>	<b>186.50</b>	<b>187.00</b>	<b>0.50</b>	<b>1.080</b>
<b>PLS17-515</b>	<b>187.00</b>	<b>187.50</b>	<b>0.50</b>	<b>1.680</b>
PLS17-515	187.50	188.00	0.50	0.112
PLS17-515	188.00	188.50	0.50	0.025
PLS17-515	188.50	189.00	0.50	0.099
PLS17-515	189.00	189.50	0.50	0.089
PLS17-515	189.50	190.00	0.50	0.126
PLS17-515	190.00	190.50	0.50	0.072
PLS17-515	190.50	191.00	0.50	0.042
PLS17-515	191.00	191.50	0.50	0.008
PLS17-515	191.50	192.00	0.50	0.005
PLS17-515	192.00	192.50	0.50	0.009
PLS17-515	192.50	193.00	0.50	0.007
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS17-517	104.00	104.50	0.50	0.029
PLS17-517	104.50	105.00	0.50	0.050
PLS17-517	105.00	105.50	0.50	0.045
PLS17-517	105.50	106.00	0.50	0.082
PLS17-517	106.00	106.50	0.50	0.067
PLS17-517	106.50	107.00	0.50	0.058
PLS17-517	107.00	107.50	0.50	0.163
PLS17-517	107.50	108.00	0.50	0.221
PLS17-517	108.00	108.50	0.50	0.455
PLS17-517	108.50	109.00	0.50	0.598
PLS17-517	109.00	109.50	0.50	0.638
PLS17-517	109.50	110.00	0.50	0.842
<b>PLS17-517</b>	<b>110.00</b>	<b>110.50</b>	<b>0.50</b>	<b>1.090</b>
PLS17-517	110.50	111.00	0.50	0.678
PLS17-517	111.00	111.50	0.50	0.151
PLS17-517	111.50	112.00	0.50	0.490
PLS17-517	112.00	112.50	0.50	0.902
PLS17-517	112.50	113.00	0.50	0.573
PLS17-517	113.00	113.50	0.50	0.148
PLS17-517	113.50	114.00	0.50	0.148
PLS17-517	114.00	114.50	0.50	0.040
PLS17-517	114.50	115.00	0.50	0.837
PLS17-517	115.00	115.50	0.50	0.120
PLS17-517	115.50	116.00	0.50	0.071
PLS17-517	116.00	116.50	0.50	0.058
PLS17-517	116.50	117.00	0.50	0.253

PLS17-517	117.00	117.50	0.50	0.504
PLS17-517	117.50	118.00	0.50	0.258
PLS17-517	118.00	118.50	0.50	0.314
<b>PLS17-517</b>	<b>118.50</b>	<b>119.00</b>	<b>0.50</b>	<b>1.660</b>
<b>PLS17-517</b>	<b>119.00</b>	<b>119.50</b>	<b>0.50</b>	<b>1.590</b>
PLS17-517	119.50	120.00	0.50	0.920
<b>PLS17-517</b>	<b>120.00</b>	<b>120.50</b>	<b>0.50</b>	<b>1.470</b>
<b>PLS17-517</b>	<b>120.50</b>	<b>121.00</b>	<b>0.50</b>	<b>2.770</b>
<b>PLS17-517</b>	<b>121.00</b>	<b>121.50</b>	<b>0.50</b>	<b>4.170</b>
<b>PLS17-517</b>	<b>121.50</b>	<b>122.00</b>	<b>0.50</b>	<b>2.520</b>
<b>PLS17-517</b>	<b>122.00</b>	<b>122.50</b>	<b>0.50</b>	<b>6.210</b>
<b>PLS17-517</b>	<b>122.50</b>	<b>123.00</b>	<b>0.50</b>	<b>4.910</b>
PLS17-517	123.00	123.50	0.50	0.778
<b>PLS17-517</b>	<b>123.50</b>	<b>124.00</b>	<b>0.50</b>	<b>1.180</b>
<b>PLS17-517</b>	<b>124.00</b>	<b>124.50</b>	<b>0.50</b>	<b>2.090</b>
<b>PLS17-517</b>	<b>124.50</b>	<b>125.00</b>	<b>0.50</b>	<b>6.960</b>
<b>PLS17-517</b>	<b>125.00</b>	<b>125.50</b>	<b>0.50</b>	<b>6.170</b>
<b>PLS17-517</b>	<b>125.50</b>	<b>126.00</b>	<b>0.50</b>	<b>5.310</b>
<b>PLS17-517</b>	<b>126.00</b>	<b>126.50</b>	<b>0.50</b>	<b>1.100</b>
PLS17-517	126.50	127.00	0.50	0.689
PLS17-517	127.00	127.50	0.50	0.142
PLS17-517	127.50	128.00	0.50	0.219
PLS17-517	128.00	128.50	0.50	0.550
PLS17-517	128.50	129.00	0.50	0.107
PLS17-517	129.00	129.50	0.50	0.217
PLS17-517	129.50	130.00	0.50	0.226
PLS17-517	130.00	130.50	0.50	0.244
PLS17-517	130.50	131.00	0.50	0.106
PLS17-517	131.00	131.50	0.50	0.089
PLS17-517	131.50	132.00	0.50	0.142
PLS17-517	132.00	132.50	0.50	0.898
PLS17-517	132.50	133.00	0.50	0.642
PLS17-517	133.00	133.50	0.50	0.226
PLS17-517	133.50	134.00	0.50	0.187
PLS17-517	134.00	134.50	0.50	0.248
<b>PLS17-517</b>	<b>134.50</b>	<b>135.00</b>	<b>0.50</b>	<b>2.400</b>
PLS17-517	135.00	135.50	0.50	0.626
<b>PLS17-517</b>	<b>135.50</b>	<b>136.00</b>	<b>0.50</b>	<b>1.690</b>
PLS17-517	136.00	136.50	0.50	0.862
<b>PLS17-517</b>	<b>136.50</b>	<b>137.00</b>	<b>0.50</b>	<b>5.060</b>
<b>PLS17-517</b>	<b>137.00</b>	<b>137.50</b>	<b>0.50</b>	<b>1.900</b>
<b>PLS17-517</b>	<b>137.50</b>	<b>138.00</b>	<b>0.50</b>	<b>2.400</b>
PLS17-517	138.00	138.50	0.50	0.721
<b>PLS17-517</b>	<b>138.50</b>	<b>139.00</b>	<b>0.50</b>	<b>3.650</b>
<b>PLS17-517</b>	<b>139.00</b>	<b>139.50</b>	<b>0.50</b>	<b>8.080</b>
<b>PLS17-517</b>	<b>139.50</b>	<b>140.00</b>	<b>0.50</b>	<b>11.700</b>
<b>PLS17-517</b>	<b>140.00</b>	<b>140.50</b>	<b>0.50</b>	<b>9.660</b>

<b>PLS17-517</b>	<b>140.50</b>	<b>141.00</b>	<b>0.50</b>	<b>2.220</b>
<b>PLS17-517</b>	<b>141.00</b>	<b>141.50</b>	<b>0.50</b>	<b>6.850</b>
<b>PLS17-517</b>	<b>141.50</b>	<b>142.00</b>	<b>0.50</b>	<b>5.070</b>
<b>PLS17-517</b>	<b>142.00</b>	<b>142.50</b>	<b>0.50</b>	<b>10.600</b>
<b>PLS17-517</b>	<b>142.50</b>	<b>143.00</b>	<b>0.50</b>	<b>10.200</b>
<b>PLS17-517</b>	<b>143.00</b>	<b>143.50</b>	<b>0.50</b>	<b>24.200</b>
<b>PLS17-517</b>	<b>143.50</b>	<b>144.00</b>	<b>0.50</b>	<b>7.320</b>
<b>PLS17-517</b>	<b>144.00</b>	<b>144.50</b>	<b>0.50</b>	<b>2.750</b>
<b>PLS17-517</b>	<b>144.50</b>	<b>145.00</b>	<b>0.50</b>	<b>1.080</b>
PLS17-517	145.00	145.50	0.50	0.612
PLS17-517	145.50	146.00	0.50	0.245
PLS17-517	146.00	146.50	0.50	0.280
<b>PLS17-517</b>	<b>146.50</b>	<b>147.00</b>	<b>0.50</b>	<b>1.000</b>
PLS17-517	147.00	147.50	0.50	0.031
PLS17-517	147.50	148.00	0.50	0.058
PLS17-517	148.00	148.50	0.50	0.048
PLS17-517	148.50	149.00	0.50	0.007
PLS17-517	149.00	149.50	0.50	0.268
PLS17-517	149.50	150.00	0.50	0.446
PLS17-517	150.00	150.50	0.50	0.934
PLS17-517	150.50	151.00	0.50	0.148
PLS17-517	151.00	151.50	0.50	0.811
PLS17-517	151.50	152.00	0.50	0.437
PLS17-517	152.00	152.50	0.50	0.061
PLS17-517	152.50	153.00	0.50	0.145
PLS17-517	153.00	153.50	0.50	0.496
PLS17-517	153.50	154.00	0.50	0.773
<b>PLS17-517</b>	<b>154.00</b>	<b>154.50</b>	<b>0.50</b>	<b>2.400</b>
PLS17-517	154.50	155.00	0.50	0.238
PLS17-517	155.00	155.50	0.50	0.132
PLS17-517	155.50	156.00	0.50	0.022
PLS17-517	156.00	156.50	0.50	0.033
PLS17-517	156.50	157.00	0.50	0.011
PLS17-517	157.00	157.50	0.50	0.009
PLS17-517	157.50	158.00	0.50	0.024
PLS17-517	158.00	158.50	0.50	0.018
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS17-521	126.00	126.50	0.50	0.009
PLS17-521	126.50	127.00	0.50	0.004
PLS17-521	127.00	127.50	0.50	0.006
PLS17-521	127.50	128.00	0.50	0.009
PLS17-521	128.00	128.50	0.50	0.029
PLS17-521	128.50	129.00	0.50	0.110
PLS17-521	129.00	129.50	0.50	0.064
PLS17-521	129.50	130.00	0.50	0.124
PLS17-521	130.00	130.50	0.50	0.007

PLS17-521	130.50	131.00	0.50	0.005
PLS17-521	131.00	131.50	0.50	0.011
PLS17-521	131.50	132.00	0.50	0.012
PLS17-521	132.00	132.50	0.50	0.012
PLS17-521	132.50	133.00	0.50	0.010
PLS17-521	133.00	133.50	0.50	0.006
PLS17-521	133.50	134.00	0.50	0.007
PLS17-521	134.00	134.50	0.50	0.004
PLS17-521	134.50	135.00	0.50	0.007
PLS17-521	135.00	135.50	0.50	0.048
PLS17-521	135.50	136.00	0.50	0.023
PLS17-521	136.00	136.50	0.50	0.024
PLS17-521	136.50	137.00	0.50	0.050
PLS17-521	137.00	137.50	0.50	0.023
PLS17-521	137.50	138.00	0.50	0.041
PLS17-521	138.00	138.50	0.50	0.082
PLS17-521	138.50	139.00	0.50	0.210
PLS17-521	139.00	139.50	0.50	0.084
PLS17-521	139.50	140.00	0.50	0.069
PLS17-521	140.00	140.50	0.50	0.022
PLS17-521	140.50	141.00	0.50	0.023
PLS17-521	141.00	141.50	0.50	0.023
PLS17-521	141.50	142.00	0.50	0.554
PLS17-521	142.00	142.50	0.50	0.181
PLS17-521	142.50	143.00	0.50	0.050
PLS17-521	143.00	143.50	0.50	0.018
PLS17-521	143.50	144.00	0.50	0.022
PLS17-521	144.00	144.50	0.50	0.030
PLS17-521	144.50	145.00	0.50	0.019
PLS17-521	145.00	145.50	0.50	0.018
PLS17-521	145.50	146.00	0.50	0.023
PLS17-521	146.00	146.50	0.50	0.025
PLS17-521	146.50	147.00	0.50	0.008
PLS17-521	147.00	147.50	0.50	0.011
PLS17-521	147.50	148.00	0.50	0.011
PLS17-521	148.00	148.50	0.50	0.005
PLS17-521	148.50	149.00	0.50	0.007
PLS17-521	149.00	149.50	0.50	0.042
PLS17-521	149.50	150.00	0.50	0.085
PLS17-521	150.00	150.50	0.50	0.085
PLS17-521	150.50	151.00	0.50	0.129
PLS17-521	151.00	151.50	0.50	0.300
PLS17-521	151.50	152.00	0.50	0.062
PLS17-521	152.00	152.50	0.50	0.108
PLS17-521	152.50	153.00	0.50	0.040
PLS17-521	153.00	153.50	0.50	0.038
PLS17-521	153.50	154.00	0.50	0.014

PLS17-521	154.00	154.50	0.50	0.043
PLS17-521	154.50	155.00	0.50	0.017
PLS17-521	155.00	155.50	0.50	0.026
<b>PLS17-521</b>	<b>155.50</b>	<b>156.00</b>	<b>0.50</b>	<b>1.480</b>
<b>PLS17-521</b>	<b>156.00</b>	<b>156.50</b>	<b>0.50</b>	<b>3.280</b>
<b>PLS17-521</b>	<b>156.50</b>	<b>157.00</b>	<b>0.50</b>	<b>3.780</b>
<b>PLS17-521</b>	<b>157.00</b>	<b>157.50</b>	<b>0.50</b>	<b>5.210</b>
PLS17-521	157.50	158.00	0.50	0.186
PLS17-521	158.00	158.50	0.50	0.049
PLS17-521	158.50	159.00	0.50	0.120
PLS17-521	159.00	159.50	0.50	0.055
PLS17-521	159.50	160.00	0.50	0.362
<b>PLS17-521</b>	<b>160.00</b>	<b>160.50</b>	<b>0.50</b>	<b>1.500</b>
<b>PLS17-521</b>	<b>160.50</b>	<b>161.00</b>	<b>0.50</b>	<b>1.010</b>
<b>PLS17-521</b>	<b>161.00</b>	<b>161.50</b>	<b>0.50</b>	<b>1.060</b>
<b>PLS17-521</b>	<b>161.50</b>	<b>162.00</b>	<b>0.50</b>	<b>2.150</b>
<b>PLS17-521</b>	<b>162.00</b>	<b>162.50</b>	<b>0.50</b>	<b>1.010</b>
PLS17-521	162.50	163.00	0.50	0.598
<b>PLS17-521</b>	<b>163.00</b>	<b>163.50</b>	<b>0.50</b>	<b>1.500</b>
<b>PLS17-521</b>	<b>163.50</b>	<b>164.00</b>	<b>0.50</b>	<b>2.180</b>
<b>PLS17-521</b>	<b>164.00</b>	<b>164.50</b>	<b>0.50</b>	<b>2.810</b>
<b>PLS17-521</b>	<b>164.50</b>	<b>165.00</b>	<b>0.50</b>	<b>2.250</b>
<b>PLS17-521</b>	<b>165.00</b>	<b>165.50</b>	<b>0.50</b>	<b>3.410</b>
<b>PLS17-521</b>	<b>165.50</b>	<b>166.00</b>	<b>0.50</b>	<b>8.430</b>
<b>PLS17-521</b>	<b>166.00</b>	<b>166.50</b>	<b>0.50</b>	<b>4.320</b>
<b>PLS17-521</b>	<b>166.50</b>	<b>167.00</b>	<b>0.50</b>	<b>0.559</b>
<b>PLS17-521</b>	<b>167.00</b>	<b>167.50</b>	<b>0.50</b>	<b>21.900</b>
<b>PLS17-521</b>	<b>167.50</b>	<b>168.00</b>	<b>0.50</b>	<b>14.200</b>
<b>PLS17-521</b>	<b>168.00</b>	<b>168.50</b>	<b>0.50</b>	<b>10.600</b>
<b>PLS17-521</b>	<b>168.50</b>	<b>169.00</b>	<b>0.50</b>	<b>13.900</b>
<b>PLS17-521</b>	<b>169.00</b>	<b>169.50</b>	<b>0.50</b>	<b>1.590</b>
PLS17-521	169.50	170.00	0.50	0.044
PLS17-521	170.00	170.50	0.50	0.091
PLS17-521	170.50	171.00	0.50	0.718
PLS17-521	171.00	171.50	0.50	0.900
PLS17-521	171.50	172.00	0.50	0.193
PLS17-521	172.00	172.50	0.50	0.011
PLS17-521	172.50	173.00	0.50	0.006
PLS17-521	173.00	173.50	0.50	0.005
PLS17-521	173.50	174.00	0.50	0.004
PLS17-521	174.00	174.50	0.50	0.003
PLS17-521	174.50	175.00	0.50	0.011
PLS17-521	175.00	175.50	0.50	0.013
PLS17-521	175.50	176.00	0.50	0.013
PLS17-521	176.00	176.50	0.50	<0.001
PLS17-521	176.50	177.00	0.50	0.008
PLS17-521	177.00	177.50	0.50	0.061

PLS17-521	177.50	178.00	0.50	0.038
PLS17-521	178.00	178.50	0.50	0.010
PLS17-521	178.50	179.00	0.50	0.012
PLS17-521	179.00	179.50	0.50	<0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-524	102.00	103.00	1.00	0.006
PLS17-524	103.00	104.00	1.00	0.016
PLS17-524	104.00	104.50	0.50	0.099
PLS17-524	104.50	105.00	0.50	0.082
PLS17-524	105.00	105.50	0.50	0.336
<b>PLS17-524</b>	<b>105.50</b>	<b>106.00</b>	<b>0.50</b>	<b>1.090</b>
<b>PLS17-524</b>	<b>106.00</b>	<b>106.50</b>	<b>0.50</b>	<b>2.130</b>
PLS17-524	106.50	107.00	0.50	0.483
PLS17-524	107.00	107.50	0.50	0.049
PLS17-524	107.50	108.00	0.50	0.155
PLS17-524	108.00	108.50	0.50	0.267
<b>PLS17-524</b>	<b>108.50</b>	<b>109.00</b>	<b>0.50</b>	<b>2.780</b>
PLS17-524	109.00	109.50	0.50	0.650
PLS17-524	109.50	110.00	0.50	0.151
PLS17-524	110.00	110.50	0.50	0.046
PLS17-524	110.50	111.00	0.50	0.045
PLS17-524	111.00	111.50	0.50	0.051
PLS17-524	111.50	112.00	0.50	0.060
PLS17-524	112.00	112.50	0.50	0.029
PLS17-524	112.50	113.00	0.50	0.017
PLS17-524	113.00	113.50	0.50	0.018
PLS17-524	113.50	114.00	0.50	0.029
PLS17-524	114.00	114.50	0.50	0.045
PLS17-524	114.50	115.00	0.50	0.026
PLS17-524	115.00	115.50	0.50	0.022
PLS17-524	115.50	116.00	0.50	0.055
PLS17-524	116.00	116.50	0.50	0.045
PLS17-524	116.50	117.00	0.50	0.064
PLS17-524	117.00	117.50	0.50	0.074
PLS17-524	117.50	118.00	0.50	0.129
PLS17-524	118.00	118.50	0.50	0.285
PLS17-524	118.50	119.00	0.50	0.046
PLS17-524	119.00	119.50	0.50	0.053
PLS17-524	119.50	120.00	0.50	0.116
PLS17-524	120.00	120.50	0.50	0.386
<b>PLS17-524</b>	<b>120.50</b>	<b>121.00</b>	<b>0.50</b>	<b>1.190</b>
PLS17-524	121.00	121.50	0.50	0.514
PLS17-524	121.50	122.00	0.50	0.090
PLS17-524	122.00	122.50	0.50	0.014
PLS17-524	122.50	123.00	0.50	0.014
PLS17-524	123.00	123.50	0.50	0.025



PLS17-524	123.50	124.00	0.50	0.039
PLS17-524	124.00	124.50	0.50	0.008
PLS17-524	124.50	125.00	0.50	0.036
PLS17-524	125.00	125.50	0.50	0.072
PLS17-524	125.50	126.00	0.50	0.070
PLS17-524	126.00	126.50	0.50	0.458
PLS17-524	126.50	127.00	0.50	0.248
PLS17-524	127.00	127.50	0.50	0.311
PLS17-524	127.50	128.00	0.50	0.255
PLS17-524	128.00	128.50	0.50	0.014
PLS17-524	128.50	129.00	0.50	0.028
PLS17-524	129.00	129.50	0.50	0.026
PLS17-524	129.50	130.00	0.50	0.019
PLS17-524	130.00	130.50	0.50	0.006
PLS17-524	130.50	131.00	0.50	0.002
PLS17-524	131.00	131.50	0.50	0.008
PLS17-524	147.50	148.00	0.50	0.005
PLS17-524	148.00	148.50	0.50	0.002
PLS17-524	148.50	149.00	0.50	0.017
PLS17-524	149.00	149.50	0.50	0.016
PLS17-524	149.50	150.00	0.50	0.031
PLS17-524	150.00	150.50	0.50	0.004
PLS17-524	150.50	151.00	0.50	0.007
PLS17-524	151.00	151.50	0.50	0.005
PLS17-524	151.50	152.00	0.50	0.005
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-526	96.50	97.00	0.50	0.021
PLS17-526	97.00	97.50	0.50	0.017
PLS17-526	97.50	98.00	0.50	0.043
PLS17-526	98.00	98.50	0.50	0.035
PLS17-526	98.50	99.00	0.50	0.042
PLS17-526	99.00	99.50	0.50	0.486
PLS17-526	99.50	100.00	0.50	0.342
PLS17-526	100.00	100.50	0.50	0.140
PLS17-526	100.50	101.00	0.50	0.840
PLS17-526	101.00	101.50	0.50	0.098
PLS17-526	101.50	102.00	0.50	0.106
PLS17-526	102.00	102.50	0.50	0.216
PLS17-526	102.50	103.00	0.50	0.012
PLS17-526	103.00	103.50	0.50	0.035
PLS17-526	103.50	104.00	0.50	0.024
PLS17-526	104.00	104.50	0.50	0.029
PLS17-526	104.50	105.00	0.50	0.020
PLS17-526	105.00	105.50	0.50	0.019
PLS17-526	105.50	106.00	0.50	0.033
PLS17-526	106.00	106.50	0.50	0.041

PLS17-526	106.50	107.00	0.50	0.220
PLS17-526	107.00	107.50	0.50	0.164
PLS17-526	107.50	108.00	0.50	0.025
PLS17-526	108.00	108.50	0.50	0.011
PLS17-526	108.50	109.00	0.50	0.028
PLS17-526	109.00	109.50	0.50	0.049
PLS17-526	109.50	110.00	0.50	0.047
PLS17-526	110.00	110.50	0.50	0.050
PLS17-526	110.50	111.00	0.50	0.052
PLS17-526	111.00	111.50	0.50	0.076
PLS17-526	111.50	112.00	0.50	0.061
PLS17-526	112.00	112.50	0.50	0.042
PLS17-526	112.50	113.00	0.50	0.023
PLS17-526	113.00	113.50	0.50	0.018
PLS17-526	113.50	114.00	0.50	0.022
PLS17-526	114.00	114.50	0.50	0.016
PLS17-526	114.50	115.00	0.50	0.037
PLS17-526	115.00	115.50	0.50	0.047
PLS17-526	115.50	116.00	0.50	0.066
PLS17-526	116.00	116.50	0.50	0.123
PLS17-526	116.50	117.00	0.50	0.122
PLS17-526	117.00	117.50	0.50	0.085
PLS17-526	117.50	118.00	0.50	0.047
PLS17-526	118.00	118.50	0.50	0.070
PLS17-526	118.50	119.00	0.50	0.080
PLS17-526	119.00	119.50	0.50	0.052
PLS17-526	119.50	120.00	0.50	0.040
PLS17-526	120.00	120.50	0.50	0.116
PLS17-526	120.50	121.00	0.50	0.049
PLS17-526	121.00	121.50	0.50	0.189
PLS17-526	121.50	122.00	0.50	0.043
PLS17-526	122.00	122.50	0.50	0.130
PLS17-526	122.50	123.00	0.50	0.091
PLS17-526	123.00	123.50	0.50	0.184
PLS17-526	123.50	124.00	0.50	0.112
PLS17-526	124.00	124.50	0.50	0.098
PLS17-526	124.50	125.00	0.50	0.222
PLS17-526	125.00	125.50	0.50	0.135
PLS17-526	125.50	126.00	0.50	0.039
PLS17-526	126.00	126.50	0.50	0.027
PLS17-526	126.50	127.00	0.50	0.017
PLS17-526	127.00	127.50	0.50	0.015
PLS17-526	127.50	128.00	0.50	0.034
PLS17-526	128.00	128.50	0.50	0.020
PLS17-526	128.50	129.00	0.50	0.012
PLS17-526	129.00	129.50	0.50	0.070
PLS17-526	129.50	130.00	0.50	0.053

PLS17-526	130.00	130.50	0.50	0.067
PLS17-526	130.50	131.00	0.50	0.023
PLS17-526	131.00	131.50	0.50	0.012
PLS17-526	131.50	132.00	0.50	0.016
PLS17-526	132.00	132.50	0.50	0.017
PLS17-526	132.50	133.00	0.50	0.006
PLS17-526	139.00	139.50	0.50	0.013
PLS17-526	139.50	140.00	0.50	0.018
PLS17-526	140.00	140.50	0.50	0.016
PLS17-526	140.50	141.00	0.50	0.023
PLS17-526	141.00	141.50	0.50	0.024
PLS17-526	141.50	142.00	0.50	0.022
PLS17-526	142.00	142.50	0.50	0.031
PLS17-526	142.50	143.00	0.50	0.028
PLS17-526	143.00	143.50	0.50	0.019
PLS17-526	143.50	144.00	0.50	0.014
PLS17-526	144.00	144.50	0.50	0.090
PLS17-526	144.50	145.00	0.50	0.090
PLS17-526	145.00	145.50	0.50	0.006
PLS17-526	145.50	146.00	0.50	0.009
PLS17-526	146.00	146.50	0.50	0.012
PLS17-526	146.50	147.00	0.50	0.017
PLS17-526	147.00	147.50	0.50	0.008
PLS17-526	147.50	148.00	0.50	0.019
PLS17-526	148.00	148.50	0.50	0.026
PLS17-526	148.50	149.00	0.50	0.024
PLS17-526	149.00	149.50	0.50	0.010
PLS17-526	149.50	150.00	0.50	0.015
PLS17-526	160.50	161.00	0.50	0.005
PLS17-526	161.00	161.50	0.50	0.002
PLS17-526	161.50	162.00	0.50	0.002
PLS17-526	162.00	162.50	0.50	0.002
PLS17-526	162.50	163.00	0.50	0.003
PLS17-526	163.00	163.50	0.50	0.004
PLS17-526	163.50	164.00	0.50	0.003
PLS17-526	164.00	164.50	0.50	0.028
PLS17-526	164.50	165.00	0.50	0.020
PLS17-526	165.00	165.50	0.50	0.001
PLS17-526	165.50	166.00	0.50	0.003
PLS17-526	166.00	166.50	0.50	0.001
<b>Hole ID</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>U3O8 (wt%)</b>
PLS17-529	102.50	103.00	0.50	0.009
PLS17-529	103.00	103.50	0.50	0.010
PLS17-529	103.50	104.00	0.50	0.011
PLS17-529	104.00	104.50	0.50	0.022
PLS17-529	104.50	105.00	0.50	0.036

PLS17-529	105.00	105.50	0.50	0.031
PLS17-529	105.50	106.00	0.50	0.040
PLS17-529	106.00	106.50	0.50	0.022
PLS17-529	106.50	107.00	0.50	0.018
PLS17-529	107.00	107.50	0.50	0.035
PLS17-529	107.50	108.00	0.50	0.046
PLS17-529	108.00	108.50	0.50	0.065
PLS17-529	108.50	109.00	0.50	0.030
PLS17-529	109.00	109.50	0.50	0.022
PLS17-529	109.50	110.00	0.50	0.026
PLS17-529	110.00	110.50	0.50	0.088
PLS17-529	110.50	111.00	0.50	0.175
PLS17-529	111.00	111.50	0.50	0.820
PLS17-529	111.50	112.00	0.50	0.243
PLS17-529	112.00	112.50	0.50	0.291
PLS17-529	112.50	113.00	0.50	0.050
PLS17-529	113.00	113.50	0.50	0.097
PLS17-529	113.50	114.00	0.50	0.013
PLS17-529	114.00	114.50	0.50	0.009
PLS17-529	114.50	115.00	0.50	0.080
PLS17-529	115.00	115.50	0.50	0.302
PLS17-529	115.50	116.00	0.50	0.085
PLS17-529	116.00	116.50	0.50	0.085
PLS17-529	116.50	117.00	0.50	0.050
PLS17-529	117.00	117.50	0.50	0.066
PLS17-529	117.50	118.00	0.50	0.055
PLS17-529	118.00	118.50	0.50	0.064
PLS17-529	118.50	119.00	0.50	0.062
PLS17-529	119.00	119.50	0.50	0.824
PLS17-529	119.50	120.00	0.50	0.370
PLS17-529	120.00	120.50	0.50	0.168
PLS17-529	120.50	121.00	0.50	0.490
PLS17-529	121.00	121.50	0.50	0.097
PLS17-529	121.50	122.00	0.50	0.671
PLS17-529	122.00	122.50	0.50	0.488
PLS17-529	122.50	123.00	0.50	0.051
PLS17-529	123.00	123.50	0.50	0.390
PLS17-529	123.50	124.00	0.50	0.234
PLS17-529	124.00	124.50	0.50	0.189
PLS17-529	124.50	125.00	0.50	0.361
PLS17-529	125.00	125.50	0.50	0.480
PLS17-529	125.50	126.00	0.50	0.457
PLS17-529	126.00	126.50	0.50	0.103
PLS17-529	126.50	127.00	0.50	0.107
<b>PLS17-529</b>	<b>127.00</b>	<b>127.50</b>	<b>0.50</b>	<b>1.120</b>
PLS17-529	127.50	128.00	0.50	0.129
PLS17-529	128.00	128.50	0.50	0.520

PLS17-529	128.50	129.00	0.50	0.286
PLS17-529	129.00	129.50	0.50	0.164
PLS17-529	129.50	130.00	0.50	0.215
PLS17-529	130.00	130.50	0.50	0.663
PLS17-529	130.50	131.00	0.50	0.716
PLS17-529	131.00	131.50	0.50	0.293
PLS17-529	131.50	132.00	0.50	0.290
PLS17-529	132.00	132.50	0.50	0.400
PLS17-529	132.50	133.00	0.50	0.185
PLS17-529	133.00	133.50	0.50	0.204
PLS17-529	133.50	134.00	0.50	0.121
PLS17-529	134.00	134.50	0.50	0.171
PLS17-529	134.50	135.00	0.50	0.052
PLS17-529	135.00	135.50	0.50	0.371
PLS17-529	135.50	136.00	0.50	0.013
PLS17-529	136.00	136.50	0.50	0.008
PLS17-529	136.50	137.00	0.50	0.035
PLS17-529	137.00	137.50	0.50	0.008
PLS17-529	137.50	138.00	0.50	0.024
PLS17-529	138.00	138.50	0.50	0.123
PLS17-529	138.50	139.00	0.50	0.132
PLS17-529	139.00	139.50	0.50	0.060
PLS17-529	139.50	140.00	0.50	0.010
PLS17-529	140.00	140.50	0.50	0.008
PLS17-529	140.50	141.00	0.50	0.014
PLS17-529	141.00	141.50	0.50	0.031
PLS17-529	141.50	142.00	0.50	0.026
PLS17-529	142.00	142.50	0.50	0.012
PLS17-529	142.50	143.00	0.50	0.008
PLS17-529	143.00	143.50	0.50	0.021
PLS17-529	143.50	144.00	0.50	0.006
PLS17-529	144.00	144.50	0.50	0.014
PLS17-529	144.50	145.00	0.50	0.084
PLS17-529	145.00	145.50	0.50	0.066
PLS17-529	145.50	146.00	0.50	0.108
PLS17-529	146.00	146.50	0.50	0.331
PLS17-529	146.50	147.00	0.50	0.416
<b>PLS17-529</b>	<b>147.00</b>	<b>147.50</b>	<b>0.50</b>	<b>1.540</b>
PLS17-529	147.50	148.00	0.50	0.733
PLS17-529	148.00	148.50	0.50	0.009
<b>PLS17-529</b>	<b>148.50</b>	<b>149.00</b>	<b>0.50</b>	<b>3.360</b>
PLS17-529	149.00	149.50	0.50	0.149
PLS17-529	149.50	150.00	0.50	0.615
PLS17-529	150.00	150.50	0.50	0.006
PLS17-529	150.50	151.00	0.50	0.005
PLS17-529	151.00	151.50	0.50	0.013
PLS17-529	151.50	152.00	0.50	0.029

PLS17-529	152.00	152.50	0.50	0.049
PLS17-529	152.50	153.00	0.50	0.004
PLS17-529	153.00	153.50	0.50	0.003
PLS17-529	153.50	154.00	0.50	0.002
PLS17-529	154.00	154.50	0.50	0.002
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-541	111.50	112.00	0.50	0.014
PLS17-541	112.00	112.50	0.50	0.007
PLS17-541	112.50	113.00	0.50	0.003
PLS17-541	113.00	113.50	0.50	0.009
PLS17-541	113.50	114.00	0.50	0.021
PLS17-541	114.00	114.50	0.50	0.018
PLS17-541	114.50	115.00	0.50	0.007
PLS17-541	115.00	115.50	0.50	0.004
PLS17-541	115.50	116.00	0.50	0.010
PLS17-541	116.00	116.50	0.50	0.008
PLS17-541	116.50	117.00	0.50	0.006
PLS17-541	117.00	117.50	0.50	0.012
PLS17-541	117.50	118.00	0.50	0.020
PLS17-541	118.00	118.50	0.50	0.010
PLS17-541	118.50	119.00	0.50	0.028
PLS17-541	119.00	119.50	0.50	0.047
PLS17-541	119.50	120.00	0.50	0.010
PLS17-541	120.00	120.50	0.50	0.015
PLS17-541	120.50	121.00	0.50	0.013
PLS17-541	121.00	121.50	0.50	0.021
PLS17-541	121.50	122.00	0.50	0.007
PLS17-541	122.00	122.50	0.50	0.005
PLS17-541	122.50	123.00	0.50	0.004
PLS17-541	123.00	123.50	0.50	0.014
PLS17-541	123.50	124.00	0.50	0.112
PLS17-541	124.00	124.50	0.50	0.014
PLS17-541	124.50	125.00	0.50	0.005
PLS17-541	125.00	125.50	0.50	0.002
PLS17-541	125.50	126.00	0.50	0.005
PLS17-541	126.00	126.50	0.50	0.012
PLS17-541	126.50	127.00	0.50	0.087
PLS17-541	127.00	127.50	0.50	0.072
PLS17-541	127.50	128.00	0.50	0.106
PLS17-541	128.00	128.50	0.50	0.015
PLS17-541	128.50	129.00	0.50	0.037
PLS17-541	129.00	129.50	0.50	0.249
PLS17-541	129.50	130.00	0.50	0.050
PLS17-541	130.00	130.50	0.50	0.008
PLS17-541	130.50	131.00	0.50	0.006
PLS17-541	131.00	131.50	0.50	0.006

PLS17-541	131.50	132.00	0.50	0.004
PLS17-541	132.00	132.50	0.50	0.038
PLS17-541	132.50	133.00	0.50	0.080
PLS17-541	133.00	133.50	0.50	0.254
PLS17-541	133.50	134.00	0.50	0.156
PLS17-541	134.00	134.50	0.50	0.330
PLS17-541	134.50	135.00	0.50	0.384
PLS17-541	135.00	135.50	0.50	0.023
PLS17-541	135.50	136.00	0.50	0.955
PLS17-541	136.00	136.50	0.50	0.516
PLS17-541	136.50	137.00	0.50	0.011
PLS17-541	137.00	137.50	0.50	0.012
PLS17-541	137.50	138.00	0.50	0.216
PLS17-541	138.00	138.50	0.50	0.007
PLS17-541	138.50	139.00	0.50	0.007
PLS17-541	139.00	139.50	0.50	0.005
PLS17-541	139.50	140.00	0.50	0.003
PLS17-541	140.00	140.50	0.50	0.019
PLS17-541	140.50	141.00	0.50	0.010
PLS17-541	141.00	141.50	0.50	0.004
PLS17-541	141.50	142.00	0.50	0.003
PLS17-541	142.00	142.50	0.50	0.004
PLS17-541	142.50	143.00	0.50	0.002
PLS17-541	143.00	143.50	0.50	0.013
PLS17-541	143.50	144.00	0.50	0.013
PLS17-541	144.00	144.50	0.50	0.015
PLS17-541	144.50	145.00	0.50	0.013
PLS17-541	145.00	145.50	0.50	0.006
PLS17-541	145.50	146.00	0.50	0.007
PLS17-541	146.00	146.50	0.50	0.006
PLS17-541	146.50	147.00	0.50	0.042
PLS17-541	147.00	147.50	0.50	0.032
PLS17-541	147.50	148.00	0.50	0.013
PLS17-541	148.00	148.50	0.50	0.197
PLS17-541	148.50	149.00	0.50	0.005
PLS17-541	149.00	149.50	0.50	0.007
PLS17-541	149.50	150.00	0.50	0.005
PLS17-541	150.00	150.50	0.50	0.020
PLS17-541	150.50	151.00	0.50	0.094
PLS17-541	151.00	151.50	0.50	0.015
PLS17-541	151.50	152.00	0.50	0.007
PLS17-541	152.00	152.50	0.50	0.010
PLS17-541	152.50	153.00	0.50	0.008
PLS17-541	153.00	153.50	0.50	0.005
PLS17-541	153.50	154.00	0.50	0.006
PLS17-541	154.00	154.50	0.50	0.004
PLS17-541	154.50	155.00	0.50	0.004

PLS17-541	155.00	158.00	3.00	0.004
PLS17-541	158.00	158.50	0.50	0.003
PLS17-541	158.50	159.00	0.50	0.001
PLS17-541	159.00	159.50	0.50	0.002
PLS17-541	159.50	160.00	0.50	0.027
PLS17-541	160.00	160.50	0.50	0.072
PLS17-541	160.50	161.00	0.50	0.121
PLS17-541	161.00	161.50	0.50	0.010
PLS17-541	161.50	162.00	0.50	0.005
PLS17-541	162.00	162.50	0.50	0.041
PLS17-541	162.50	163.00	0.50	0.040
PLS17-541	163.00	163.50	0.50	0.037
PLS17-541	163.50	164.00	0.50	0.021
PLS17-541	164.00	164.50	0.50	0.011
PLS17-541	164.50	165.00	0.50	0.030
PLS17-541	165.00	165.50	0.50	0.014
PLS17-541	165.50	166.00	0.50	0.026
PLS17-541	166.00	166.50	0.50	0.022
PLS17-541	166.50	167.00	0.50	0.025
PLS17-541	167.00	167.50	0.50	0.018
PLS17-541	167.50	168.00	0.50	0.113
PLS17-541	168.00	168.50	0.50	0.026
PLS17-541	168.50	169.00	0.50	0.199
PLS17-541	169.00	169.50	0.50	0.049
PLS17-541	169.50	170.00	0.50	0.018
PLS17-541	170.00	170.50	0.50	0.044
PLS17-541	170.50	171.00	0.50	0.025
PLS17-541	171.00	171.50	0.50	0.008
PLS17-541	171.50	172.00	0.50	0.009
PLS17-541	172.00	172.50	0.50	0.005
PLS17-541	172.50	173.00	0.50	0.003
PLS17-541	173.00	173.50	0.50	0.005
PLS17-541	173.50	174.00	0.50	0.007
PLS17-541	174.00	174.50	0.50	0.010
PLS17-541	174.50	175.00	0.50	0.078
PLS17-541	175.00	175.50	0.50	0.130
PLS17-541	175.50	176.00	0.50	0.219
PLS17-541	176.00	176.50	0.50	0.018
PLS17-541	176.50	177.00	0.50	0.048
PLS17-541	177.00	177.50	0.50	0.063
PLS17-541	177.50	178.00	0.50	0.055
PLS17-541	178.00	178.50	0.50	0.530
PLS17-541	178.50	179.00	0.50	0.076
PLS17-541	179.00	179.50	0.50	0.048
PLS17-541	179.50	180.00	0.50	0.028
PLS17-541	180.00	180.50	0.50	0.045
PLS17-541	180.50	181.00	0.50	0.002



PLS17-541	181.00	181.50	0.50	0.001
PLS17-541	181.50	182.00	0.50	0.001
PLS17-541	182.00	182.50	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-545	101.00	101.50	0.50	0.017
PLS17-545	101.50	102.00	0.50	0.069
PLS17-545	102.00	102.50	0.50	0.044
PLS17-545	102.50	103.00	0.50	0.045
PLS17-545	103.00	103.50	0.50	0.032
PLS17-545	103.50	104.00	0.50	0.039
PLS17-545	104.00	104.50	0.50	0.089
PLS17-545	104.50	105.00	0.50	0.341
PLS17-545	105.00	105.50	0.50	0.226
PLS17-545	105.50	106.00	0.50	0.300
PLS17-545	106.00	106.50	0.50	0.567
<b>PLS17-545</b>	<b>106.50</b>	<b>107.00</b>	<b>0.50</b>	<b>1.630</b>
PLS17-545	107.00	107.50	0.50	0.577
PLS17-545	107.50	108.00	0.50	0.186
PLS17-545	108.00	108.50	0.50	0.492
PLS17-545	108.50	109.00	0.50	0.359
PLS17-545	109.00	109.50	0.50	0.506
<b>PLS17-545</b>	<b>109.50</b>	<b>110.00</b>	<b>0.50</b>	<b>1.970</b>
PLS17-545	110.00	110.50	0.50	0.335
PLS17-545	110.50	111.00	0.50	0.784
PLS17-545	111.00	111.50	0.50	0.622
PLS17-545	111.50	112.00	0.50	0.632
PLS17-545	112.00	112.50	0.50	0.544
PLS17-545	112.50	113.00	0.50	0.583
PLS17-545	113.00	113.50	0.50	0.072
PLS17-545	113.50	114.00	0.50	0.238
PLS17-545	114.00	114.50	0.50	0.105
PLS17-545	114.50	115.00	0.50	0.026
PLS17-545	115.00	115.50	0.50	0.023
PLS17-545	115.50	116.00	0.50	0.170
PLS17-545	116.00	116.50	0.50	0.029
PLS17-545	116.50	117.00	0.50	0.149
PLS17-545	117.00	117.50	0.50	0.554
PLS17-545	117.50	118.00	0.50	0.156
PLS17-545	118.00	118.50	0.50	0.076
PLS17-545	118.50	119.00	0.50	0.260
PLS17-545	119.00	119.50	0.50	0.314
PLS17-545	119.50	120.00	0.50	0.141
PLS17-545	120.00	120.50	0.50	0.419
PLS17-545	121.00	121.50	0.50	0.124
PLS17-545	121.50	122.00	0.50	0.207
PLS17-545	122.00	122.50	0.50	0.096

PLS17-545	122.50	123.00	0.50	0.037
PLS17-545	123.00	123.50	0.50	0.046
PLS17-545	123.50	124.00	0.50	0.030
PLS17-545	124.00	124.50	0.50	0.021
PLS17-545	124.50	125.00	0.50	0.249
PLS17-545	125.00	125.50	0.50	0.038
PLS17-545	125.50	126.00	0.50	0.025
PLS17-545	126.00	126.50	0.50	0.014
PLS17-545	126.50	127.00	0.50	0.011
PLS17-545	127.00	127.50	0.50	0.022
PLS17-545	127.50	128.00	0.50	0.016
PLS17-545	128.00	128.50	0.50	0.025
PLS17-545	128.50	129.00	0.50	0.168
PLS17-545	129.00	129.50	0.50	0.038
PLS17-545	129.50	130.00	0.50	0.016
PLS17-545	130.00	130.50	0.50	0.053
PLS17-545	130.50	131.00	0.50	0.042
PLS17-545	131.00	131.50	0.50	0.033
PLS17-545	131.50	132.00	0.50	0.071
PLS17-545	132.00	132.50	0.50	0.057
PLS17-545	132.50	133.00	0.50	0.023
PLS17-545	133.00	133.50	0.50	0.022
PLS17-545	133.50	134.00	0.50	0.034
PLS17-545	134.00	134.50	0.50	0.069
PLS17-545	134.50	135.00	0.50	0.033
PLS17-545	135.00	135.50	0.50	0.143
PLS17-545	135.50	136.00	0.50	0.032
PLS17-545	136.00	136.50	0.50	0.066
PLS17-545	136.50	137.00	0.50	0.096
PLS17-545	137.00	137.50	0.50	0.164
PLS17-545	137.50	138.00	0.50	0.038
PLS17-545	138.00	138.50	0.50	0.033
PLS17-545	138.50	139.00	0.50	0.017
PLS17-545	139.00	139.50	0.50	0.230
PLS17-545	139.50	140.00	0.50	0.014
PLS17-545	140.00	140.50	0.50	0.007
PLS17-545	140.50	141.00	0.50	0.015
PLS17-545	141.00	141.50	0.50	0.096
PLS17-545	141.50	142.00	0.50	0.075
PLS17-545	142.00	142.50	0.50	0.046
PLS17-545	142.50	143.00	0.50	0.073
PLS17-545	143.00	143.50	0.50	0.023
PLS17-545	143.50	144.00	0.50	0.051
PLS17-545	144.00	144.50	0.50	0.012
PLS17-545	144.50	145.00	0.50	0.014
PLS17-545	145.00	145.50	0.50	0.04
PLS17-545	145.50	146.00	0.50	0.051

PLS17-545	146.00	146.50	0.50	0.010
PLS17-545	146.50	147.00	0.50	0.007
PLS17-545	147.00	147.50	0.50	0.009
PLS17-545	147.50	148.00	0.50	0.018
PLS17-545	148.00	148.50	0.50	0.007
PLS17-545	148.50	149.00	0.50	0.024
PLS17-545	149.00	149.50	0.50	0.014
PLS17-545	149.50	150.00	0.50	0.051
PLS17-545	150.00	150.50	0.50	0.026
PLS17-545	150.50	151.00	0.50	0.189
PLS17-545	151.00	151.50	0.50	0.014
PLS17-545	151.50	152.00	0.50	0.018
PLS17-545	152.00	152.50	0.50	0.136
PLS17-545	152.50	153.00	0.50	0.007
PLS17-545	153.00	153.50	0.50	0.022
PLS17-545	153.50	154.00	0.50	0.024
PLS17-545	154.00	154.50	0.50	0.005
PLS17-545	154.50	155.00	0.50	0.013
PLS17-545	155.00	155.50	0.50	0.011
PLS17-545	155.50	156.00	0.50	0.180
PLS17-545	156.00	156.50	0.50	0.017
PLS17-545	156.50	157.00	0.50	0.185
PLS17-545	157.00	157.50	0.50	0.148
PLS17-545	157.50	158.00	0.50	0.051
PLS17-545	158.00	158.50	0.50	0.035
PLS17-545	158.50	159.00	0.50	0.007
PLS17-545	159.00	159.50	0.50	0.003
PLS17-545	159.50	160.00	0.50	0.002
PLS17-545	160.00	160.50	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-548	153.50	154.00	0.50	0.002
PLS17-548	154.00	154.50	0.50	0.001
PLS17-548	154.50	155.00	0.50	0.002
PLS17-548	155.00	155.50	0.50	0.002
PLS17-548	155.50	156.00	0.50	0.042
PLS17-548	156.00	156.50	0.50	0.003
PLS17-548	156.50	157.00	0.50	0.002
PLS17-548	157.00	157.50	0.50	0.006
PLS17-548	157.50	158.00	0.50	0.002
PLS17-548	163.50	164.00	0.50	0.002
PLS17-548	164.00	164.50	0.50	0.003
PLS17-548	164.50	165.00	0.50	0.001
PLS17-548	165.00	165.50	0.50	0.003
PLS17-548	165.50	166.00	0.50	0.030
PLS17-548	166.00	166.50	0.50	0.011
PLS17-548	166.50	167.00	0.50	0.015

PLS17-548	167.00	167.50	0.50	0.014
PLS17-548	167.50	168.00	0.50	0.014
PLS17-548	204.50	205.00	0.50	0.010
PLS17-548	205.00	205.50	0.50	0.018
PLS17-548	205.50	206.00	0.50	0.013
PLS17-548	206.00	206.50	0.50	0.006
PLS17-548	206.50	207.00	0.50	0.021
PLS17-548	207.00	207.50	0.50	0.009
PLS17-548	207.50	208.00	0.50	0.020
PLS17-548	208.00	208.50	0.50	0.055
PLS17-548	208.50	209.00	0.50	0.081
PLS17-548	209.00	209.50	0.50	0.022
PLS17-548	209.50	210.00	0.50	0.021
PLS17-548	210.00	210.50	0.50	0.043
PLS17-548	210.50	211.00	0.50	0.041
PLS17-548	211.00	211.50	0.50	0.008
PLS17-548	211.50	212.00	0.50	0.042
PLS17-548	212.00	212.50	0.50	0.013
PLS17-548	212.50	213.00	0.50	0.003
PLS17-548	213.00	213.50	0.50	0.004
PLS17-548	213.50	214.00	0.50	0.005
PLS17-548	214.00	214.50	0.50	0.008
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS17-551	142.00	142.50	0.50	0.010
PLS17-551	142.50	143.00	0.50	0.012
PLS17-551	143.00	143.50	0.50	0.005
PLS17-551	143.50	144.00	0.50	0.005
PLS17-551	144.00	144.50	0.50	0.033
PLS17-551	144.50	145.00	0.50	0.009
PLS17-551	145.00	145.50	0.50	0.014
PLS17-551	145.50	146.00	0.50	0.009
PLS17-551	146.00	146.50	0.50	0.008
PLS17-551	146.50	147.00	0.50	0.027
PLS17-551	147.00	147.50	0.50	0.023
PLS17-551	147.50	148.00	0.50	0.010
PLS17-551	148.00	148.50	0.50	0.006
PLS17-551	148.50	149.00	0.50	0.005
PLS17-551	149.00	149.50	0.50	0.015
PLS17-551	149.50	150.00	0.50	0.009
PLS17-551	150.00	150.50	0.50	0.006
PLS17-551	150.50	151.00	0.50	0.005
PLS17-551	151.00	151.50	0.50	0.009
PLS17-551	151.50	152.00	0.50	0.007
PLS17-551	152.00	152.50	0.50	0.011
PLS17-551	152.50	153.00	0.50	0.012
PLS17-551	153.00	153.50	0.50	0.013

PLS17-551	153.50	154.00	0.50	0.011
PLS17-551	154.00	154.50	0.50	0.022
PLS17-551	154.50	155.00	0.50	0.033
PLS17-551	155.00	155.50	0.50	0.036
PLS17-551	155.50	156.00	0.50	0.005
PLS17-551	156.00	156.50	0.50	0.010
PLS17-551	156.50	157.00	0.50	0.011
PLS17-551	157.00	157.50	0.50	0.006
PLS17-551	157.50	158.00	0.50	0.005
PLS17-551	158.00	158.50	0.50	0.014
PLS17-551	158.50	159.00	0.50	0.009
PLS17-551	159.00	159.50	0.50	0.020
PLS17-551	159.50	160.00	0.50	0.050
PLS17-551	160.00	160.50	0.50	0.164
PLS17-551	160.50	161.00	0.50	0.033
PLS17-551	161.00	161.50	0.50	0.008
PLS17-551	161.50	162.00	0.50	0.008
PLS17-551	162.00	162.50	0.50	0.010