



Patterson Lake South - R600W

Drill Core Hand-Held Scintillometer Readings: Interval Peaks >300 CPS

2013 Summer Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS13-118	L-600W	174.50	175.00	0.50	570	GR-110
PLS13-118	L-600W	175.00	175.50	0.50	680	GR-110
PLS13-118	L-600W	175.50	176.00	0.50	510	GR-110
PLS13-118	L-600W	176.00	176.50	0.50	<300	GR-110
PLS13-118	L-600W	176.50	177.00	0.50	350	GR-110
PLS13-118	L-600W	177.00	177.50	0.50	315	GR-110
PLS13-118	L-600W	177.50	179.50	2.00	<300	GR-110
PLS13-118	L-600W	179.50	180.00	0.50	340	GR-110
PLS13-118	L-600W	180.00	181.50	1.50	<300	GR-110
PLS13-118	L-600W	181.50	182.00	0.50	310	GR-110
PLS13-118	L-600W	182.00	182.50	0.50	<300	GR-110
PLS13-118	L-600W	182.50	183.00	0.50	600	GR-110
PLS13-118	L-600W	183.00	183.50	0.50	430	GR-110
PLS13-118	L-600W	183.50	186.00	2.50	<300	GR-110
PLS13-118	L-600W	186.00	186.50	0.50	410	GR-110
PLS13-118	L-600W	186.50	187.00	0.50	750	GR-110
PLS13-118	L-600W	187.00	187.50	0.50	600	GR-110
PLS13-118	L-600W	187.50	188.50	1.00	<300	GR-110
PLS13-118	L-600W	188.50	189.00	0.50	330	GR-110
PLS13-118	L-600W	189.00	191.50	2.50	<300	GR-110
PLS13-118	L-600W	191.50	192.00	0.50	314	GR-110
PLS13-118	L-600W	192.00	192.50	0.50	760	GR-110
PLS13-118	L-600W	192.50	193.00	0.50	1600	GR-110
PLS13-118	L-600W	193.00	193.50	0.50	2600	GR-110
PLS13-118	L-600W	193.50	194.00	0.50	2800	GR-110
PLS13-118	L-600W	194.00	194.50	0.50	575	GR-110
PLS13-118	L-600W	194.50	195.00	0.50	1000	GR-110
PLS13-118	L-600W	195.00	195.50	0.50	1000	GR-110
PLS13-118	L-600W	195.50	196.00	0.50	4200	GR-110
PLS13-118	L-600W	196.00	196.50	0.50	4600	GR-110
PLS13-118	L-600W	196.50	197.00	0.50	1800	GR-110
PLS13-118	L-600W	197.00	197.50	0.50	650	GR-110
PLS13-118	L-600W	197.50	198.00	0.50	1000	GR-110
PLS13-118	L-600W	198.00	198.50	0.50	5500	GR-110
PLS13-118	L-600W	198.50	199.00	0.50	600	GR-110

PLS13-118	L-600W	199.00	199.50	0.50	360	GR-110
PLS13-118	L-600W	199.50	222.00	22.50	<300	GR-110
PLS13-118	L-600W	222.00	222.50	0.50	650	GR-110
PLS13-118	L-600W	222.50	223.00	0.50	880	GR-110
PLS13-118	L-600W	223.00	254.50	31.50	<300	GR-110
PLS13-118	L-600W	254.50	255.00	0.50	380	GR-110
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS13-121	L-600W	98.70	99.00	0.30	410	GR-110
PLS13-121	L-600W	99.00	99.50	0.50	900	GR-110
PLS13-121	L-600W	99.50	100.00	0.50	420	GR-110
PLS13-121	L-600W	100.00	100.50	0.50	310	GR-110
PLS13-121	L-600W	100.50	101.00	0.50	450	GR-110
PLS13-121	L-600W	101.00	101.50	0.50	1500	GR-110
PLS13-121	L-600W	101.50	102.00	0.50	1700	GR-110
PLS13-121	L-600W	102.00	102.50	0.50	800	GR-110
PLS13-121	L-600W	102.50	103.00	0.50	820	GR-110
PLS13-121	L-600W	103.00	103.50	0.50	620	GR-110
PLS13-121	L-600W	103.50	104.00	0.50	420	GR-110
PLS13-121	L-600W	104.00	104.50	0.50	450	GR-110
PLS13-121	L-600W	104.50	105.00	0.50	510	GR-110
PLS13-121	L-600W	105.00	105.50	0.50	450	GR-110
PLS13-121	L-600W	105.50	106.00	0.50	370	GR-110
PLS13-121	L-600W	106.00	106.35	0.35	2000	GR-110
PLS13-121	L-600W	106.35	106.40	0.05	>9999	GR-110
PLS13-121	L-600W	106.40	106.50	0.10	3900	GR-110
PLS13-121	L-600W	106.50	107.00	0.50	2300	GR-110
PLS13-121	L-600W	107.00	107.50	0.50	480	GR-110
PLS13-121	L-600W	107.50	108.00	0.50	480	GR-110
PLS13-121	L-600W	108.00	108.50	0.50	<300	GR-110
PLS13-121	L-600W	108.50	109.00	0.50	810	GR-110
PLS13-121	L-600W	109.00	109.50	0.50	1100	GR-110
PLS13-121	L-600W	109.50	110.00	0.50	2200	GR-110
PLS13-121	L-600W	110.00	141.00	31.00	<300	GR-110
PLS13-121	L-600W	141.00	141.50	0.50	410	GR-110
PLS13-121	L-600W	141.50	142.50	1.00	<300	GR-110
PLS13-121	L-600W	142.50	143.00	0.50	300	GR-110
PLS13-121	L-600W	143.00	143.50	0.50	340	GR-110
PLS13-121	L-600W	143.50	144.00	0.50	600	GR-110
PLS13-121	L-600W	144.00	144.50	0.50	450	GR-110
PLS13-121	L-600W	144.50	150.00	5.50	<300	GR-110
PLS13-121	L-600W	150.00	150.50	0.50	530	GR-110
PLS13-121	L-600W	150.50	162.00	11.50	<300	GR-110
PLS13-121	L-600W	162.00	162.50	0.50	300	GR-110
PLS13-121	L-600W	162.50	182.50	20.00	<300	GR-110
PLS13-121	L-600W	182.50	183.00	0.50	380	GR-110

PLS13-121	L-600W	183.00	195.50	12.50	<300	GR-110
PLS13-121	L-600W	195.50	196.00	0.50	790	GR-110
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS13-122	L-585W	101.50	102.00	0.50	800	GR-110
PLS13-122	L-585W	102.00	102.50	0.50	<300	GR-110
PLS13-122	L-585W	102.50	103.00	0.50	390	GR-110
PLS13-122	L-585W	103.00	103.50	0.50	520	GR-110
PLS13-122	L-585W	103.50	106.00	2.50	<300	GR-110
PLS13-122	L-585W	106.00	106.50	0.50	310	GR-110
PLS13-122	L-585W	106.50	107.00	0.50	<300	GR-110
PLS13-122	L-585W	107.00	107.50	0.50	340	GR-110
PLS13-122	L-585W	107.50	108.00	0.50	310	GR-110
PLS13-122	L-585W	108.00	108.50	0.50	510	GR-110
PLS13-122	L-585W	108.50	109.50	1.00	<300	GR-110
PLS13-122	L-585W	109.50	110.00	0.50	320	GR-110
PLS13-122	L-585W	110.00	116.00	6.00	<300	GR-110
PLS13-122	L-585W	116.00	116.50	0.50	370	GR-110
PLS13-122	L-585W	116.50	158.50	42.00	<300	GR-110
PLS13-122	L-585W	158.50	159.00	0.50	1900	GR-110
PLS13-122	L-585W	159.00	159.50	0.50	430	GR-110
PLS13-122	L-585W	159.50	219.50	60.00	<300	GR-110
PLS13-122	L-585W	219.50	220.00	0.50	400	GR-110
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS13-123	L-585W	95.00	98.00	3.00	360	GR-110
PLS13-123	L-585W	98.00	98.50	0.50	340	GR-110
PLS13-123	L-585W	98.50	99.00	0.50	460	GR-110
PLS13-123	L-585W	99.00	99.50	0.50	320	GR-110
PLS13-123	L-585W	99.50	100.00	0.50	<300	GR-110
PLS13-123	L-585W	100.00	100.50	0.50	520	GR-110
PLS13-123	L-585W	100.50	101.00	0.50	<300	GR-110
PLS13-123	L-585W	101.00	101.50	0.50	480	GR-110
PLS13-123	L-585W	101.50	102.00	0.50	390	GR-110
PLS13-123	L-585W	102.00	102.50	0.50	500	GR-110
PLS13-123	L-585W	102.50	103.00	0.50	580	GR-110
PLS13-123	L-585W	103.00	103.50	0.50	1200	GR-110
PLS13-123	L-585W	103.50	104.00	0.50	770	GR-110
PLS13-123	L-585W	104.00	104.50	0.50	710	GR-110
PLS13-123	L-585W	104.50	105.00	0.50	420	GR-110
PLS13-123	L-585W	105.00	105.50	0.50	410	GR-110
PLS13-123	L-585W	105.50	106.00	0.50	520	GR-110
PLS13-123	L-585W	106.00	106.50	0.50	610	GR-110
PLS13-123	L-585W	106.50	107.00	0.50	940	GR-110
PLS13-123	L-585W	107.00	107.50	0.50	580	GR-110
PLS13-123	L-585W	107.50	108.00	0.50	440	GR-110

PLS13-123	L-585W	108.00	108.50	0.50	340	GR-110
PLS13-123	L-585W	108.50	109.00	0.50	580	GR-110
PLS13-123	L-585W	109.00	109.50	0.50	410	GR-110
PLS13-123	L-585W	109.50	110.00	0.50	560	GR-110
PLS13-123	L-585W	110.00	110.50	0.50	410	GR-110
PLS13-123	L-585W	110.50	111.00	0.50	390	GR-110
PLS13-123	L-585W	111.00	111.50	0.50	450	GR-110
PLS13-123	L-585W	111.50	112.00	0.50	630	GR-110
PLS13-123	L-585W	112.00	112.50	0.50	460	GR-110
PLS13-123	L-585W	112.50	113.00	0.50	620	GR-110
PLS13-123	L-585W	113.00	113.50	0.50	500	GR-110
PLS13-123	L-585W	113.50	114.00	0.50	340	GR-110
PLS13-123	L-585W	114.00	114.50	0.50	390	GR-110
PLS13-123	L-585W	114.50	115.00	0.50	350	GR-110
PLS13-123	L-585W	115.00	132.50	17.50	<300	GR-110
PLS13-123	L-585W	132.50	133.00	0.50	710	GR-110
PLS13-123	L-585W	133.00	133.50	0.50	400	GR-110
PLS13-123	L-585W	133.50	134.00	0.50	1400	GR-110
PLS13-123	L-585W	134.00	134.50	0.50	3500	GR-110
PLS13-123	L-585W	134.50	135.00	0.50	860	GR-110
PLS13-123	L-585W	135.00	135.50	0.50	410	GR-110
PLS13-123	L-585W	135.50	136.50	1.00	<300	GR-110
PLS13-123	L-585W	136.50	137.00	0.50	820	GR-110
PLS13-123	L-585W	137.00	137.50	0.50	1000	GR-110
PLS13-123	L-585W	137.50	138.00	0.50	570	GR-110
PLS13-123	L-585W	138.00	138.50	0.50	630	GR-110
PLS13-123	L-585W	138.50	139.00	0.50	580	GR-110
PLS13-123	L-585W	139.00	139.50	0.50	5100	GR-110
PLS13-123	L-585W	139.50	140.00	0.50	340	GR-110
PLS13-123	L-585W	140.00	142.50	2.50	<300	GR-110
PLS13-123	L-585W	142.50	143.00	0.50	370	GR-110
PLS13-123	L-585W	143.00	143.50	0.50	410	GR-110
PLS13-123	L-585W	143.50	144.00	0.50	320	GR-110
PLS13-123	L-585W	144.00	144.50	0.50	2300	GR-110
PLS13-123	L-585W	144.50	145.00	0.50	580	GR-110
PLS13-123	L-585W	145.00	158.50	13.50	<300	GR-110
PLS13-123	L-585W	158.50	159.00	0.50	390	GR-110
PLS13-123	L-585W	159.00	159.50	0.50	980	GR-110
PLS13-123	L-585W	159.50	160.00	0.50	350	GR-110
PLS13-123	L-585W	160.00	162.50	2.50	<300	GR-110
PLS13-123	L-585W	162.50	163.00	0.50	340	GR-110
PLS13-123	L-585W	163.00	163.50	0.50	360	GR-110
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS13-124	L-615W	97.50	98.00	0.50	670	GR-110
PLS13-124	L-615W	98.00	98.50	0.50	700	GR-110

PLS13-124	L-615W	98.50	99.00	0.50	700	GR-110
PLS13-124	L-615W	99.00	99.50	0.50	780	GR-110
PLS13-124	L-615W	99.50	100.00	0.50	1300	GR-110
PLS13-124	L-615W	100.00	100.50	0.50	2000	GR-110
PLS13-124	L-615W	100.50	101.00	0.50	770	GR-110
PLS13-124	L-615W	101.00	101.50	0.50	2500	GR-110
PLS13-124	L-615W	101.50	102.00	0.50	1400	GR-110
PLS13-124	L-615W	102.00	102.50	0.50	1300	GR-110
PLS13-124	L-615W	102.50	103.00	0.50	5500	GR-110
PLS13-124	L-615W	103.00	103.50	0.50	500	GR-110
PLS13-124	L-615W	103.50	104.00	0.50	450	GR-110
PLS13-124	L-615W	104.00	107.00	3.00	<300	GR-110
PLS13-124	L-615W	107.00	107.50	0.50	800	GR-110
PLS13-124	L-615W	107.50	108.00	0.50	1100	GR-110
PLS13-124	L-615W	108.00	108.50	0.50	2000	GR-110
PLS13-124	L-615W	108.50	109.00	0.50	700	GR-110
PLS13-124	L-615W	109.00	114.00	5.00	<300	GR-110
PLS13-124	L-615W	114.00	114.50	0.50	375	GR-110
PLS13-124	L-615W	114.50	115.00	0.50	1300	GR-110
PLS13-124	L-615W	115.00	115.50	0.50	670	GR-110
PLS13-124	L-615W	115.50	116.00	0.50	620	GR-110
PLS13-124	L-615W	116.00	116.50	0.50	450	GR-110
PLS13-124	L-615W	116.50	117.00	0.50	550	GR-110
PLS13-124	L-615W	117.00	117.50	0.50	490	GR-110
PLS13-124	L-615W	117.50	118.00	0.50	790	GR-110
PLS13-124	L-615W	118.00	118.50	0.50	390	GR-110
PLS13-124	L-615W	118.50	119.00	0.50	340	GR-110
PLS13-124	L-615W	119.00	121.00	2.00	<300	GR-110
PLS13-124	L-615W	121.00	121.50	0.50	340	GR-110
PLS13-124	L-615W	121.50	139.00	17.50	<300	GR-110
PLS13-124	L-615W	139.00	139.50	0.50	320	GR-110
PLS13-124	L-615W	139.50	140.00	0.50	580	GR-110
PLS13-124	L-615W	140.00	140.50	0.50	<300	GR-110
PLS13-124	L-615W	140.50	141.00	0.50	470	GR-110
PLS13-124	L-615W	141.00	142.00	1.00	<300	GR-110
PLS13-124	L-615W	142.00	142.50	0.50	320	GR-110
PLS13-124	L-615W	142.50	143.00	0.50	475	GR-110
PLS13-124	L-615W	143.00	143.50	0.50	1000	GR-110
PLS13-124	L-615W	143.50	144.00	0.50	970	GR-110
PLS13-124	L-615W	144.00	144.50	0.50	530	GR-110
PLS13-124	L-615W	144.50	147.50	3.00	<300	GR-110
PLS13-124	L-615W	147.50	148.00	0.50	350	GR-110
PLS13-124	L-615W	148.00	149.50	1.50	<300	GR-110
PLS13-124	L-615W	149.50	150.00	0.50	700	GR-110
PLS13-124	L-615W	150.00	184.50	34.50	<300	GR-110
PLS13-124	L-615W	184.50	185.00	0.50	470	GR-110
PLS13-124	L-615W	185.00	187.50	2.50	<300	GR-110

PLS13-124	L-615W	187.50	188.00	0.50	360	GR-110
PLS13-124	L-615W	188.00	188.50	0.50	460	GR-110
PLS13-124	L-615W	188.50	197.00	8.50	<300	GR-110
PLS13-124	L-615W	197.00	197.50	0.50	300	GR-110
PLS13-124	L-615W	197.50	198.50	1.00	<300	GR-110
PLS13-124	L-615W	198.50	199.00	0.50	630	GR-110
PLS13-124	L-615W	199.00	199.50	0.50	590	GR-110
PLS13-124	L-615W	199.50	200.00	0.50	<300	GR-110
PLS13-124	L-615W	200.00	200.50	0.50	520	GR-110
PLS13-124	L-615W	200.50	201.00	0.50	<300	GR-110
PLS13-124	L-615W	201.00	201.50	0.50	300	GR-110
PLS13-124	L-615W	201.50	202.00	0.50	370	GR-110
PLS13-124	L-615W	202.00	203.50	1.50	<300	GR-110
PLS13-124	L-615W	203.50	204.00	0.50	1000	GR-110
PLS13-124	L-615W	204.00	204.50	0.50	2500	GR-110
PLS13-124	L-615W	204.50	205.00	0.50	1400	GR-110
PLS13-124	L-615W	205.00	206.50	1.50	<300	GR-110
PLS13-124	L-615W	206.50	207.00	0.50	370	GR-110
PLS13-124	L-615W	207.00	207.50	0.50	800	GR-110
PLS13-124	L-615W	207.50	208.00	0.50	1600	GR-110
PLS13-124	L-615W	208.00	208.50	0.50	1200	GR-110

2015 Winter Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-343	L-615W	105.50	106.00	0.50	310	RS-121
PLS15-343	L-615W	106.00	108.00	2.00	<300	RS-121
PLS15-343	L-615W	108.00	108.50	0.50	370	RS-121
PLS15-343	L-615W	108.50	110.00	1.50	<300	RS-121
PLS15-343	L-615W	110.00	110.50	0.50	350	RS-121
PLS15-343	L-615W	110.50	111.00	0.50	360	RS-121
PLS15-343	L-615W	111.00	111.50	0.50	430	RS-121
PLS15-343	L-615W	111.50	112.00	0.50	430	RS-121
PLS15-343	L-615W	112.00	112.50	0.50	680	RS-121
PLS15-343	L-615W	112.50	113.00	0.50	750	RS-121
PLS15-343	L-615W	113.00	113.50	0.50	650	RS-121
PLS15-343	L-615W	113.50	114.00	0.50	410	RS-121
PLS15-343	L-615W	114.00	114.50	0.50	560	RS-121
PLS15-343	L-615W	114.50	115.00	0.50	770	RS-121
PLS15-343	L-615W	115.00	115.50	0.50	460	RS-121
PLS15-343	L-615W	115.50	116.00	0.50	470	RS-121
PLS15-343	L-615W	116.00	116.50	0.50	480	RS-121
PLS15-343	L-615W	116.50	117.00	0.50	550	RS-121
PLS15-343	L-615W	117.00	117.50	0.50	540	RS-121
PLS15-343	L-615W	117.50	118.00	0.50	820	RS-121
PLS15-343	L-615W	118.00	118.50	0.50	4700	RS-121
PLS15-343	L-615W	118.50	119.00	0.50	1900	RS-121

PLS15-343	L-615W	119.00	119.50	0.50	7200	RS-121
PLS15-343	L-615W	119.50	120.00	0.50	1800	RS-121
PLS15-343	L-615W	120.00	120.50	0.50	2200	RS-121
PLS15-343	L-615W	120.50	121.00	0.50	3900	RS-121
PLS15-343	L-615W	121.00	121.28	0.28	7700	RS-121
PLS15-343	L-615W	121.28	121.50	0.22	12800	RS-121
PLS15-343	L-615W	121.50	122.00	0.50	22500	RS-121
PLS15-343	L-615W	122.00	122.50	0.50	35200	RS-121
PLS15-343	L-615W	122.50	123.00	0.50	52900	RS-121
PLS15-343	L-615W	123.00	123.50	0.50	45900	RS-121
PLS15-343	L-615W	123.50	124.00	0.50	26800	RS-121
PLS15-343	L-615W	124.00	124.50	0.50	35000	RS-121
PLS15-343	L-615W	124.50	125.00	0.50	38700	RS-121
PLS15-343	L-615W	125.00	125.50	0.50	33500	RS-121
PLS15-343	L-615W	125.50	126.00	0.50	32300	RS-121
PLS15-343	L-615W	126.00	126.50	0.50	28900	RS-121
PLS15-343	L-615W	126.50	127.00	0.50	24200	RS-121
PLS15-343	L-615W	127.00	127.50	0.50	32900	RS-121
PLS15-343	L-615W	127.50	128.00	0.50	44500	RS-121
PLS15-343	L-615W	128.00	128.50	0.50	36900	RS-121
PLS15-343	L-615W	128.50	129.00	0.50	31200	RS-121
PLS15-343	L-615W	129.00	129.50	0.50	32900	RS-121
PLS15-343	L-615W	129.50	130.00	0.50	31800	RS-121
PLS15-343	L-615W	130.00	130.13	0.13	12700	RS-121
PLS15-343	L-615W	130.13	130.50	0.37	8100	RS-121
PLS15-343	L-615W	130.50	131.00	0.50	5500	RS-121
PLS15-343	L-615W	131.00	131.50	0.50	5500	RS-121
PLS15-343	L-615W	131.50	132.00	0.50	5300	RS-121
PLS15-343	L-615W	132.00	132.50	0.50	3600	RS-121
PLS15-343	L-615W	132.50	133.00	0.50	2100	RS-121
PLS15-343	L-615W	133.00	133.50	0.50	940	RS-121
PLS15-343	L-615W	133.50	134.00	0.50	4700	RS-121
PLS15-343	L-615W	134.00	134.50	0.50	1000	RS-121
PLS15-343	L-615W	134.50	135.00	0.50	1300	RS-121
PLS15-343	L-615W	135.00	135.50	0.50	990	RS-121
PLS15-343	L-615W	135.50	136.00	0.50	830	RS-121
PLS15-343	L-615W	136.00	136.50	0.50	450	RS-121
PLS15-343	L-615W	136.50	137.00	0.50	770	RS-121
PLS15-343	L-615W	137.00	137.50	0.50	360	RS-121
PLS15-343	L-615W	137.50	138.00	0.50	390	RS-121
PLS15-343	L-615W	138.00	138.50	0.50	450	RS-121
PLS15-343	L-615W	138.50	139.00	0.50	320	RS-121
PLS15-343	L-615W	139.00	139.50	0.50	510	RS-121
PLS15-343	L-615W	139.50	140.00	0.50	380	RS-121
PLS15-343	L-615W	140.00	140.50	0.50	<300	RS-121
PLS15-343	L-615W	140.50	141.00	0.50	970	RS-121
PLS15-343	L-615W	141.00	141.50	0.50	660	RS-121

PLS15-343	L-615W	141.50	142.00	0.50	3500	RS-121
PLS15-343	L-615W	142.00	142.50	0.50	4700	RS-121
PLS15-343	L-615W	142.50	143.00	0.50	2600	RS-121
PLS15-343	L-615W	143.00	143.50	0.50	5200	RS-121
PLS15-343	L-615W	143.50	143.88	0.38	6100	RS-121
PLS15-343	L-615W	143.88	144.00	0.12	20600	RS-121
PLS15-343	L-615W	144.00	144.50	0.50	6700	RS-121
PLS15-343	L-615W	144.50	144.58	0.08	3900	RS-121
PLS15-343	L-615W	144.58	144.61	0.03	15100	RS-121
PLS15-343	L-615W	144.61	145.00	0.39	1700	RS-121
PLS15-343	L-615W	145.00	145.50	0.50	2600	RS-121
PLS15-343	L-615W	145.50	146.00	0.50	2100	RS-121
PLS15-343	L-615W	146.00	146.15	0.15	2500	RS-121
PLS15-343	L-615W	146.15	146.30	0.15	17900	RS-121
PLS15-343	L-615W	146.30	146.50	0.20	3400	RS-121
PLS15-343	L-615W	146.50	147.00	0.50	8600	RS-121
PLS15-343	L-615W	147.00	147.16	0.16	10400	RS-121
PLS15-343	L-615W	147.16	147.50	0.34	2400	RS-121
PLS15-343	L-615W	147.50	148.00	0.50	1800	RS-121
PLS15-343	L-615W	148.00	148.50	0.50	1800	RS-121
PLS15-343	L-615W	148.50	149.00	0.50	5000	RS-121
PLS15-343	L-615W	149.00	149.50	0.50	3700	RS-121
PLS15-343	L-615W	149.50	150.00	0.50	5800	RS-121
PLS15-343	L-615W	150.00	150.50	0.50	2300	RS-121
PLS15-343	L-615W	150.50	151.00	0.50	540	RS-121
PLS15-343	L-615W	151.00	151.50	0.50	490	RS-121
PLS15-343	L-615W	151.50	152.00	0.50	370	RS-121
PLS15-343	L-615W	152.00	152.50	0.50	410	RS-121
PLS15-343	L-615W	152.50	153.00	0.50	<300	RS-121
PLS15-343	L-615W	153.00	153.50	0.50	430	RS-121
PLS15-343	L-615W	153.50	154.00	0.50	1400	RS-121
PLS15-343	L-615W	154.00	154.50	0.50	610	RS-121
PLS15-343	L-615W	154.50	155.00	0.50	500	RS-121
PLS15-343	L-615W	155.00	155.50	0.50	3400	RS-121
PLS15-343	L-615W	155.50	156.00	0.50	4400	RS-121
PLS15-343	L-615W	156.00	156.50	0.50	3300	RS-121
PLS15-343	L-615W	156.50	157.00	0.50	510	RS-121
PLS15-343	L-615W	157.00	157.50	0.50	340	RS-121
PLS15-343	L-615W	157.50	158.00	0.50	640	RS-121
PLS15-343	L-615W	158.00	158.50	0.50	360	RS-121
PLS15-343	L-615W	158.50	159.00	0.50	<300	RS-121
PLS15-343	L-615W	159.00	159.50	0.50	340	RS-121
PLS15-343	L-615W	159.50	160.00	0.50	<300	RS-121
PLS15-343	L-615W	160.00	160.50	0.50	340	RS-121
PLS15-343	L-615W	160.50	161.00	0.50	570	RS-121
PLS15-343	L-615W	161.00	161.50	0.50	380	RS-121
PLS15-343	L-615W	161.50	162.00	0.50	<300	RS-121

PLS15-343	L-615W	162.00	162.50	0.50	780	RS-121
PLS15-343	L-615W	162.50	163.00	0.50	670	RS-121
PLS15-343	L-615W	163.00	163.50	0.50	1400	RS-121
PLS15-343	L-615W	163.50	164.00	0.50	1000	RS-121
PLS15-343	L-615W	164.00	165.00	1.00	<300	RS-121
PLS15-343	L-615W	165.00	165.50	0.50	320	RS-121
PLS15-343	L-615W	165.50	166.50	1.00	<300	RS-121
PLS15-343	L-615W	166.50	167.00	0.50	320	RS-121
PLS15-343	L-615W	167.00	167.50	0.50	420	RS-121
PLS15-343	L-615W	167.50	168.00	0.50	320	RS-121
PLS15-343	L-615W	168.00	168.50	0.50	320	RS-121
PLS15-343	L-615W	168.50	169.00	0.50	350	RS-121
PLS15-343	L-615W	169.00	169.50	0.50	400	RS-121
PLS15-343	L-615W	169.50	170.00	0.50	560	RS-121
PLS15-343	L-615W	170.00	170.50	0.50	660	RS-121
PLS15-343	L-615W	170.50	171.00	0.50	720	RS-121
PLS15-343	L-615W	342.50	343.00	0.50	370	RS-121
PLS15-343	L-615W	343.00	343.50	0.50	510	RS-121
PLS15-343	L-615W	343.50	344.50	1.00	<300	RS-121
PLS15-343	L-615W	344.50	345.00	0.50	360	RS-121
PLS15-343	L-615W	345.00	345.50	0.50	<300	RS-121
PLS15-343	L-615W	345.50	346.00	0.50	550	RS-121
PLS15-343	L-615W	346.00	346.50	0.50	390	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-346	L-615W	99.00	99.50	0.50	400	RS-121
PLS15-346	L-615W	99.50	100.00	0.50	400	RS-121
PLS15-346	L-615W	100.00	100.50	0.50	400	RS-121
PLS15-346	L-615W	100.50	101.00	0.50	400	RS-121
PLS15-346	L-615W	101.00	151.00	50.00	<300	RS-121
PLS15-346	L-615W	151.00	151.50	0.50	1300	RS-121
PLS15-346	L-615W	151.50	152.00	0.50	1800	RS-121
PLS15-346	L-615W	152.00	152.50	0.50	1900	RS-121
PLS15-346	L-615W	152.50	153.00	0.50	2600	RS-121
PLS15-346	L-615W	153.00	154.50	1.50	<300	RS-121
PLS15-346	L-615W	154.50	155.00	0.50	380	RS-121
PLS15-346	L-615W	155.00	156.00	1.00	<300	RS-121
PLS15-346	L-615W	156.00	156.50	0.50	670	RS-121
PLS15-346	L-615W	156.50	337.00	180.50	<300	RS-121
PLS15-346	L-615W	337.00	337.50	0.50	390	RS-121
PLS15-346	L-615W	337.50	339.00	1.50	<300	RS-121
PLS15-346	L-615W	339.00	339.50	0.50	370	RS-121
PLS15-346	L-615W	339.50	340.00	0.50	530	RS-121
PLS15-346	L-615W	340.00	340.50	0.50	320	RS-121
PLS15-346	L-615W	340.50	341.00	0.50	310	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-352	L-615W	102.50	103.00	0.50	600	RS-121
PLS15-352	L-615W	103.00	103.50	0.50	310	RS-121
PLS15-352	L-615W	103.50	104.00	0.50	540	RS-121
PLS15-352	L-615W	104.00	104.50	0.50	1700	RS-121
PLS15-352	L-615W	104.50	105.00	0.50	1400	RS-121
PLS15-352	L-615W	105.00	105.50	0.50	4400	RS-121
PLS15-352	L-615W	105.50	106.00	0.50	2400	RS-121
PLS15-352	L-615W	106.00	106.50	0.50	2300	RS-121
PLS15-352	L-615W	106.50	107.00	0.50	1200	RS-121
PLS15-352	L-615W	107.00	107.50	0.50	2300	RS-121
PLS15-352	L-615W	107.50	108.00	0.50	1600	RS-121
PLS15-352	L-615W	108.00	108.50	0.50	1200	RS-121
PLS15-352	L-615W	108.50	109.00	0.50	2100	RS-121
PLS15-352	L-615W	109.00	109.50	0.50	1600	RS-121
PLS15-352	L-615W	109.50	110.00	0.50	800	RS-121
PLS15-352	L-615W	110.00	110.50	0.50	650	RS-121
PLS15-352	L-615W	110.50	111.00	0.50	1000	RS-121
PLS15-352	L-615W	111.00	111.50	0.50	1200	RS-121
PLS15-352	L-615W	111.50	112.00	0.50	1400	RS-121
PLS15-352	L-615W	112.00	112.50	0.50	2300	RS-121
PLS15-352	L-615W	112.50	113.00	0.50	2200	RS-121
PLS15-352	L-615W	113.00	113.50	0.50	2000	RS-121
PLS15-352	L-615W	113.50	114.00	0.50	1100	RS-121
PLS15-352	L-615W	114.00	114.50	0.50	690	RS-121
PLS15-352	L-615W	114.50	115.00	0.50	1200	RS-121
PLS15-352	L-615W	115.00	115.50	0.50	4200	RS-121
PLS15-352	L-615W	115.50	116.00	0.50	3600	RS-121
PLS15-352	L-615W	116.00	116.50	0.50	2800	RS-121
PLS15-352	L-615W	116.50	117.00	0.50	7200	RS-121
PLS15-352	L-615W	117.00	117.23	0.23	5100	RS-121
PLS15-352	L-615W	117.23	117.50	0.27	30500	RS-121
PLS15-352	L-615W	117.50	118.00	0.50	53900	RS-121
PLS15-352	L-615W	118.00	118.50	0.50	53700	RS-121
PLS15-352	L-615W	118.50	119.00	0.50	54300	RS-121
PLS15-352	L-615W	119.00	119.50	0.50	54600	RS-121
PLS15-352	L-615W	119.50	120.00	0.50	54600	RS-121
PLS15-352	L-615W	120.00	120.50	0.50	52800	RS-121
PLS15-352	L-615W	120.50	121.00	0.50	54400	RS-121
PLS15-352	L-615W	121.00	121.50	0.50	51000	RS-121
PLS15-352	L-615W	121.50	122.00	0.50	54000	RS-121
PLS15-352	L-615W	122.00	122.50	0.50	46600	RS-121
PLS15-352	L-615W	122.50	123.00	0.50	53000	RS-121
PLS15-352	L-615W	123.00	123.50	0.50	44500	RS-121
PLS15-352	L-615W	123.50	124.00	0.50	47100	RS-121

PLS15-352	L-615W	124.00	124.50	0.50	54600	RS-121
PLS15-352	L-615W	124.50	125.00	0.50	54900	RS-121
PLS15-352	L-615W	125.00	125.50	0.50	54500	RS-121
PLS15-352	L-615W	125.50	126.00	0.50	52800	RS-121
PLS15-352	L-615W	126.00	126.50	0.50	47500	RS-121
PLS15-352	L-615W	126.50	127.00	0.50	43600	RS-121
PLS15-352	L-615W	127.00	127.50	0.50	48500	RS-121
PLS15-352	L-615W	127.50	128.00	0.50	41800	RS-121
PLS15-352	L-615W	128.00	128.50	0.50	39600	RS-121
PLS15-352	L-615W	128.50	129.00	0.50	50600	RS-121
PLS15-352	L-615W	129.00	129.50	0.50	4600	RS-121
PLS15-352	L-615W	129.50	130.00	0.50	5100	RS-121
PLS15-352	L-615W	130.00	130.50	0.50	3000	RS-121
PLS15-352	L-615W	130.50	131.00	0.50	5300	RS-121
PLS15-352	L-615W	131.00	131.50	0.50	4900	RS-121
PLS15-352	L-615W	131.50	132.00	0.50	2200	RS-121
PLS15-352	L-615W	132.00	132.50	0.50	1300	RS-121
PLS15-352	L-615W	132.50	133.00	0.50	1200	RS-121
PLS15-352	L-615W	133.00	133.50	0.50	1200	RS-121
PLS15-352	L-615W	133.50	134.00	0.50	830	RS-121
PLS15-352	L-615W	134.00	134.50	0.50	370	RS-121
PLS15-352	L-615W	134.50	135.00	0.50	380	RS-121
PLS15-352	L-615W	135.00	136.50	1.50	<300	RS-121
PLS15-352	L-615W	136.50	137.00	0.50	980	RS-121
PLS15-352	L-615W	137.00	137.50	0.50	1400	RS-121
PLS15-352	L-615W	137.50	138.00	0.50	1300	RS-121
PLS15-352	L-615W	138.00	138.50	0.50	1400	RS-121
PLS15-352	L-615W	138.50	139.00	0.50	580	RS-121
PLS15-352	L-615W	139.00	139.50	0.50	2200	RS-121
PLS15-352	L-615W	139.50	140.00	0.50	620	RS-121
PLS15-352	L-615W	140.00	140.50	0.50	1000	RS-121
PLS15-352	L-615W	140.50	141.00	0.50	2700	RS-121
PLS15-352	L-615W	141.00	141.50	0.50	5500	RS-121
PLS15-352	L-615W	141.50	142.00	0.50	1300	RS-121
PLS15-352	L-615W	142.00	142.50	0.50	590	RS-121
PLS15-352	L-615W	142.50	143.00	0.50	1200	RS-121
PLS15-352	L-615W	143.00	143.50	0.50	420	RS-121
PLS15-352	L-615W	143.50	144.00	0.50	810	RS-121
PLS15-352	L-615W	144.00	144.50	0.50	1900	RS-121
PLS15-352	L-615W	144.50	145.00	0.50	<300	RS-121
PLS15-352	L-615W	145.00	145.50	0.50	350	RS-121
PLS15-352	L-615W	145.50	146.00	0.50	480	RS-121
PLS15-352	L-615W	146.00	146.50	0.50	5900	RS-121
PLS15-352	L-615W	146.50	146.75	0.25	22300	RS-121
PLS15-352	L-615W	146.75	147.00	0.25	7600	RS-121
PLS15-352	L-615W	147.00	147.50	0.50	7000	RS-121
PLS15-352	L-615W	147.50	147.60	0.10	3400	RS-121

PLS15-352	L-615W	147.60	147.69	0.09	11000	RS-121
PLS15-352	L-615W	147.69	148.00	0.31	7200	RS-121
PLS15-352	L-615W	148.00	148.50	0.50	5000	RS-121
PLS15-352	L-615W	148.50	149.00	0.50	2900	RS-121
PLS15-352	L-615W	149.00	149.50	0.50	440	RS-121
PLS15-352	L-615W	149.50	150.50	1.00	<300	RS-121
PLS15-352	L-615W	150.50	151.00	0.50	400	RS-121
PLS15-352	L-615W	151.00	151.50	0.50	300	RS-121
PLS15-352	L-615W	151.50	152.00	0.50	310	RS-121
PLS15-352	L-615W	152.00	152.50	0.50	<300	RS-121
PLS15-352	L-615W	152.50	153.00	0.50	300	RS-121
PLS15-352	L-615W	153.00	153.50	0.50	330	RS-121
PLS15-352	L-615W	153.50	154.00	0.50	<300	RS-121
PLS15-352	L-615W	154.00	154.50	0.50	480	RS-121
PLS15-352	L-615W	154.50	155.00	0.50	400	RS-121
PLS15-352	L-615W	155.00	155.50	0.50	350	RS-121
PLS15-352	L-615W	155.50	157.00	1.50	<300	RS-121
PLS15-352	L-615W	157.00	157.50	0.50	540	RS-121
PLS15-352	L-615W	157.50	158.00	0.50	<300	RS-121
PLS15-352	L-615W	158.00	158.50	0.50	340	RS-121
PLS15-352	L-615W	158.50	159.00	0.50	510	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-360	L-585W	111.00	111.50	0.50	320	RS-121
PLS15-360	L-585W	111.50	112.00	0.50	900	RS-121
PLS15-360	L-585W	112.00	112.50	0.50	980	RS-121
PLS15-360	L-585W	112.50	113.00	0.50	1300	RS-121
PLS15-360	L-585W	113.00	113.50	0.50	5900	RS-121
PLS15-360	L-585W	113.50	114.00	0.50	7000	RS-121
PLS15-360	L-585W	114.00	114.50	0.50	7000	RS-121
PLS15-360	L-585W	114.50	115.00	0.50	2800	RS-121
PLS15-360	L-585W	115.00	115.50	0.50	4600	RS-121
PLS15-360	L-585W	115.50	116.00	0.50	1700	RS-121
PLS15-360	L-585W	116.00	116.50	0.50	960	RS-121
PLS15-360	L-585W	116.50	117.00	0.50	2200	RS-121
PLS15-360	L-585W	117.00	117.50	0.50	1800	RS-121
PLS15-360	L-585W	117.50	118.00	0.50	1300	RS-121
PLS15-360	L-585W	118.00	118.50	0.50	820	RS-121
PLS15-360	L-585W	118.50	119.00	0.50	580	RS-121
PLS15-360	L-585W	119.00	119.50	0.50	1500	RS-121
PLS15-360	L-585W	119.50	120.00	0.50	2300	RS-121
PLS15-360	L-585W	120.00	120.50	0.50	620	RS-121
PLS15-360	L-585W	120.50	121.00	0.50	1800	RS-121
PLS15-360	L-585W	121.00	121.50	0.50	2300	RS-121
PLS15-360	L-585W	121.50	122.00	0.50	1700	RS-121
PLS15-360	L-585W	122.00	122.50	0.50	1000	RS-121

PLS15-360	L-585W	122.50	123.00	0.50	500	RS-121
PLS15-360	L-585W	123.00	123.50	0.50	980	RS-121
PLS15-360	L-585W	123.50	124.00	0.50	1100	RS-121
PLS15-360	L-585W	124.00	124.50	0.50	1800	RS-121
PLS15-360	L-585W	124.50	125.00	0.50	2800	RS-121
PLS15-360	L-585W	125.00	125.50	0.50	2500	RS-121
PLS15-360	L-585W	125.50	126.00	0.50	910	RS-121
PLS15-360	L-585W	126.00	126.50	0.50	620	RS-121
PLS15-360	L-585W	126.50	127.00	0.50	5100	RS-121
PLS15-360	L-585W	127.00	127.50	0.50	2700	RS-121
PLS15-360	L-585W	127.50	128.00	0.50	300	RS-121
PLS15-360	L-585W	128.00	128.50	0.50	420	RS-121
PLS15-360	L-585W	128.50	129.00	0.50	420	RS-121
PLS15-360	L-585W	129.00	129.50	0.50	330	RS-121
PLS15-360	L-585W	129.50	131.00	1.50	<300	RS-121
PLS15-360	L-585W	131.00	131.50	0.50	440	RS-121
PLS15-360	L-585W	131.50	132.00	0.50	660	RS-121
PLS15-360	L-585W	132.00	133.00	1.00	<300	RS-121
PLS15-360	L-585W	133.00	133.50	0.50	340	RS-121
PLS15-360	L-585W	133.50	135.50	2.00	<300	RS-121
PLS15-360	L-585W	135.50	136.00	0.50	480	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-364	L-630W	107.00	107.50	0.50	3700	RS-121
PLS15-364	L-630W	107.50	108.00	0.50	17000	RS-121
PLS15-364	L-630W	108.00	108.50	0.50	24500	RS-121
PLS15-364	L-630W	108.50	109.00	0.50	9400	RS-121
PLS15-364	L-630W	109.00	109.50	0.50	1800	RS-121
PLS15-364	L-630W	109.50	110.00	0.50	6900	RS-121
PLS15-364	L-630W	110.00	110.14	0.14	3500	RS-121
PLS15-364	L-630W	110.14	110.24	0.10	12600	RS-121
PLS15-364	L-630W	110.24	110.50	0.26	6500	RS-121
PLS15-364	L-630W	110.50	111.00	0.50	9800	RS-121
PLS15-364	L-630W	111.00	111.50	0.50	7000	RS-121
PLS15-364	L-630W	111.50	112.00	0.50	7100	RS-121
PLS15-364	L-630W	112.00	112.50	0.50	5600	RS-121
PLS15-364	L-630W	112.50	113.00	0.50	5500	RS-121
PLS15-364	L-630W	113.00	113.50	0.50	2500	RS-121
PLS15-364	L-630W	113.50	114.00	0.50	1000	RS-121
PLS15-364	L-630W	114.00	114.50	0.50	1000	RS-121
PLS15-364	L-630W	114.50	115.00	0.50	720	RS-121
PLS15-364	L-630W	115.00	115.50	0.50	530	RS-121
PLS15-364	L-630W	115.50	116.00	0.50	700	RS-121
PLS15-364	L-630W	116.00	116.50	0.50	420	RS-121
PLS15-364	L-630W	116.50	117.00	0.50	940	RS-121
PLS15-364	L-630W	117.00	117.50	0.50	520	RS-121

PLS15-364	L-630W	117.50	118.00	0.50	1300	RS-121
PLS15-364	L-630W	118.00	118.50	0.50	1900	RS-121
PLS15-364	L-630W	118.50	119.00	0.50	610	RS-121
PLS15-364	L-630W	119.00	119.50	0.50	1200	RS-121
PLS15-364	L-630W	119.50	120.00	0.50	1000	RS-121
PLS15-364	L-630W	120.00	120.50	0.50	800	RS-121
PLS15-364	L-630W	120.50	121.00	0.50	480	RS-121
PLS15-364	L-630W	121.00	121.50	0.50	1800	RS-121
PLS15-364	L-630W	121.50	122.00	0.50	690	RS-121
PLS15-364	L-630W	122.00	122.50	0.50	4900	RS-121
PLS15-364	L-630W	122.50	123.00	0.50	7100	RS-121
PLS15-364	L-630W	123.00	123.41	0.41	20300	RS-121
PLS15-364	L-630W	123.41	123.50	0.09	3600	RS-121
PLS15-364	L-630W	123.50	124.00	0.50	2300	RS-121
PLS15-364	L-630W	124.00	124.50	0.50	2700	RS-121
PLS15-364	L-630W	124.50	125.00	0.50	7500	RS-121
PLS15-364	L-630W	125.00	125.25	0.25	11100	RS-121
PLS15-364	L-630W	125.25	125.50	0.25	7900	RS-121
PLS15-364	L-630W	125.50	126.00	0.50	3800	RS-121
PLS15-364	L-630W	126.00	126.50	0.50	47100	RS-121
PLS15-364	L-630W	126.50	127.00	0.50	40300	RS-121
PLS15-364	L-630W	127.00	127.50	0.50	36500	RS-121
PLS15-364	L-630W	127.50	128.00	0.50	50000	RS-121
PLS15-364	L-630W	128.00	128.50	0.50	53800	RS-121
PLS15-364	L-630W	128.50	128.89	0.39	6800	RS-121
PLS15-364	L-630W	128.89	129.00	0.11	12000	RS-121
PLS15-364	L-630W	129.00	129.50	0.50	30500	RS-121
PLS15-364	L-630W	129.50	130.00	0.50	9300	RS-121
PLS15-364	L-630W	130.00	130.50	0.50	2100	RS-121
PLS15-364	L-630W	130.50	131.00	0.50	500	RS-121
PLS15-364	L-630W	131.00	131.50	0.50	750	RS-121
PLS15-364	L-630W	131.50	132.00	0.50	910	RS-121
PLS15-364	L-630W	132.00	132.50	0.50	17700	RS-121
PLS15-364	L-630W	132.50	132.86	0.36	5100	RS-121
PLS15-364	L-630W	132.86	133.00	0.14	15500	RS-121
PLS15-364	L-630W	133.00	133.16	0.16	11800	RS-121
PLS15-364	L-630W	133.16	133.25	0.09	5900	RS-121
PLS15-364	L-630W	133.25	133.50	0.25	11000	RS-121
PLS15-364	L-630W	133.50	133.64	0.14	3600	RS-121
PLS15-364	L-630W	133.64	134.00	0.36	16900	RS-121
PLS15-364	L-630W	134.00	134.25	0.25	7700	RS-121
PLS15-364	L-630W	134.25	134.41	0.16	13400	RS-121
PLS15-364	L-630W	134.41	134.50	0.09	7700	RS-121
PLS15-364	L-630W	134.50	135.00	0.50	6300	RS-121
PLS15-364	L-630W	135.00	135.50	0.50	3100	RS-121
PLS15-364	L-630W	135.50	136.00	0.50	1100	RS-121
PLS15-364	L-630W	136.00	136.50	0.50	570	RS-121

PLS15-364	L-630W	136.50	137.00	0.50	1700	RS-121
PLS15-364	L-630W	137.00	137.50	0.50	5000	RS-121
PLS15-364	L-630W	137.50	138.00	0.50	660	RS-121
PLS15-364	L-630W	138.00	138.50	0.50	2300	RS-121
PLS15-364	L-630W	138.50	139.00	0.50	710	RS-121
PLS15-364	L-630W	139.00	139.50	0.50	490	RS-121
PLS15-364	L-630W	139.50	140.00	0.50	390	RS-121
PLS15-364	L-630W	140.00	140.50	0.50	2300	RS-121
PLS15-364	L-630W	140.50	141.00	0.50	3100	RS-121
PLS15-364	L-630W	141.00	141.50	0.50	680	RS-121
PLS15-364	L-630W	141.50	142.00	0.50	3600	RS-121
PLS15-364	L-630W	142.00	142.50	0.50	4900	RS-121
PLS15-364	L-630W	142.50	143.00	0.50	2500	RS-121
PLS15-364	L-630W	143.00	143.50	0.50	<300	RS-121
PLS15-364	L-630W	143.50	144.00	0.50	1000	RS-121
PLS15-364	L-630W	144.00	144.50	0.50	1100	RS-121
PLS15-364	L-630W	144.50	145.00	0.50	430	RS-121
PLS15-364	L-630W	145.00	145.50	0.50	380	RS-121
PLS15-364	L-630W	145.50	146.00	0.50	360	RS-121
PLS15-364	L-630W	146.00	146.50	0.50	370	RS-121
PLS15-364	L-630W	146.50	147.00	0.50	<300	RS-121
PLS15-364	L-630W	147.00	147.50	0.50	3300	RS-121
PLS15-364	L-630W	147.50	163.00	15.50	<300	RS-121
PLS15-364	L-630W	163.00	163.50	0.50	450	RS-121
PLS15-364	L-630W	163.50	165.50	2.00	<300	RS-121
PLS15-364	L-630W	165.50	166.00	0.50	350	RS-121
PLS15-364	L-630W	166.00	167.00	1.00	<300	RS-121
PLS15-364	L-630W	167.00	167.50	0.50	800	RS-121
PLS15-364	L-630W	167.50	168.00	0.50	940	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-367	L-645W	98.00	98.50	0.50	360	RS-121
PLS15-367	L-645W	98.50	99.00	0.50	360	RS-121
PLS15-367	L-645W	99.00	99.50	0.50	420	RS-121
PLS15-367	L-645W	99.50	100.00	0.50	420	RS-121
PLS15-367	L-645W	100.00	100.50	0.50	400	RS-121
PLS15-367	L-645W	100.50	101.00	0.50	400	RS-121
PLS15-367	L-645W	101.00	101.50	0.50	2500	RS-121
PLS15-367	L-645W	101.50	102.00	0.50	1800	RS-121
PLS15-367	L-645W	102.00	102.50	0.50	6700	RS-121
PLS15-367	L-645W	102.50	103.00	0.50	5400	RS-121
PLS15-367	L-645W	103.00	103.50	0.50	1800	RS-121
PLS15-367	L-645W	103.50	104.00	0.50	2400	RS-121
PLS15-367	L-645W	104.00	104.50	0.50	3800	RS-121
PLS15-367	L-645W	104.50	105.00	0.50	4500	RS-121
PLS15-367	L-645W	105.00	105.50	0.50	2600	RS-121

PLS15-367	L-645W	105.50	106.00	0.50	3900	RS-121
PLS15-367	L-645W	106.00	106.50	0.50	1500	RS-121
PLS15-367	L-645W	106.50	107.00	0.50	5900	RS-121
PLS15-367	L-645W	107.00	107.50	0.50	4300	RS-121
PLS15-367	L-645W	107.50	108.00	0.50	4600	RS-121
PLS15-367	L-645W	108.00	108.50	0.50	7100	RS-121
PLS15-367	L-645W	108.50	109.00	0.50	7600	RS-121
PLS15-367	L-645W	109.00	109.25	0.25	18400	RS-121
PLS15-367	L-645W	109.25	109.50	0.25	6800	RS-121
PLS15-367	L-645W	109.50	110.00	0.50	26400	RS-121
PLS15-367	L-645W	110.00	110.50	0.50	4200	RS-121
PLS15-367	L-645W	110.50	111.00	0.50	6200	RS-121
PLS15-367	L-645W	111.00	111.50	0.50	27200	RS-121
PLS15-367	L-645W	111.50	112.00	0.50	5600	RS-121
PLS15-367	L-645W	112.00	112.50	0.50	15600	RS-121
PLS15-367	L-645W	112.50	112.77	0.27	16700	RS-121
PLS15-367	L-645W	112.77	113.00	0.23	7100	RS-121
PLS15-367	L-645W	113.00	113.50	0.50	9500	RS-121
PLS15-367	L-645W	113.50	113.75	0.25	7600	RS-121
PLS15-367	L-645W	113.75	114.00	0.25	13800	RS-121
PLS15-367	L-645W	114.00	114.50	0.50	4300	RS-121
PLS15-367	L-645W	114.50	115.00	0.50	2300	RS-121
PLS15-367	L-645W	115.00	115.50	0.50	5100	RS-121
PLS15-367	L-645W	115.50	116.00	0.50	3400	RS-121
PLS15-367	L-645W	116.00	116.50	0.50	6700	RS-121
PLS15-367	L-645W	116.50	117.00	0.50	4300	RS-121
PLS15-367	L-645W	117.00	117.50	0.50	2300	RS-121
PLS15-367	L-645W	117.50	118.00	0.50	1000	RS-121
PLS15-367	L-645W	118.00	118.50	0.50	1500	RS-121
PLS15-367	L-645W	118.50	118.77	0.27	3100	RS-121
PLS15-367	L-645W	118.77	119.00	0.23	13900	RS-121
PLS15-367	L-645W	119.00	119.50	0.50	6500	RS-121
PLS15-367	L-645W	119.50	120.00	0.50	3200	RS-121
PLS15-367	L-645W	120.00	120.50	0.50	7800	RS-121
PLS15-367	L-645W	120.50	121.00	0.50	6800	RS-121
PLS15-367	L-645W	121.00	121.50	0.50	6100	RS-121
PLS15-367	L-645W	121.50	122.00	0.50	6800	RS-121
PLS15-367	L-645W	122.00	122.50	0.50	2100	RS-121
PLS15-367	L-645W	122.50	123.00	0.50	4300	RS-121
PLS15-367	L-645W	123.00	123.22	0.22	13700	RS-121
PLS15-367	L-645W	123.22	123.50	0.28	2900	RS-121
PLS15-367	L-645W	123.50	124.00	0.50	5300	RS-121
PLS15-367	L-645W	124.00	124.50	0.50	4700	RS-121
PLS15-367	L-645W	124.50	125.00	0.50	1400	RS-121
PLS15-367	L-645W	125.00	125.50	0.50	940	RS-121
PLS15-367	L-645W	125.50	126.00	0.50	5300	RS-121
PLS15-367	L-645W	126.00	126.50	0.50	5700	RS-121

PLS15-367	L-645W	126.50	127.00	0.50	35600	RS-121
PLS15-367	L-645W	127.00	127.50	0.50	6800	RS-121
PLS15-367	L-645W	127.50	128.00	0.50	21400	RS-121
PLS15-367	L-645W	128.00	128.50	0.50	5900	RS-121
PLS15-367	L-645W	128.50	128.72	0.22	3100	RS-121
PLS15-367	L-645W	128.72	129.00	0.28	18600	RS-121
PLS15-367	L-645W	129.00	129.50	0.50	2000	RS-121
PLS15-367	L-645W	129.50	130.00	0.50	1000	RS-121
PLS15-367	L-645W	130.00	130.50	0.50	3600	RS-121
PLS15-367	L-645W	130.50	131.00	0.50	2300	RS-121
PLS15-367	L-645W	131.00	131.50	0.50	2900	RS-121
PLS15-367	L-645W	131.50	132.00	0.50	1100	RS-121
PLS15-367	L-645W	132.00	132.50	0.50	2100	RS-121
PLS15-367	L-645W	132.50	133.00	0.50	1600	RS-121
PLS15-367	L-645W	133.00	133.50	0.50	760	RS-121
PLS15-367	L-645W	133.50	134.00	0.50	3400	RS-121
PLS15-367	L-645W	134.00	134.50	0.50	4300	RS-121
PLS15-367	L-645W	134.50	135.00	0.50	5900	RS-121
PLS15-367	L-645W	135.00	135.50	0.50	3800	RS-121
PLS15-367	L-645W	135.50	136.00	0.50	2700	RS-121
PLS15-367	L-645W	136.00	136.50	0.50	3900	RS-121
PLS15-367	L-645W	136.50	137.00	0.50	1200	RS-121
PLS15-367	L-645W	137.00	137.50	0.50	720	RS-121
PLS15-367	L-645W	137.50	138.00	0.50	5000	RS-121
PLS15-367	L-645W	138.00	138.50	0.50	1200	RS-121
PLS15-367	L-645W	138.50	139.00	0.50	980	RS-121
PLS15-367	L-645W	139.00	139.50	0.50	510	RS-121
PLS15-367	L-645W	139.50	140.00	0.50	1000	RS-121
PLS15-367	L-645W	140.00	140.50	0.50	2300	RS-121
PLS15-367	L-645W	140.50	141.00	0.50	2300	RS-121
PLS15-367	L-645W	141.00	141.50	0.50	2300	RS-121
PLS15-367	L-645W	141.50	142.00	0.50	2800	RS-121
PLS15-367	L-645W	142.00	142.50	0.50	2100	RS-121
PLS15-367	L-645W	142.50	143.00	0.50	1500	RS-121
PLS15-367	L-645W	143.00	143.50	0.50	1200	RS-121
PLS15-367	L-645W	143.50	144.00	0.50	620	RS-121
PLS15-367	L-645W	144.00	144.50	0.50	1500	RS-121
PLS15-367	L-645W	144.50	145.00	0.50	5900	RS-121
PLS15-367	L-645W	145.00	145.50	0.50	3100	RS-121
PLS15-367	L-645W	145.50	146.00	0.50	2700	RS-121
PLS15-367	L-645W	146.00	146.50	0.50	1600	RS-121
PLS15-367	L-645W	146.50	147.00	0.50	590	RS-121
PLS15-367	L-645W	147.00	147.50	0.50	330	RS-121
PLS15-367	L-645W	147.50	148.00	0.50	<300	RS-121
PLS15-367	L-645W	148.00	148.50	0.50	320	RS-121
PLS15-367	L-645W	148.50	149.00	0.50	320	RS-121
PLS15-367	L-645W	149.00	149.50	0.50	420	RS-121

PLS15-367	L-645W	149.50	150.00	0.50	<300	RS-121
PLS15-367	L-645W	150.00	150.50	0.50	420	RS-121
PLS15-367	L-645W	150.50	151.00	0.50	320	RS-121
PLS15-367	L-645W	151.00	151.50	0.50	<300	RS-121
PLS15-367	L-645W	151.50	152.00	0.50	340	RS-121
PLS15-367	L-645W	152.00	152.50	0.50	410	RS-121
PLS15-367	L-645W	152.50	153.00	0.50	<300	RS-121
PLS15-367	L-645W	153.00	153.50	0.50	510	RS-121
PLS15-367	L-645W	153.50	154.00	0.50	320	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-372	L-585W	103.50	104.00	0.50	310	RS-121
PLS15-372	L-585W	104.00	104.50	0.50	330	RS-121
PLS15-372	L-585W	104.50	105.00	0.50	440	RS-121
PLS15-372	L-585W	105.00	105.50	0.50	850	RS-121
PLS15-372	L-585W	105.50	106.00	0.50	380	RS-121
PLS15-372	L-585W	106.00	106.50	0.50	410	RS-121
PLS15-372	L-585W	106.50	107.00	0.50	1600	RS-121
PLS15-372	L-585W	107.00	107.50	0.50	4100	RS-121
PLS15-372	L-585W	107.50	108.00	0.50	5500	RS-121
PLS15-372	L-585W	108.00	108.50	0.50	7000	RS-121
PLS15-372	L-585W	108.50	109.00	0.50	6900	RS-121
PLS15-372	L-585W	109.00	109.50	0.50	4800	RS-121
PLS15-372	L-585W	109.50	110.00	0.50	5800	RS-121
PLS15-372	L-585W	110.00	110.50	0.50	2900	RS-121
PLS15-372	L-585W	110.50	111.00	0.50	4500	RS-121
PLS15-372	L-585W	111.00	111.50	0.50	2200	RS-121
PLS15-372	L-585W	111.50	112.00	0.50	1200	RS-121
PLS15-372	L-585W	112.00	112.50	0.50	2700	RS-121
PLS15-372	L-585W	112.50	113.00	0.50	2200	RS-121
PLS15-372	L-585W	113.00	113.50	0.50	4100	RS-121
PLS15-372	L-585W	113.50	114.00	0.50	3200	RS-121
PLS15-372	L-585W	114.00	114.50	0.50	2500	RS-121
PLS15-372	L-585W	114.50	115.00	0.50	2500	RS-121
PLS15-372	L-585W	115.00	115.19	0.19	3200	RS-121
PLS15-372	L-585W	115.19	115.36	0.17	10400	RS-121
PLS15-372	L-585W	115.36	115.50	0.14	3400	RS-121
PLS15-372	L-585W	115.50	116.00	0.50	2200	RS-121
PLS15-372	L-585W	116.00	116.50	0.50	1500	RS-121
PLS15-372	L-585W	116.50	117.00	0.50	1300	RS-121
PLS15-372	L-585W	117.00	117.50	0.50	1600	RS-121
PLS15-372	L-585W	117.50	118.00	0.50	1700	RS-121
PLS15-372	L-585W	118.00	118.50	0.50	620	RS-121
PLS15-372	L-585W	118.50	119.00	0.50	710	RS-121
PLS15-372	L-585W	119.00	119.50	0.50	350	RS-121
PLS15-372	L-585W	119.50	120.00	0.50	660	RS-121

PLS15-372	L-585W	120.00	120.50	0.50	490	RS-121
PLS15-372	L-585W	120.50	121.00	0.50	420	RS-121
PLS15-372	L-585W	121.00	122.50	1.50	<300	RS-121
PLS15-372	L-585W	122.50	123.00	0.50	390	RS-121
PLS15-372	L-585W	123.00	123.50	0.50	650	RS-121
PLS15-372	L-585W	123.50	124.00	0.50	730	RS-121
PLS15-372	L-585W	124.00	124.50	0.50	680	RS-121
PLS15-372	L-585W	124.50	125.00	0.50	340	RS-121
PLS15-372	L-585W	125.00	125.50	0.50	540	RS-121
PLS15-372	L-585W	125.50	126.00	0.50	590	RS-121
PLS15-372	L-585W	126.00	126.50	0.50	490	RS-121
PLS15-372	L-585W	126.50	127.00	0.50	390	RS-121
PLS15-372	L-585W	127.00	127.50	0.50	350	RS-121
PLS15-372	L-585W	127.50	131.50	4.00	<300	RS-121
PLS15-372	L-585W	131.50	132.00	0.50	350	RS-121
PLS15-372	L-585W	132.00	133.00	1.00	<300	RS-121
PLS15-372	L-585W	133.00	133.50	0.50	430	RS-121
PLS15-372	L-585W	133.50	135.00	1.50	<300	RS-121
PLS15-372	L-585W	135.00	135.50	0.50	520	RS-121
PLS15-372	L-585W	135.50	136.00	0.50	420	RS-121
PLS15-372	L-585W	136.00	136.50	0.50	340	RS-121
PLS15-372	L-585W	136.50	138.00	1.50	<300	RS-121
PLS15-372	L-585W	138.00	138.50	0.50	420	RS-121
PLS15-372	L-585W	138.50	139.00	0.50	590	RS-121
PLS15-372	L-585W	139.00	139.50	0.50	820	RS-121
PLS15-372	L-585W	139.50	140.00	0.50	1300	RS-121
PLS15-372	L-585W	140.00	140.50	0.50	800	RS-121
PLS15-372	L-585W	140.50	141.00	0.50	1300	RS-121
PLS15-372	L-585W	141.00	141.50	0.50	2000	RS-121
PLS15-372	L-585W	141.50	142.00	0.50	2000	RS-121
PLS15-372	L-585W	142.00	142.50	0.50	3800	RS-121
PLS15-372	L-585W	142.50	143.00	0.50	6800	RS-121
PLS15-372	L-585W	143.00	143.50	0.50	740	RS-121
PLS15-372	L-585W	143.50	144.00	0.50	410	RS-121
PLS15-372	L-585W	144.00	144.50	0.50	300	RS-121
PLS15-372	L-585W	144.50	145.00	0.50	<300	RS-121
PLS15-372	L-585W	145.00	145.50	0.50	530	RS-121
PLS15-372	L-585W	145.50	146.00	0.50	310	RS-121
PLS15-372	L-585W	146.00	149.50	3.50	<300	RS-121
PLS15-372	L-585W	149.50	150.00	0.50	340	RS-121
PLS15-372	L-585W	150.00	150.50	0.50	300	RS-121
PLS15-372	L-585W	150.50	151.00	0.50	750	RS-121
PLS15-372	L-585W	151.00	151.50	0.50	650	RS-121
PLS15-372	L-585W	151.50	152.00	0.50	560	RS-121
PLS15-372	L-585W	152.00	152.50	0.50	350	RS-121
PLS15-372	L-585W	152.50	153.00	0.50	610	RS-121
PLS15-372	L-585W	153.00	154.50	1.50	<300	RS-121

PLS15-372	L-585W	154.50	155.00	0.50	920	RS-121
PLS15-372	L-585W	155.00	155.50	0.50	710	RS-121
PLS15-372	L-585W	155.50	156.00	0.50	440	RS-121
PLS15-372	L-585W	156.00	156.50	0.50	670	RS-121
PLS15-372	L-585W	156.50	157.00	0.50	300	RS-121
PLS15-372	L-585W	157.00	157.50	0.50	590	RS-121
PLS15-372	L-585W	157.50	160.00	2.50	<300	RS-121
PLS15-372	L-585W	160.00	160.50	0.50	330	RS-121
PLS15-372	L-585W	160.50	161.00	0.50	360	RS-121
PLS15-372	L-585W	161.00	161.50	0.50	310	RS-121
PLS15-372	L-585W	161.50	162.00	0.50	310	RS-121
PLS15-372	L-585W	162.00	163.00	1.00	<300	RS-121
PLS15-372	L-585W	163.00	163.50	0.50	350	RS-121
PLS15-372	L-585W	163.50	165.00	1.50	<300	RS-121
PLS15-372	L-585W	165.00	165.50	0.50	330	RS-121
PLS15-372	L-585W	165.50	269.00	103.50	<300	RS-121
PLS15-372	L-585W	269.00	269.50	0.50	330	RS-121
PLS15-372	L-585W	269.50	270.00	0.50	390	RS-121
PLS15-372	L-585W	270.00	295.00	25.00	<300	RS-121
PLS15-372	L-585W	295.00	295.50	0.50	370	RS-121
PLS15-372	L-585W	295.50	296.00	0.50	1300	RS-121
PLS15-372	L-585W	296.00	296.50	0.50	4200	RS-121
PLS15-372	L-585W	296.50	297.00	0.50	4000	RS-121
PLS15-372	L-585W	297.00	297.50	0.50	1900	RS-121
PLS15-372	L-585W	297.50	298.00	0.50	4600	RS-121
PLS15-372	L-585W	298.00	298.50	0.50	450	RS-121
PLS15-372	L-585W	298.50	299.00	0.50	2400	RS-121
PLS15-372	L-585W	299.00	299.50	0.50	1000	RS-121
PLS15-372	L-585W	299.50	300.00	0.50	3100	RS-121
PLS15-372	L-585W	300.00	300.50	0.50	870	RS-121
PLS15-372	L-585W	300.50	301.00	0.50	570	RS-121
PLS15-372	L-585W	301.00	307.00	6.00	<300	RS-121
PLS15-372	L-585W	307.00	307.50	0.50	4300	RS-121
PLS15-372	L-585W	307.50	307.62	0.12	1900	RS-121
PLS15-372	L-585W	307.62	308.00	0.38	18500	RS-121
PLS15-372	L-585W	308.00	308.50	0.50	42500	RS-121
PLS15-372	L-585W	308.50	308.60	0.10	12500	RS-121
PLS15-372	L-585W	308.60	309.00	0.40	4100	RS-121
PLS15-372	L-585W	309.00	309.50	0.50	6200	RS-121

2015 Summer Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-389	L-600W	99.00	99.50	0.50	480	RS-121
PLS15-389	L-600W	99.50	100.00	0.50	520	RS-121
PLS15-389	L-600W	100.00	100.50	0.50	580	RS-121
PLS15-389	L-600W	100.50	101.00	0.50	540	RS-121

PLS15-389	L-600W	101.00	101.50	0.50	650	RS-121
PLS15-389	L-600W	101.50	102.00	0.50	530	RS-121
PLS15-389	L-600W	102.00	102.50	0.50	1100	RS-121
PLS15-389	L-600W	102.50	102.70	0.20	1900	RS-121
PLS15-389	L-600W	102.70	102.86	0.16	11600	RS-121
PLS15-389	L-600W	102.86	103.00	0.14	3100	RS-121
PLS15-389	L-600W	103.00	103.50	0.50	5800	RS-121
PLS15-389	L-600W	103.50	104.00	0.50	1500	RS-121
PLS15-389	L-600W	104.00	104.50	0.50	1500	RS-121
PLS15-389	L-600W	104.50	105.00	0.50	1100	RS-121
PLS15-389	L-600W	105.00	105.50	0.50	1200	RS-121
PLS15-389	L-600W	105.50	105.75	0.25	2700	RS-121
PLS15-389	L-600W	105.75	106.00	0.25	18200	RS-121
PLS15-389	L-600W	106.00	106.50	0.50	6100	RS-121
PLS15-389	L-600W	106.50	107.00	0.50	1600	RS-121
PLS15-389	L-600W	107.00	107.50	0.50	1200	RS-121
PLS15-389	L-600W	107.50	108.00	0.50	2600	RS-121
PLS15-389	L-600W	108.00	108.40	0.40	24200	RS-121
PLS15-389	L-600W	108.40	108.50	0.10	4900	RS-121
PLS15-389	L-600W	108.50	109.00	0.50	6200	RS-121
PLS15-389	L-600W	109.00	109.30	0.30	3000	RS-121
PLS15-389	L-600W	109.30	109.40	0.10	18600	RS-121
PLS15-389	L-600W	109.40	109.50	0.10	6500	RS-121
PLS15-389	L-600W	109.50	110.00	0.50	7000	RS-121
PLS15-389	L-600W	110.00	110.25	0.25	3700	RS-121
PLS15-389	L-600W	110.25	110.50	0.25	18000	RS-121
PLS15-389	L-600W	110.50	110.80	0.30	17400	RS-121
PLS15-389	L-600W	110.80	111.00	0.20	4700	RS-121
PLS15-389	L-600W	111.00	111.50	0.50	29500	RS-121
PLS15-389	L-600W	111.50	111.55	0.05	6200	RS-121
PLS15-389	L-600W	111.55	112.00	0.45	27500	RS-121
PLS15-389	L-600W	112.00	112.50	0.50	33300	RS-121
PLS15-389	L-600W	112.50	113.00	0.50	37200	RS-121
PLS15-389	L-600W	113.00	113.50	0.50	33700	RS-121
PLS15-389	L-600W	113.50	114.00	0.50	39900	RS-121
PLS15-389	L-600W	114.00	114.30	0.30	19200	RS-121
PLS15-389	L-600W	114.30	114.50	0.20	7700	RS-121
PLS15-389	L-600W	114.50	115.00	0.50	7200	RS-121
PLS15-389	L-600W	115.00	115.50	0.50	18600	RS-121
PLS15-389	L-600W	115.50	115.55	0.05	3100	RS-121
PLS15-389	L-600W	115.55	116.00	0.45	42700	RS-121
PLS15-389	L-600W	116.00	116.50	0.50	21300	RS-121
PLS15-389	L-600W	116.50	117.00	0.50	41200	RS-121
PLS15-389	L-600W	117.00	117.50	0.50	17600	RS-121
PLS15-389	L-600W	117.50	118.00	0.50	6300	RS-121
PLS15-389	L-600W	118.00	118.25	0.25	17100	RS-121
PLS15-389	L-600W	118.25	118.50	0.25	6700	RS-121

PLS15-389	L-600W	118.50	119.00	0.50	6400	RS-121
PLS15-389	L-600W	119.00	119.20	0.20	4500	RS-121
PLS15-389	L-600W	119.20	119.40	0.20	13800	RS-121
PLS15-389	L-600W	119.40	119.50	0.10	1700	RS-121
PLS15-389	L-600W	119.50	120.00	0.50	7700	RS-121
PLS15-389	L-600W	120.00	120.50	0.50	4400	RS-121
PLS15-389	L-600W	120.50	121.00	0.50	7800	RS-121
PLS15-389	L-600W	121.00	121.50	0.50	2200	RS-121
PLS15-389	L-600W	121.50	122.00	0.50	470	RS-121
PLS15-389	L-600W	122.00	122.50	0.50	1500	RS-121
PLS15-389	L-600W	122.50	123.00	0.50	2700	RS-121
PLS15-389	L-600W	123.00	123.50	0.50	3100	RS-121
PLS15-389	L-600W	123.50	124.00	0.50	2100	RS-121
PLS15-389	L-600W	124.00	125.00	1.00	<300	RS-121
PLS15-389	L-600W	125.00	125.50	0.50	480	RS-121
PLS15-389	L-600W	125.50	126.00	0.50	470	RS-121
PLS15-389	L-600W	126.00	126.50	0.50	360	RS-121
PLS15-389	L-600W	126.50	127.00	0.50	430	RS-121
PLS15-389	L-600W	127.00	127.50	0.50	<300	RS-121
PLS15-389	L-600W	127.50	128.00	0.50	430	RS-121
PLS15-389	L-600W	128.00	128.50	0.50	<300	RS-121
PLS15-389	L-600W	128.50	129.00	0.50	410	RS-121
PLS15-389	L-600W	129.00	131.00	2.00	<300	RS-121
PLS15-389	L-600W	131.00	131.50	0.50	400	RS-121
PLS15-389	L-600W	131.50	132.00	0.50	400	RS-121
PLS15-389	L-600W	132.00	132.50	0.50	430	RS-121
PLS15-389	L-600W	132.50	133.00	0.50	540	RS-121
PLS15-389	L-600W	133.00	135.50	2.50	<300	RS-121
PLS15-389	L-600W	135.50	136.00	0.50	350	RS-121
PLS15-389	L-600W	136.00	136.50	0.50	620	RS-121
PLS15-389	L-600W	136.50	137.00	0.50	500	RS-121
PLS15-389	L-600W	137.00	137.50	0.50	450	RS-121
PLS15-389	L-600W	137.50	138.00	0.50	320	RS-121
PLS15-389	L-600W	138.00	138.50	0.50	510	RS-121
PLS15-389	L-600W	138.50	139.00	0.50	470	RS-121
PLS15-389	L-600W	139.00	139.50	0.50	530	RS-121
PLS15-389	L-600W	139.50	140.00	0.50	720	RS-121
PLS15-389	L-600W	140.00	140.50	0.50	1000	RS-121
PLS15-389	L-600W	140.50	141.00	0.50	1900	RS-121
PLS15-389	L-600W	141.00	141.50	0.50	9900	RS-121
PLS15-389	L-600W	141.50	142.00	0.50	1700	RS-121
PLS15-389	L-600W	142.00	142.50	0.50	4000	RS-121
PLS15-389	L-600W	142.50	143.00	0.50	1900	RS-121
PLS15-389	L-600W	143.00	143.50	0.50	1100	RS-121
PLS15-389	L-600W	143.50	144.00	0.50	850	RS-121
PLS15-389	L-600W	144.00	144.50	0.50	640	RS-121
PLS15-389	L-600W	144.50	145.00	0.50	310	RS-121

PLS15-389	L-600W	145.00	147.00	2.00	<300	RS-121
PLS15-389	L-600W	147.00	147.50	0.50	350	RS-121
PLS15-389	L-600W	147.50	149.00	1.50	<300	RS-121
PLS15-389	L-600W	149.00	149.50	0.50	1100	RS-121
PLS15-389	L-600W	149.50	150.00	0.50	1400	RS-121
PLS15-389	L-600W	150.00	150.50	0.50	360	RS-121
PLS15-389	L-600W	150.50	233.00	82.50	<300	RS-121
PLS15-389	L-600W	233.00	233.35	0.35	2500	RS-121
PLS15-389	L-600W	233.35	233.50	0.15	45800	RS-121
PLS15-389	L-600W	233.50	233.60	0.10	30700	RS-121
PLS15-389	L-600W	233.60	234.00	0.40	3300	RS-121
PLS15-389	L-600W	234.00	252.00	18.00	<300	RS-121
PLS15-389	L-600W	252.00	252.50	0.50	350	RS-121
PLS15-389	L-600W	252.50	253.00	0.50	<300	RS-121
PLS15-389	L-600W	253.00	253.35	0.35	5300	RS-121
PLS15-389	L-600W	253.35	253.50	0.15	11500	RS-121
PLS15-389	L-600W	253.50	253.70	0.20	47300	RS-121
PLS15-389	L-600W	253.70	254.00	0.30	1600	RS-121
PLS15-389	L-600W	254.00	271.00	17.00	<300	RS-121
PLS15-389	L-600W	271.00	271.50	0.50	390	RS-121
PLS15-389	L-600W	271.50	289.00	17.50	<300	RS-121
PLS15-389	L-600W	289.00	289.50	0.50	370	RS-121
PLS15-389	L-600W	289.50	290.50	1.00	<300	RS-121
PLS15-389	L-600W	290.50	291.00	0.50	550	RS-121
PLS15-389	L-600W	291.00	315.50	24.50	<300	RS-121
PLS15-389	L-600W	315.50	316.00	0.50	370	RS-121
PLS15-389	L-600W	316.00	327.00	11.00	<300	RS-121
PLS15-389	L-600W	327.00	327.50	0.50	450	RS-121
PLS15-389	L-600W	327.50	328.00	0.50	320	RS-121
PLS15-389	L-600W	328.00	328.50	0.50	660	RS-121
PLS15-389	L-600W	328.50	329.00	0.50	570	RS-121
PLS15-389	L-600W	329.00	330.00	1.00	<300	RS-121
PLS15-389	L-600W	330.00	330.50	0.50	720	RS-121
PLS15-389	L-600W	330.50	331.00	0.50	760	RS-121
PLS15-389	L-600W	331.00	331.50	0.50	710	RS-121
PLS15-389	L-600W	331.50	333.50	2.00	<300	RS-121
PLS15-389	L-600W	333.50	334.00	0.50	1600	RS-121
PLS15-389	L-600W	334.00	334.50	0.50	2900	RS-121
PLS15-389	L-600W	334.50	335.00	0.50	<300	RS-121
PLS15-389	L-600W	335.00	335.50	0.50	760	RS-121
PLS15-389	L-600W	335.50	336.00	0.50	740	RS-121
PLS15-389	L-600W	336.00	336.50	0.50	510	RS-121
PLS15-389	L-600W	336.50	337.00	0.50	1500	RS-121
PLS15-389	L-600W	337.00	337.50	0.50	1600	RS-121
PLS15-389	L-600W	337.50	338.00	0.50	680	RS-121
PLS15-389	L-600W	338.00	338.50	0.50	2300	RS-121
PLS15-389	L-600W	338.50	339.00	0.50	400	RS-121

PLS15-389	L-600W	339.00	339.50	0.50	<300	RS-121
PLS15-389	L-600W	339.50	340.00	0.50	400	RS-121
PLS15-389	L-600W	340.00	340.50	0.50	<300	RS-121
PLS15-389	L-600W	340.50	341.00	0.50	400	RS-121
PLS15-389	L-600W	341.00	341.50	0.50	670	RS-121
PLS15-389	L-600W	341.50	342.00	0.50	2000	RS-121
PLS15-389	L-600W	342.00	342.50	0.50	690	RS-121
PLS15-389	L-600W	342.50	343.00	0.50	410	RS-121
PLS15-389	L-600W	343.00	343.50	0.50	340	RS-121
PLS15-389	L-600W	343.50	345.50	2.00	<300	RS-121
PLS15-389	L-600W	345.50	346.00	0.50	770	RS-121
PLS15-389	L-600W	346.00	347.00	1.00	<300	RS-121
PLS15-389	L-600W	347.00	347.50	0.50	770	RS-121
PLS15-389	L-600W	347.50	348.00	0.50	490	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-395	L-660W	101.00	101.50	0.50	310	RS-121
PLS15-395	L-660W	101.50	102.00	0.50	350	RS-121
PLS15-395	L-660W	102.00	102.50	0.50	470	RS-121
PLS15-395	L-660W	102.50	103.00	0.50	920	RS-121
PLS15-395	L-660W	103.00	103.50	0.50	3300	RS-121
PLS15-395	L-660W	103.50	104.00	0.50	5800	RS-121
PLS15-395	L-660W	104.00	104.50	0.50	7800	RS-121
PLS15-395	L-660W	104.50	105.00	0.50	9100	RS-121
PLS15-395	L-660W	105.00	105.50	0.50	4200	RS-121
PLS15-395	L-660W	105.50	106.00	0.50	6800	RS-121
PLS15-395	L-660W	106.00	106.50	0.50	4700	RS-121
PLS15-395	L-660W	106.50	107.00	0.50	5300	RS-121
PLS15-395	L-660W	107.00	107.50	0.50	8800	RS-121
PLS15-395	L-660W	107.50	108.00	0.50	3800	RS-121
PLS15-395	L-660W	108.00	108.50	0.50	7100	RS-121
PLS15-395	L-660W	108.50	108.67	0.17	5800	RS-121
PLS15-395	L-660W	108.67	108.85	0.18	12200	RS-121
PLS15-395	L-660W	108.85	109.00	0.15	6700	RS-121
PLS15-395	L-660W	109.00	109.50	0.50	4400	RS-121
PLS15-395	L-660W	109.50	110.00	0.50	7400	RS-121
PLS15-395	L-660W	110.00	110.20	0.20	18200	RS-121
PLS15-395	L-660W	110.20	110.50	0.30	7200	RS-121
PLS15-395	L-660W	110.50	110.68	0.18	10600	RS-121
PLS15-395	L-660W	110.68	110.82	0.14	7200	RS-121
PLS15-395	L-660W	110.82	111.15	0.33	20100	RS-121
PLS15-395	L-660W	111.15	111.50	0.35	6500	RS-121
PLS15-395	L-660W	111.50	112.00	0.50	4200	RS-121
PLS15-395	L-660W	112.00	112.25	0.25	4300	RS-121
PLS15-395	L-660W	112.25	112.50	0.25	10600	RS-121
PLS15-395	L-660W	112.50	113.00	0.50	8600	RS-121

PLS15-395	L-660W	113.00	113.50	0.50	6800	RS-121
PLS15-395	L-660W	113.50	114.00	0.50	5400	RS-121
PLS15-395	L-660W	114.00	114.50	0.50	4700	RS-121
PLS15-395	L-660W	114.50	114.60	0.10	19700	RS-121
PLS15-395	L-660W	114.60	115.00	0.40	1300	RS-121
PLS15-395	L-660W	115.00	115.50	0.50	1800	RS-121
PLS15-395	L-660W	115.50	116.00	0.50	7700	RS-121
PLS15-395	L-660W	116.00	116.37	0.37	11000	RS-121
PLS15-395	L-660W	116.37	116.50	0.13	8600	RS-121
PLS15-395	L-660W	116.50	117.00	0.50	8900	RS-121
PLS15-395	L-660W	117.00	117.10	0.10	7700	RS-121
PLS15-395	L-660W	117.10	117.18	0.08	12000	RS-121
PLS15-395	L-660W	117.18	117.50	0.32	9000	RS-121
PLS15-395	L-660W	117.50	118.00	0.50	9200	RS-121
PLS15-395	L-660W	118.00	118.26	0.26	13100	RS-121
PLS15-395	L-660W	118.26	118.50	0.24	4700	RS-121
PLS15-395	L-660W	118.50	118.64	0.14	6800	RS-121
PLS15-395	L-660W	118.64	119.00	0.36	16600	RS-121
PLS15-395	L-660W	119.00	119.50	0.50	5400	RS-121
PLS15-395	L-660W	119.50	120.00	0.50	6000	RS-121
PLS15-395	L-660W	120.00	120.50	0.50	2700	RS-121
PLS15-395	L-660W	120.50	121.00	0.50	1600	RS-121
PLS15-395	L-660W	121.00	121.50	0.50	790	RS-121
PLS15-395	L-660W	121.50	122.00	0.50	800	RS-121
PLS15-395	L-660W	122.00	122.50	0.50	1000	RS-121
PLS15-395	L-660W	122.50	123.00	0.50	1500	RS-121
PLS15-395	L-660W	123.00	123.50	0.50	1800	RS-121
PLS15-395	L-660W	123.50	124.00	0.50	1000	RS-121
PLS15-395	L-660W	124.00	124.50	0.50	860	RS-121
PLS15-395	L-660W	124.50	125.00	0.50	590	RS-121
PLS15-395	L-660W	125.00	125.50	0.50	640	RS-121
PLS15-395	L-660W	125.50	126.00	0.50	1100	RS-121
PLS15-395	L-660W	126.00	126.50	0.50	550	RS-121
PLS15-395	L-660W	126.50	127.00	0.50	400	RS-121
PLS15-395	L-660W	127.00	127.50	0.50	350	RS-121
PLS15-395	L-660W	127.50	128.00	0.50	350	RS-121
PLS15-395	L-660W	128.00	129.00	1.00	<300	RS-121
PLS15-395	L-660W	129.00	129.50	0.50	510	RS-121
PLS15-395	L-660W	129.50	131.00	1.50	<300	RS-121
PLS15-395	L-660W	131.00	131.50	0.50	1000	RS-121
PLS15-395	L-660W	131.50	132.00	0.50	800	RS-121
PLS15-395	L-660W	132.00	132.50	0.50	2400	RS-121
PLS15-395	L-660W	132.50	133.00	0.50	920	RS-121
PLS15-395	L-660W	133.00	133.50	0.50	610	RS-121
PLS15-395	L-660W	133.50	134.00	0.50	640	RS-121
PLS15-395	L-660W	134.00	134.50	0.50	4800	RS-121
PLS15-395	L-660W	134.50	135.00	0.50	1400	RS-121

PLS15-395	L-660W	135.00	135.50	0.50	680	RS-121
PLS15-395	L-660W	135.50	136.00	0.50	770	RS-121
PLS15-395	L-660W	136.00	136.50	0.50	1000	RS-121
PLS15-395	L-660W	136.50	137.00	0.50	2000	RS-121
PLS15-395	L-660W	137.00	137.50	0.50	970	RS-121
PLS15-395	L-660W	137.50	138.00	0.50	770	RS-121
PLS15-395	L-660W	138.00	138.50	0.50	2400	RS-121
PLS15-395	L-660W	138.50	139.00	0.50	6300	RS-121
PLS15-395	L-660W	139.00	140.14	1.14	39000	RS-121
PLS15-395	L-660W	140.14	140.50	0.36	5500	RS-121
PLS15-395	L-660W	140.50	141.00	0.50	9600	RS-121
PLS15-395	L-660W	141.00	141.17	0.17	9800	RS-121
PLS15-395	L-660W	141.17	141.90	0.73	27100	RS-121
PLS15-395	L-660W	141.90	142.00	0.10	4800	RS-121
PLS15-395	L-660W	142.00	142.50	0.50	8000	RS-121
PLS15-395	L-660W	142.50	143.00	0.50	7400	RS-121
PLS15-395	L-660W	143.00	143.50	0.50	9600	RS-121
PLS15-395	L-660W	143.50	144.00	0.50	5000	RS-121
PLS15-395	L-660W	144.00	144.50	0.50	9600	RS-121
PLS15-395	L-660W	144.50	145.00	0.50	3600	RS-121
PLS15-395	L-660W	145.00	145.50	0.50	530	RS-121
PLS15-395	L-660W	145.50	146.00	0.50	310	RS-121
PLS15-395	L-660W	146.00	147.00	1.00	<300	RS-121
PLS15-395	L-660W	147.00	147.50	0.50	340	RS-121
PLS15-395	L-660W	147.50	149.00	1.50	<300	RS-121
PLS15-395	L-660W	149.00	149.50	0.50	310	RS-121
PLS15-395	L-660W	149.50	157.00	7.50	<300	RS-121
PLS15-395	L-660W	157.00	157.50	0.50	370	RS-121
PLS15-395	L-660W	157.50	160.00	2.50	<300	RS-121
PLS15-395	L-660W	160.00	160.50	0.50	820	RS-121
PLS15-395	L-660W	160.50	161.00	0.50	400	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-398	L-645W	118.50	119.00	0.50	370	RS-121
PLS15-398	L-645W	119.00	119.50	0.50	600	RS-121
PLS15-398	L-645W	119.50	120.00	0.50	1500	RS-121
PLS15-398	L-645W	120.00	120.50	0.50	1300	RS-121
PLS15-398	L-645W	120.50	121.00	0.50	1200	RS-121
PLS15-398	L-645W	121.00	121.50	0.50	1800	RS-121
PLS15-398	L-645W	121.50	122.00	0.50	4200	RS-121
PLS15-398	L-645W	122.00	122.50	0.50	6200	RS-121
PLS15-398	L-645W	122.50	123.00	0.50	5600	RS-121
PLS15-398	L-645W	123.00	123.50	0.50	3300	RS-121
PLS15-398	L-645W	123.50	124.00	0.50	4400	RS-121
PLS15-398	L-645W	124.00	124.50	0.50	1000	RS-121
PLS15-398	L-645W	124.50	125.00	0.50	480	RS-121

PLS15-398	L-645W	125.00	127.50	2.50	<300	RS-121
PLS15-398	L-645W	127.50	128.00	0.50	560	RS-121
PLS15-398	L-645W	128.00	313.00	185.00	<300	RS-121
PLS15-398	L-645W	313.00	313.50	0.50	320	RS-121
PLS15-398	L-645W	313.50	314.00	0.50	350	RS-121
PLS15-398	L-645W	314.00	314.50	0.50	<300	RS-121
PLS15-398	L-645W	314.50	315.00	0.50	530	RS-121
PLS15-398	L-645W	315.00	315.50	0.50	420	RS-121
PLS15-398	L-645W	315.50	316.00	0.50	380	RS-121
PLS15-398	L-645W	316.00	316.50	0.50	490	RS-121
PLS15-398	L-645W	316.50	317.00	0.50	460	RS-121
PLS15-398	L-645W	317.00	317.50	0.50	<300	RS-121
PLS15-398	L-645W	317.50	318.00	0.50	720	RS-121
PLS15-398	L-645W	318.00	318.50	0.50	650	RS-121
PLS15-398	L-645W	318.50	319.00	0.50	480	RS-121
PLS15-398	L-645W	319.00	319.50	0.50	370	RS-121
PLS15-398	L-645W	319.50	337.00	17.50	<300	RS-121
PLS15-398	L-645W	337.00	337.50	0.50	400	RS-121
PLS15-398	L-645W	337.50	338.00	0.50	550	RS-121
PLS15-398	L-645W	338.00	338.50	0.50	<300	RS-121
PLS15-398	L-645W	338.50	339.00	0.50	350	RS-121
PLS15-398	L-645W	339.00	350.00	11.00	<300	RS-121
PLS15-398	L-645W	350.00	350.50	0.50	1800	RS-121
PLS15-398	L-645W	350.50	351.00	0.50	970	RS-121
PLS15-398	L-645W	351.00	351.50	0.50	<300	RS-121
PLS15-398	L-645W	351.50	352.00	0.50	520	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-404	L-570W	105.00	105.50	0.50	300	RS-121
PLS15-404	L-570W	105.50	106.00	0.50	410	RS-121
PLS15-404	L-570W	106.00	106.50	0.50	630	RS-121
PLS15-404	L-570W	106.50	107.00	0.50	500	RS-121
PLS15-404	L-570W	107.00	107.50	0.50	660	RS-121
PLS15-404	L-570W	107.50	108.00	0.50	1700	RS-121
PLS15-404	L-570W	108.00	108.50	0.50	760	RS-121
PLS15-404	L-570W	108.50	109.00	0.50	490	RS-121
PLS15-404	L-570W	109.00	109.50	0.50	570	RS-121
PLS15-404	L-570W	109.50	110.00	0.50	390	RS-121
PLS15-404	L-570W	110.00	111.00	1.00	<300	RS-121
PLS15-404	L-570W	111.00	111.50	0.50	390	RS-121
PLS15-404	L-570W	111.50	112.00	0.50	560	RS-121
PLS15-404	L-570W	112.00	112.50	0.50	500	RS-121
PLS15-404	L-570W	112.50	113.00	0.50	560	RS-121
PLS15-404	L-570W	113.00	113.50	0.50	1000	RS-121
PLS15-404	L-570W	113.50	114.00	0.50	700	RS-121
PLS15-404	L-570W	114.00	114.50	0.50	490	RS-121

PLS15-404	L-570W	114.50	115.00	0.50	320	RS-121
PLS15-404	L-570W	115.00	115.50	0.50	370	RS-121
PLS15-404	L-570W	115.50	116.00	0.50	390	RS-121
PLS15-404	L-570W	116.00	134.50	18.50	<300	RS-121
PLS15-404	L-570W	134.50	135.00	0.50	310	RS-121
PLS15-404	L-570W	135.00	135.50	0.50	400	RS-121
PLS15-404	L-570W	135.50	139.50	4.00	<300	RS-121
PLS15-404	L-570W	139.50	140.00	0.50	320	RS-121
PLS15-404	L-570W	140.00	140.50	0.50	1400	RS-121
PLS15-404	L-570W	140.50	144.50	4.00	<300	RS-121
PLS15-404	L-570W	144.50	145.00	0.50	460	RS-121
PLS15-404	L-570W	145.00	322.00	177.00	<300	RS-121
PLS15-404	L-570W	322.00	322.50	0.50	450	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-408	L-675W	124.00	124.50	0.50	410	RS-121
PLS15-408	L-675W	124.50	125.00	0.50	810	RS-121
PLS15-408	L-675W	125.00	125.50	0.50	480	RS-121
PLS15-408	L-675W	125.50	126.00	0.50	410	RS-121
PLS15-408	L-675W	126.00	126.50	0.50	590	RS-121
PLS15-408	L-675W	126.50	127.00	0.50	690	RS-121
PLS15-408	L-675W	127.00	127.50	0.50	690	RS-121
PLS15-408	L-675W	127.50	128.00	0.50	660	RS-121
PLS15-408	L-675W	128.00	128.50	0.50	360	RS-121
PLS15-408	L-675W	128.50	129.00	0.50	310	RS-121
PLS15-408	L-675W	129.00	129.50	0.50	<300	RS-121
PLS15-408	L-675W	129.50	130.00	0.50	860	RS-121
PLS15-408	L-675W	130.00	130.50	0.50	610	RS-121
PLS15-408	L-675W	130.50	131.00	0.50	1200	RS-121
PLS15-408	L-675W	131.00	131.50	0.50	1100	RS-121
PLS15-408	L-675W	131.50	132.00	0.50	1000	RS-121
PLS15-408	L-675W	132.00	132.50	0.50	560	RS-121
PLS15-408	L-675W	132.50	133.00	0.50	520	RS-121
PLS15-408	L-675W	133.00	133.50	0.50	760	RS-121
PLS15-408	L-675W	133.50	134.00	0.50	530	RS-121
PLS15-408	L-675W	134.00	134.50	0.50	430	RS-121
PLS15-408	L-675W	134.50	135.00	0.50	1000	RS-121
PLS15-408	L-675W	135.00	135.50	0.50	2600	RS-121
PLS15-408	L-675W	135.50	135.90	0.40	6100	RS-121
PLS15-408	L-675W	135.90	136.10	0.20	11500	RS-121
PLS15-408	L-675W	136.10	136.50	0.40	8800	RS-121
PLS15-408	L-675W	136.50	136.68	0.18	7000	RS-121
PLS15-408	L-675W	136.68	138.70	2.02	38900	RS-121
PLS15-408	L-675W	138.70	139.00	0.30	6100	RS-121
PLS15-408	L-675W	139.00	139.30	0.30	3400	RS-121
PLS15-408	L-675W	139.30	140.00	0.70	53700	RS-121

PLS15-408	L-675W	140.00	140.50	0.50	7700	RS-121
PLS15-408	L-675W	140.50	141.00	0.50	23900	RS-121
PLS15-408	L-675W	141.00	141.24	0.24	9100	RS-121
PLS15-408	L-675W	141.24	141.77	0.53	25000	RS-121
PLS15-408	L-675W	141.77	142.00	0.23	5900	RS-121
PLS15-408	L-675W	142.00	142.17	0.17	19300	RS-121
PLS15-408	L-675W	142.17	142.50	0.33	8000	RS-121
PLS15-408	L-675W	142.50	143.00	0.50	610	RS-121
PLS15-408	L-675W	143.00	143.50	0.50	960	RS-121
PLS15-408	L-675W	143.50	144.00	0.50	1800	RS-121
PLS15-408	L-675W	144.00	144.50	0.50	970	RS-121
PLS15-408	L-675W	144.50	145.00	0.50	460	RS-121
PLS15-408	L-675W	145.00	145.50	0.50	340	RS-121
PLS15-408	L-675W	145.50	146.00	0.50	370	RS-121
PLS15-408	L-675W	146.00	146.50	0.50	650	RS-121
PLS15-408	L-675W	146.50	147.00	0.50	930	RS-121
PLS15-408	L-675W	147.00	147.24	0.24	9900	RS-121
PLS15-408	L-675W	147.24	148.21	0.97	58600	RS-121
PLS15-408	L-675W	148.21	148.50	0.29	4300	RS-121
PLS15-408	L-675W	148.50	149.00	0.50	900	RS-121
PLS15-408	L-675W	149.00	149.50	0.50	440	RS-121
PLS15-408	L-675W	149.50	150.00	0.50	360	RS-121
PLS15-408	L-675W	150.00	150.50	0.50	310	RS-121
PLS15-408	L-675W	150.50	151.00	0.50	530	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-411	L-630W	121.70	122.00	0.30	1300	RS-121
PLS15-411	L-630W	122.00	122.50	0.50	1600	RS-121
PLS15-411	L-630W	122.50	123.00	0.50	2800	RS-121
PLS15-411	L-630W	123.00	124.00	1.00	28800	RS-121
PLS15-411	L-630W	124.00	124.21	0.21	7900	RS-121
PLS15-411	L-630W	124.21	124.26	0.05	10000	RS-121
PLS15-411	L-630W	124.26	124.50	0.24	4600	RS-121
PLS15-411	L-630W	124.50	125.50	1.00	20800	RS-121
PLS15-411	L-630W	125.50	126.00	0.50	6200	RS-121
PLS15-411	L-630W	126.00	127.24	1.24	37900	RS-121
PLS15-411	L-630W	127.24	127.50	0.26	9700	RS-121
PLS15-411	L-630W	127.50	127.77	0.27	6600	RS-121
PLS15-411	L-630W	127.77	128.00	0.23	13300	RS-121
PLS15-411	L-630W	128.00	128.50	0.50	4700	RS-121
PLS15-411	L-630W	128.50	129.00	0.50	620	RS-121
PLS15-411	L-630W	129.00	129.50	0.50	540	RS-121
PLS15-411	L-630W	129.50	130.00	0.50	540	RS-121
PLS15-411	L-630W	130.00	130.50	0.50	4500	RS-121
PLS15-411	L-630W	130.50	131.00	0.50	6600	RS-121
PLS15-411	L-630W	131.00	131.50	0.50	4500	RS-121

PLS15-411	L-630W	131.50	132.00	0.50	3700	RS-121
PLS15-411	L-630W	132.00	132.50	0.50	2300	RS-121
PLS15-411	L-630W	132.50	133.00	0.50	9900	RS-121
PLS15-411	L-630W	133.00	133.17	0.17	7500	RS-121
PLS15-411	L-630W	133.17	133.68	0.51	28200	RS-121
PLS15-411	L-630W	133.68	134.00	0.32	5000	RS-121
PLS15-411	L-630W	134.00	134.50	0.50	790	RS-121
PLS15-411	L-630W	134.50	135.00	0.50	720	RS-121
PLS15-411	L-630W	135.00	135.50	0.50	700	RS-121
PLS15-411	L-630W	135.50	136.00	0.50	790	RS-121
PLS15-411	L-630W	136.00	136.50	0.50	1100	RS-121
PLS15-411	L-630W	136.50	137.00	0.50	1100	RS-121
PLS15-411	L-630W	137.00	137.50	0.50	2000	RS-121
PLS15-411	L-630W	137.50	137.67	0.17	4500	RS-121
PLS15-411	L-630W	137.67	137.79	0.12	11400	RS-121
PLS15-411	L-630W	137.79	138.00	0.21	6700	RS-121
PLS15-411	L-630W	138.00	138.24	0.24	11700	RS-121
PLS15-411	L-630W	138.24	138.50	0.26	8300	RS-121
PLS15-411	L-630W	138.50	139.00	0.50	5900	RS-121
PLS15-411	L-630W	139.00	139.50	0.50	4700	RS-121
PLS15-411	L-630W	139.50	140.00	0.50	7200	RS-121
PLS15-411	L-630W	140.00	140.50	0.50	5800	RS-121
PLS15-411	L-630W	140.50	141.00	0.50	1400	RS-121
PLS15-411	L-630W	141.00	141.50	0.50	2500	RS-121
PLS15-411	L-630W	141.50	142.00	0.50	6500	RS-121
PLS15-411	L-630W	142.00	142.50	0.50	5500	RS-121
PLS15-411	L-630W	142.50	143.00	0.50	770	RS-121
PLS15-411	L-630W	143.00	143.50	0.50	620	RS-121
PLS15-411	L-630W	143.50	144.00	0.50	5800	RS-121
PLS15-411	L-630W	144.00	144.50	0.50	7000	RS-121
PLS15-411	L-630W	144.50	145.00	0.50	3900	RS-121
PLS15-411	L-630W	145.00	145.42	0.42	3600	RS-121
PLS15-411	L-630W	145.42	145.50	0.08	11700	RS-121
PLS15-411	L-630W	145.50	145.62	0.12	3800	RS-121
PLS15-411	L-630W	145.62	146.00	0.38	1700	RS-121
PLS15-411	L-630W	146.00	146.50	0.50	6000	RS-121
PLS15-411	L-630W	146.50	147.00	0.50	620	RS-121
PLS15-411	L-630W	147.00	147.50	0.50	320	RS-121
PLS15-411	L-630W	147.50	148.00	0.50	<300	RS-121
PLS15-411	L-630W	148.00	148.50	0.50	560	RS-121
PLS15-411	L-630W	148.50	149.00	0.50	640	RS-121
PLS15-411	L-630W	149.00	149.50	0.50	580	RS-121
PLS15-411	L-630W	149.50	150.00	0.50	490	RS-121
PLS15-411	L-630W	150.00	150.50	0.50	340	RS-121
PLS15-411	L-630W	150.50	310.00	159.50	<300	RS-121
PLS15-411	L-630W	310.00	310.50	0.50	490	RS-121
PLS15-411	L-630W	310.50	311.00	0.50	300	RS-121

PLS15-411	L-630W	311.00	318.00	7.00	<300	RS-121
PLS15-411	L-630W	318.00	318.50	0.50	490	RS-121
PLS15-411	L-630W	318.50	319.00	0.50	320	RS-121
PLS15-411	L-630W	319.00	332.50	13.50	<300	RS-121
PLS15-411	L-630W	332.50	333.00	0.50	490	RS-121
PLS15-411	L-630W	333.00	333.50	0.50	780	RS-121
PLS15-411	L-630W	333.50	334.00	0.50	2900	RS-121
PLS15-411	L-630W	334.00	334.50	0.50	1800	RS-121
PLS15-411	L-630W	334.50	335.00	0.50	2100	RS-121
PLS15-411	L-630W	335.00	335.50	0.50	730	RS-121
PLS15-411	L-630W	335.50	336.00	0.50	1400	RS-121
PLS15-411	L-630W	336.00	336.50	0.50	750	RS-121
PLS15-411	L-630W	336.50	337.00	0.50	2800	RS-121
PLS15-411	L-630W	337.00	337.50	0.50	900	RS-121
PLS15-411	L-630W	337.50	338.00	0.50	1100	RS-121
PLS15-411	L-630W	338.00	338.50	0.50	1800	RS-121
PLS15-411	L-630W	338.50	339.00	0.50	670	RS-121
PLS15-411	L-630W	339.00	339.50	0.50	590	RS-121
PLS15-411	L-630W	339.50	340.00	0.50	320	RS-121
PLS15-411	L-630W	340.00	340.50	0.50	640	RS-121
PLS15-411	L-630W	340.50	344.00	3.50	<300	RS-121
PLS15-411	L-630W	344.00	344.50	0.50	580	RS-121
PLS15-411	L-630W	344.50	345.00	0.50	590	RS-121
PLS15-411	L-630W	345.00	366.50	21.50	<300	RS-121
PLS15-411	L-630W	366.50	367.00	0.50	430	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-418	L-690W	101.00	101.50	0.50	320	RS-121
PLS15-418	L-690W	101.50	102.00	0.50	440	RS-121
PLS15-418	L-690W	102.00	102.50	0.50	<300	RS-121
PLS15-418	L-690W	102.50	103.00	0.50	330	RS-121
PLS15-418	L-690W	103.00	104.00	1.00	<300	RS-121
PLS15-418	L-690W	104.00	104.50	0.50	340	RS-121
PLS15-418	L-690W	104.50	105.00	0.50	390	RS-121
PLS15-418	L-690W	105.00	105.50	0.50	540	RS-121
PLS15-418	L-690W	105.50	106.00	0.50	770	RS-121
PLS15-418	L-690W	106.00	106.50	0.50	440	RS-121
PLS15-418	L-690W	106.50	107.00	0.50	700	RS-121
PLS15-418	L-690W	107.00	107.50	0.50	770	RS-121
PLS15-418	L-690W	107.50	108.00	0.50	400	RS-121
PLS15-418	L-690W	108.00	108.50	0.50	400	RS-121
PLS15-418	L-690W	108.50	109.00	0.50	660	RS-121
PLS15-418	L-690W	109.00	109.50	0.50	500	RS-121
PLS15-418	L-690W	109.50	110.00	0.50	550	RS-121
PLS15-418	L-690W	110.00	110.50	0.50	590	RS-121
PLS15-418	L-690W	110.50	111.00	0.50	420	RS-121

PLS15-418	L-690W	111.00	111.50	0.50	450	RS-121
PLS15-418	L-690W	111.50	112.00	0.50	410	RS-121
PLS15-418	L-690W	112.00	112.50	0.50	420	RS-121
PLS15-418	L-690W	112.50	113.00	0.50	410	RS-121
PLS15-418	L-690W	113.00	113.50	0.50	810	RS-121
PLS15-418	L-690W	113.50	114.00	0.50	630	RS-121
PLS15-418	L-690W	114.00	114.50	0.50	620	RS-121
PLS15-418	L-690W	114.50	115.00	0.50	1600	RS-121
PLS15-418	L-690W	115.00	115.50	0.50	840	RS-121
PLS15-418	L-690W	115.50	116.00	0.50	760	RS-121
PLS15-418	L-690W	116.00	116.50	0.50	1100	RS-121
PLS15-418	L-690W	116.50	116.97	0.47	1600	RS-121
PLS15-418	L-690W	116.97	117.11	0.14	12000	RS-121
PLS15-418	L-690W	117.11	117.50	0.39	5700	RS-121
PLS15-418	L-690W	117.50	118.00	0.50	660	RS-121
PLS15-418	L-690W	118.00	118.50	0.50	1700	RS-121
PLS15-418	L-690W	118.50	119.00	0.50	1400	RS-121
PLS15-418	L-690W	119.00	119.50	0.50	1200	RS-121
PLS15-418	L-690W	119.50	120.00	0.50	800	RS-121
PLS15-418	L-690W	120.00	120.50	0.50	4100	RS-121
PLS15-418	L-690W	120.50	121.00	0.50	1200	RS-121
PLS15-418	L-690W	121.00	121.50	0.50	1800	RS-121
PLS15-418	L-690W	121.50	122.00	0.50	2000	RS-121
PLS15-418	L-690W	122.00	122.50	0.50	1600	RS-121
PLS15-418	L-690W	122.50	123.00	0.50	1000	RS-121
PLS15-418	L-690W	123.00	123.50	0.50	6800	RS-121
PLS15-418	L-690W	123.50	124.00	0.50	2900	RS-121
PLS15-418	L-690W	124.00	124.50	0.50	2300	RS-121
PLS15-418	L-690W	124.50	125.00	0.50	790	RS-121
PLS15-418	L-690W	125.00	125.50	0.50	700	RS-121
PLS15-418	L-690W	125.50	126.00	0.50	1300	RS-121
PLS15-418	L-690W	126.00	126.50	0.50	5800	RS-121
PLS15-418	L-690W	126.50	127.00	0.50	1900	RS-121
PLS15-418	L-690W	127.00	127.50	0.50	2100	RS-121
PLS15-418	L-690W	127.50	128.00	0.50	1900	RS-121
PLS15-418	L-690W	128.00	128.50	0.50	3200	RS-121
PLS15-418	L-690W	128.50	129.00	0.50	860	RS-121
PLS15-418	L-690W	129.00	129.30	0.30	1900	RS-121
PLS15-418	L-690W	129.30	129.37	0.07	15000	RS-121
PLS15-418	L-690W	129.37	129.50	0.13	8000	RS-121
PLS15-418	L-690W	129.50	130.00	0.50	4500	RS-121
PLS15-418	L-690W	130.00	130.50	0.50	690	RS-121
PLS15-418	L-690W	130.50	131.00	0.50	1300	RS-121
PLS15-418	L-690W	131.00	131.50	0.50	2800	RS-121
PLS15-418	L-690W	131.50	132.00	0.50	1100	RS-121
PLS15-418	L-690W	132.00	132.50	0.50	930	RS-121
PLS15-418	L-690W	132.50	133.00	0.50	1300	RS-121

PLS15-418	L-690W	133.00	133.50	0.50	1300	RS-121
PLS15-418	L-690W	133.50	134.00	0.50	1200	RS-121
PLS15-418	L-690W	134.00	134.50	0.50	2500	RS-121
PLS15-418	L-690W	134.50	135.00	0.50	9900	RS-121
PLS15-418	L-690W	135.00	135.50	0.50	3900	RS-121
PLS15-418	L-690W	135.50	135.73	0.23	3500	RS-121
PLS15-418	L-690W	135.73	136.34	0.61	30100	RS-121
PLS15-418	L-690W	136.34	136.50	0.16	8900	RS-121
PLS15-418	L-690W	136.50	137.50	1.00	41800	RS-121
PLS15-418	L-690W	137.50	138.00	0.50	8800	RS-121
PLS15-418	L-690W	138.00	138.17	0.17	37400	RS-121
PLS15-418	L-690W	138.17	138.50	0.33	6100	RS-121
PLS15-418	L-690W	138.50	139.00	0.50	5000	RS-121
PLS15-418	L-690W	139.00	139.23	0.23	5900	RS-121
PLS15-418	L-690W	139.23	140.50	1.27	34200	RS-121
PLS15-418	L-690W	140.50	141.00	0.50	7800	RS-121
PLS15-418	L-690W	141.00	141.50	0.50	6400	RS-121
PLS15-418	L-690W	141.50	142.00	0.50	2100	RS-121
PLS15-418	L-690W	142.00	142.50	0.50	1600	RS-121
PLS15-418	L-690W	142.50	143.00	0.50	3700	RS-121
PLS15-418	L-690W	143.00	143.50	0.50	1700	RS-121
PLS15-418	L-690W	143.50	144.00	0.50	430	RS-121
PLS15-418	L-690W	144.00	144.50	0.50	360	RS-121
PLS15-418	L-690W	144.50	145.00	0.50	1600	RS-121
PLS15-418	L-690W	145.00	145.50	0.50	1300	RS-121
PLS15-418	L-690W	145.50	146.00	0.50	1300	RS-121
PLS15-418	L-690W	146.00	146.50	0.50	1100	RS-121
PLS15-418	L-690W	146.50	147.00	0.50	640	RS-121
PLS15-418	L-690W	147.00	147.50	0.50	630	RS-121
PLS15-418	L-690W	147.50	280.50	133.00	<300	RS-121
PLS15-418	L-690W	280.50	281.00	0.50	390	RS-121
PLS15-418	L-690W	281.00	281.50	0.50	560	RS-121
PLS15-418	L-690W	281.50	282.00	0.50	450	RS-121
PLS15-418	L-690W	282.00	307.00	25.00	<300	RS-121
PLS15-418	L-690W	307.00	307.50	0.50	330	RS-121
PLS15-418	L-690W	307.50	308.50	1.00	<300	RS-121
PLS15-418	L-690W	308.50	309.00	0.50	640	RS-121
PLS15-418	L-690W	309.00	321.50	12.50	<300	RS-121
PLS15-418	L-690W	321.50	322.00	0.50	340	RS-121
PLS15-418	L-690W	322.00	322.50	0.50	340	RS-121
PLS15-418	L-690W	322.50	324.00	1.50	<300	RS-121
PLS15-418	L-690W	324.00	324.50	0.50	1100	RS-121
PLS15-418	L-690W	324.50	326.00	1.50	<300	RS-121
PLS15-418	L-690W	326.00	326.50	0.50	610	RS-121
PLS15-418	L-690W	326.50	327.00	0.50	800	RS-121
PLS15-418	L-690W	327.00	327.50	0.50	420	RS-121
PLS15-418	L-690W	327.50	332.00	4.50	<300	RS-121

PLS15-418	L-690W	332.00	332.50	0.50	430	RS-121
PLS15-418	L-690W	332.50	333.00	0.50	<300	RS-121
PLS15-418	L-690W	333.00	333.50	0.50	1800	RS-121
PLS15-418	L-690W	333.50	335.50	2.00	<300	RS-121
PLS15-418	L-690W	335.50	336.00	0.50	500	RS-121
PLS15-418	L-690W	336.00	336.50	0.50	550	RS-121
PLS15-418	L-690W	336.50	337.00	0.50	480	RS-121
PLS15-418	L-690W	337.00	340.50	3.50	<300	RS-121
PLS15-418	L-690W	340.50	341.00	0.50	650	RS-121
PLS15-418	L-690W	341.00	341.50	0.50	340	RS-121
PLS15-418	L-690W	341.50	342.00	0.50	<300	RS-121
PLS15-418	L-690W	342.00	342.50	0.50	330	RS-121
PLS15-418	L-690W	342.50	343.00	0.50	<300	RS-121
PLS15-418	L-690W	343.00	343.50	0.50	550	RS-121
PLS15-418	L-690W	343.50	344.00	0.50	5800	RS-121
PLS15-418	L-690W	344.00	344.50	0.50	2100	RS-121
PLS15-418	L-690W	344.50	345.00	0.50	3700	RS-121
PLS15-418	L-690W	345.00	345.50	0.50	1100	RS-121
PLS15-418	L-690W	345.50	346.00	0.50	2500	RS-121
PLS15-418	L-690W	346.00	346.50	0.50	2000	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-423	L-555W	106.50	107.00	0.50	330	RS-121
PLS15-423	L-555W	107.00	109.50	2.50	<300	RS-121
PLS15-423	L-555W	109.50	110.00	0.50	460	RS-121
PLS15-423	L-555W	110.00	111.50	1.50	<300	RS-121
PLS15-423	L-555W	111.50	112.00	0.50	1900	RS-121
PLS15-423	L-555W	112.00	112.50	0.50	2100	RS-121
PLS15-423	L-555W	112.50	117.00	4.50	<300	RS-121
PLS15-423	L-555W	117.00	117.50	0.50	430	RS-121
PLS15-423	L-555W	117.50	322.50	205.00	<300	RS-121
PLS15-423	L-555W	322.50	323.00	0.50	3800	RS-121
PLS15-423	L-555W	323.00	323.50	0.50	3000	RS-121
PLS15-423	L-555W	323.50	324.00	0.50	2400	RS-121
PLS15-423	L-555W	324.00	324.50	0.50	780	RS-121
PLS15-423	L-555W	324.50	325.00	0.50	400	RS-121
PLS15-423	L-555W	325.00	325.50	0.50	640	RS-121
PLS15-423	L-555W	325.50	328.00	2.50	<300	RS-121
PLS15-423	L-555W	328.00	328.50	0.50	850	RS-121
PLS15-423	L-555W	328.50	329.00	0.50	2300	RS-121
PLS15-423	L-555W	329.00	329.50	0.50	1900	RS-121
PLS15-423	L-555W	329.50	330.00	0.50	<300	RS-121
PLS15-423	L-555W	330.00	330.50	0.50	430	RS-121
PLS15-423	L-555W	330.50	331.00	0.50	680	RS-121
PLS15-423	L-555W	331.00	331.50	0.50	710	RS-121
PLS15-423	L-555W	331.50	332.00	0.50	<300	RS-121

PLS15-423	L-555W	332.00	332.50	0.50	520	RS-121
PLS15-423	L-555W	332.50	333.00	0.50	550	RS-121
PLS15-423	L-555W	333.00	333.50	0.50	2200	RS-121
PLS15-423	L-555W	333.50	336.00	2.50	<300	RS-121
PLS15-423	L-555W	336.00	336.50	0.50	3800	RS-121
PLS15-423	L-555W	336.50	337.00	0.50	5700	RS-121
PLS15-423	L-555W	337.00	337.50	0.50	2200	RS-121
PLS15-423	L-555W	337.50	338.00	0.50	7100	RS-121
PLS15-423	L-555W	338.00	340.50	2.50	<300	RS-121
PLS15-423	L-555W	340.50	341.00	0.50	480	RS-121
PLS15-423	L-555W	341.00	341.50	0.50	510	RS-121
PLS15-423	L-555W	341.50	342.00	0.50	980	RS-121
PLS15-423	L-555W	342.00	342.50	0.50	920	RS-121
PLS15-423	L-555W	342.50	343.00	0.50	530	RS-121
PLS15-423	L-555W	343.00	343.50	0.50	310	RS-121
PLS15-423	L-555W	343.50	344.00	0.50	430	RS-121
PLS15-423	L-555W	344.00	344.50	0.50	1000	RS-121
PLS15-423	L-555W	344.50	345.00	0.50	830	RS-121
PLS15-423	L-555W	345.00	345.50	0.50	3600	RS-121
PLS15-423	L-555W	345.50	346.00	0.50	3700	RS-121
PLS15-423	L-555W	346.00	346.50	0.50	3200	RS-121
PLS15-423	L-555W	346.50	347.50	1.00	<300	RS-121
PLS15-423	L-555W	347.50	348.00	0.50	360	RS-121
PLS15-423	L-555W	348.00	348.50	0.50	630	RS-121
PLS15-423	L-555W	348.50	349.00	0.50	430	RS-121
PLS15-423	L-555W	349.00	349.50	0.50	600	RS-121
PLS15-423	L-555W	349.50	350.00	0.50	540	RS-121
PLS15-423	L-555W	350.00	350.50	0.50	920	RS-121
PLS15-423	L-555W	350.50	351.00	0.50	890	RS-121
PLS15-423	L-555W	351.00	351.50	0.50	400	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-426	L-660W	101.00	101.50	0.50	350	RS-121
PLS15-426	L-660W	101.50	102.00	0.50	530	RS-121
PLS15-426	L-660W	102.00	102.50	0.50	990	RS-121
PLS15-426	L-660W	102.50	103.00	0.50	860	RS-121
PLS15-426	L-660W	103.00	103.50	0.50	500	RS-121
PLS15-426	L-660W	103.50	107.00	3.50	<300	RS-121
PLS15-426	L-660W	107.00	108.00	1.00	310	RS-121
PLS15-426	L-660W	108.00	112.50	4.50	<300	RS-121
PLS15-426	L-660W	112.50	113.00	0.50	360	RS-121
PLS15-426	L-660W	113.00	114.00	1.00	<300	RS-121
PLS15-426	L-660W	114.00	114.50	0.50	320	RS-121
PLS15-426	L-660W	114.50	116.00	1.50	<300	RS-121
PLS15-426	L-660W	116.00	116.50	0.50	670	RS-121
PLS15-426	L-660W	116.50	117.00	0.50	840	RS-121

PLS15-426	L-660W	117.00	117.50	0.50	3800	RS-121
PLS15-426	L-660W	117.50	118.00	0.50	970	RS-121
PLS15-426	L-660W	118.00	118.50	0.50	2200	RS-121
PLS15-426	L-660W	118.50	119.00	0.50	600	RS-121
PLS15-426	L-660W	119.00	119.50	0.50	2800	RS-121
PLS15-426	L-660W	119.50	120.00	0.50	470	RS-121
PLS15-426	L-660W	120.00	120.50	0.50	470	RS-121
PLS15-426	L-660W	120.50	121.00	0.50	2600	RS-121
PLS15-426	L-660W	121.00	121.50	0.50	4700	RS-121
PLS15-426	L-660W	121.50	122.00	0.50	820	RS-121
PLS15-426	L-660W	122.00	122.50	0.50	410	RS-121
PLS15-426	L-660W	122.50	123.00	0.50	1500	RS-121
PLS15-426	L-660W	123.00	123.50	0.50	1600	RS-121
PLS15-426	L-660W	123.50	124.00	0.50	350	RS-121
PLS15-426	L-660W	124.00	124.50	0.50	330	RS-121
PLS15-426	L-660W	124.50	125.00	0.50	410	RS-121
PLS15-426	L-660W	125.00	125.50	0.50	400	RS-121
PLS15-426	L-660W	125.50	126.00	0.50	390	RS-121
PLS15-426	L-660W	126.00	126.50	0.50	1500	RS-121
PLS15-426	L-660W	126.50	127.00	0.50	810	RS-121
PLS15-426	L-660W	127.00	127.50	0.50	620	RS-121
PLS15-426	L-660W	127.50	128.00	0.50	400	RS-121
PLS15-426	L-660W	128.00	128.50	0.50	440	RS-121
PLS15-426	L-660W	128.50	129.00	0.50	410	RS-121
PLS15-426	L-660W	129.00	129.50	0.50	4660	RS-121
PLS15-426	L-660W	129.50	130.00	0.50	1100	RS-121
PLS15-426	L-660W	130.00	130.50	0.50	1100	RS-121
PLS15-426	L-660W	130.50	131.00	0.50	310	RS-121
PLS15-426	L-660W	131.00	131.50	0.50	<300	RS-121
PLS15-426	L-660W	131.50	132.00	0.50	350	RS-121
PLS15-426	L-660W	132.00	327.00	195.00	<300	RS-121
PLS15-426	L-660W	327.00	327.50	0.50	370	RS-121
PLS15-426	L-660W	327.50	329.00	1.50	<300	RS-121
PLS15-426	L-660W	329.00	329.50	0.50	430	RS-121
PLS15-426	L-660W	329.50	330.00	0.50	460	RS-121
PLS15-426	L-660W	330.00	339.00	9.00	<300	RS-121
PLS15-426	L-660W	339.00	339.50	0.50	310	RS-121
PLS15-426	L-660W	339.50	340.00	0.50	1300	RS-121
PLS15-426	L-660W	340.00	340.50	0.50	2300	RS-121
PLS15-426	L-660W	340.50	341.00	0.50	600	RS-121
PLS15-426	L-660W	341.00	341.50	0.50	470	RS-121
PLS15-426	L-660W	341.50	342.50	1.00	<300	RS-121
PLS15-426	L-660W	342.50	343.00	0.50	500	RS-121
PLS15-426	L-660W	343.00	343.50	0.50	1800	RS-121
PLS15-426	L-660W	343.50	344.00	0.50	1300	RS-121
PLS15-426	L-660W	344.00	344.50	0.50	1900	RS-121
PLS15-426	L-660W	344.50	345.00	0.50	2000	RS-121

PLS15-426	L-660W	345.00	345.50	0.50	1500	RS-121
PLS15-426	L-660W	345.50	346.00	0.50	2200	RS-121
PLS15-426	L-660W	346.00	346.50	0.50	890	RS-121
PLS15-426	L-660W	346.50	348.50	2.00	<300	RS-121
PLS15-426	L-660W	348.50	349.00	0.50	600	RS-121
PLS15-426	L-660W	349.00	349.50	0.50	2000	RS-121
PLS15-426	L-660W	349.50	350.00	0.50	1100	RS-121
PLS15-426	L-660W	350.00	350.50	0.50	590	RS-121
PLS15-426	L-660W	350.50	351.00	0.50	940	RS-121
PLS15-426	L-660W	351.00	351.50	0.50	1500	RS-121
PLS15-426	L-660W	351.50	352.00	0.50	950	RS-121
PLS15-426	L-660W	352.00	352.50	0.50	380	RS-121
PLS15-426	L-660W	352.50	353.00	0.50	620	RS-121
PLS15-426	L-660W	353.00	356.00	3.00	<300	RS-121
PLS15-426	L-660W	356.00	356.50	0.50	470	RS-121
PLS15-426	L-660W	356.50	357.00	0.50	570	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-428	L-570W	99.50	100.00	0.50	340	RS-121
PLS15-428	L-570W	100.00	100.50	0.50	350	RS-121
PLS15-428	L-570W	100.50	112.00	11.50	<300	RS-121
PLS15-428	L-570W	112.00	112.50	0.50	1100	RS-121
PLS15-428	L-570W	112.50	113.00	0.50	1000	RS-121
PLS15-428	L-570W	113.00	113.50	0.50	<300	RS-121
PLS15-428	L-570W	113.50	114.00	0.50	370	RS-121
PLS15-428	L-570W	114.00	115.00	1.00	<300	RS-121
PLS15-428	L-570W	115.00	115.50	0.50	300	RS-121
PLS15-428	L-570W	115.50	116.50	1.00	<300	RS-121
PLS15-428	L-570W	116.50	117.00	0.50	330	RS-121
PLS15-428	L-570W	117.00	117.50	0.50	430	RS-121
PLS15-428	L-570W	117.50	118.50	1.00	<300	RS-121
PLS15-428	L-570W	118.50	119.00	0.50	320	RS-121
PLS15-428	L-570W	119.00	328.00	209.00	<300	RS-121
PLS15-428	L-570W	328.00	328.50	0.50	380	RS-121
PLS15-428	L-570W	328.50	329.00	0.50	2000	RS-121
PLS15-428	L-570W	329.00	329.50	0.50	620	RS-121
PLS15-428	L-570W	329.50	331.00	1.50	<300	RS-121
PLS15-428	L-570W	331.00	331.50	0.50	1500	RS-121
PLS15-428	L-570W	331.50	337.50	6.00	<300	RS-121
PLS15-428	L-570W	337.50	338.00	0.50	460	RS-121
PLS15-428	L-570W	338.00	338.50	0.50	<300	RS-121
PLS15-428	L-570W	338.50	339.00	0.50	1600	RS-121
PLS15-428	L-570W	339.00	343.50	4.50	<300	RS-121
PLS15-428	L-570W	343.50	344.00	0.50	2400	RS-121
PLS15-428	L-570W	344.00	344.50	0.50	7000	RS-121
PLS15-428	L-570W	344.50	345.00	0.50	9400	RS-121

PLS15-428	L-570W	345.00	345.50	0.50	9800	RS-121
PLS15-428	L-570W	345.50	345.82	0.32	13700	RS-121
PLS15-428	L-570W	345.82	346.00	0.18	9100	RS-121
PLS15-428	L-570W	346.00	346.50	0.50	8800	RS-121
PLS15-428	L-570W	346.50	347.00	0.50	1000	RS-121
PLS15-428	L-570W	347.00	348.00	1.00	<300	RS-121
PLS15-428	L-570W	348.00	348.50	0.50	390	RS-121
PLS15-428	L-570W	348.50	349.00	0.50	6600	RS-121
PLS15-428	L-570W	349.00	350.50	1.50	<300	RS-121
PLS15-428	L-570W	350.50	351.00	0.50	690	RS-121
PLS15-428	L-570W	351.00	351.50	0.50	370	RS-121
PLS15-428	L-570W	351.50	352.00	0.50	700	RS-121
PLS15-428	L-570W	352.00	352.50	0.50	380	RS-121
PLS15-428	L-570W	352.50	353.00	0.50	1400	RS-121
PLS15-428	L-570W	353.00	353.50	0.50	960	RS-121
PLS15-428	L-570W	353.50	354.00	0.50	480	RS-121
PLS15-428	L-570W	354.00	354.50	0.50	960	RS-121
PLS15-428	L-570W	354.50	355.00	0.50	720	RS-121
PLS15-428	L-570W	355.00	355.50	0.50	1600	RS-121
PLS15-428	L-570W	355.50	356.00	0.50	1300	RS-121
PLS15-428	L-570W	356.00	356.50	0.50	2000	RS-121
PLS15-428	L-570W	356.50	357.00	0.50	1200	RS-121
PLS15-428	L-570W	357.00	357.50	0.50	830	RS-121
PLS15-428	L-570W	357.50	358.00	0.50	3900	RS-121
PLS15-428	L-570W	358.00	358.50	0.50	4600	RS-121
PLS15-428	L-570W	358.50	359.00	0.50	1000	RS-121
PLS15-428	L-570W	359.00	359.50	0.50	2700	RS-121
PLS15-428	L-570W	359.50	360.00	0.50	410	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-432	L-585W	98.00	98.50	0.50	400	RS-121
PLS15-432	L-585W	98.50	100.00	1.50	<300	RS-121
PLS15-432	L-585W	100.00	100.50	0.50	320	RS-121
PLS15-432	L-585W	100.50	101.00	0.50	670	RS-121
PLS15-432	L-585W	101.00	101.50	0.50	900	RS-121
PLS15-432	L-585W	101.50	102.00	0.50	560	RS-121
PLS15-432	L-585W	102.00	102.50	0.50	440	RS-121
PLS15-432	L-585W	102.50	103.00	0.50	350	RS-121
PLS15-432	L-585W	103.00	103.50	0.50	300	RS-121
PLS15-432	L-585W	103.50	104.00	0.50	300	RS-121
PLS15-432	L-585W	104.00	104.50	0.50	<300	RS-121
PLS15-432	L-585W	104.50	105.00	0.50	310	RS-121
PLS15-432	L-585W	105.00	107.50	2.50	<300	RS-121
PLS15-432	L-585W	107.50	108.00	0.50	620	RS-121
PLS15-432	L-585W	108.00	108.50	0.50	990	RS-121
PLS15-432	L-585W	108.50	109.00	0.50	880	RS-121

PLS15-432	L-585W	109.00	109.50	0.50	420	RS-121
PLS15-432	L-585W	109.50	110.00	0.50	760	RS-121
PLS15-432	L-585W	110.00	110.50	0.50	590	RS-121
PLS15-432	L-585W	110.50	119.50	9.00	<300	RS-121
PLS15-432	L-585W	119.50	120.00	0.50	350	RS-121
PLS15-432	L-585W	120.00	120.50	0.50	330	RS-121
PLS15-432	L-585W	120.50	121.00	0.50	390	RS-121
PLS15-432	L-585W	121.00	121.50	0.50	300	RS-121
PLS15-432	L-585W	121.50	122.00	0.50	460	RS-121
PLS15-432	L-585W	122.00	122.50	0.50	440	RS-121
PLS15-432	L-585W	122.50	123.00	0.50	380	RS-121
PLS15-432	L-585W	123.00	123.50	0.50	430	RS-121
PLS15-432	L-585W	123.50	124.00	0.50	340	RS-121
PLS15-432	L-585W	124.00	124.50	0.50	320	RS-121
PLS15-432	L-585W	124.50	125.00	0.50	520	RS-121
PLS15-432	L-585W	125.00	125.50	0.50	310	RS-121
PLS15-432	L-585W	125.50	126.00	0.50	<300	RS-121
PLS15-432	L-585W	126.00	126.50	0.50	400	RS-121
PLS15-432	L-585W	126.50	127.00	0.50	350	RS-121
PLS15-432	L-585W	127.00	283.50	156.50	<300	RS-121
PLS15-432	L-585W	283.50	284.00	0.50	330	RS-121
PLS15-432	L-585W	284.00	285.50	1.50	<300	RS-121
PLS15-432	L-585W	285.50	286.00	0.50	320	RS-121
PLS15-432	L-585W	286.00	287.50	1.50	<300	RS-121
PLS15-432	L-585W	287.50	288.00	0.50	470	RS-121
PLS15-432	L-585W	288.00	291.00	3.00	<300	RS-121
PLS15-432	L-585W	291.00	291.50	0.50	520	RS-121
PLS15-432	L-585W	291.50	292.00	0.50	570	RS-121
PLS15-432	L-585W	292.00	292.50	0.50	420	RS-121
PLS15-432	L-585W	292.50	293.00	0.50	310	RS-121
PLS15-432	L-585W	293.00	293.50	0.50	1900	RS-121
PLS15-432	L-585W	293.50	294.00	0.50	870	RS-121
PLS15-432	L-585W	294.00	294.50	0.50	1300	RS-121
PLS15-432	L-585W	294.50	295.00	0.50	360	RS-121
PLS15-432	L-585W	295.00	295.50	0.50	1000	RS-121
PLS15-432	L-585W	295.50	296.00	0.50	1200	RS-121
PLS15-432	L-585W	296.00	296.50	0.50	770	RS-121
PLS15-432	L-585W	296.50	297.00	0.50	320	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-434	L-675W	100.00	101.00	1.00	330	RS-121
PLS15-434	L-675W	101.00	101.50	0.50	590	RS-121
PLS15-434	L-675W	101.50	102.00	0.50	490	RS-121
PLS15-434	L-675W	102.00	102.50	0.50	660	RS-121
PLS15-434	L-675W	102.50	103.00	0.50	<300	RS-121
PLS15-434	L-675W	103.00	103.50	0.50	430	RS-121

PLS15-434	L-675W	103.50	104.00	0.50	310	RS-121
PLS15-434	L-675W	104.00	104.50	0.50	<300	RS-121
PLS15-434	L-675W	104.50	105.00	0.50	350	RS-121
PLS15-434	L-675W	105.00	105.50	0.50	400	RS-121
PLS15-434	L-675W	105.50	106.00	0.50	380	RS-121
PLS15-434	L-675W	106.00	106.50	0.50	370	RS-121
PLS15-434	L-675W	106.50	107.00	0.50	320	RS-121
PLS15-434	L-675W	107.00	107.50	0.50	600	RS-121
PLS15-434	L-675W	107.50	108.00	0.50	550	RS-121
PLS15-434	L-675W	108.00	108.50	0.50	550	RS-121
PLS15-434	L-675W	108.50	109.00	0.50	400	RS-121
PLS15-434	L-675W	109.00	109.50	0.50	420	RS-121
PLS15-434	L-675W	109.50	110.00	0.50	410	RS-121
PLS15-434	L-675W	110.00	110.50	0.50	580	RS-121
PLS15-434	L-675W	110.50	111.00	0.50	460	RS-121
PLS15-434	L-675W	111.00	111.50	0.50	380	RS-121
PLS15-434	L-675W	111.50	112.00	0.50	380	RS-121
PLS15-434	L-675W	112.00	112.50	0.50	350	RS-121
PLS15-434	L-675W	112.50	113.00	0.50	630	RS-121
PLS15-434	L-675W	113.00	113.50	0.50	1700	RS-121
PLS15-434	L-675W	113.50	113.59	0.09	2000	RS-121
PLS15-434	L-675W	113.59	113.80	0.21	20000	RS-121
PLS15-434	L-675W	113.80	114.00	0.20	8300	RS-121
PLS15-434	L-675W	114.00	114.50	0.50	6000	RS-121
PLS15-434	L-675W	114.50	114.72	0.22	14900	RS-121
PLS15-434	L-675W	114.72	115.00	0.28	5600	RS-121
PLS15-434	L-675W	115.00	115.50	0.50	1500	RS-121
PLS15-434	L-675W	115.50	116.00	0.50	1300	RS-121
PLS15-434	L-675W	116.00	116.50	0.50	530	RS-121
PLS15-434	L-675W	116.50	117.00	0.50	350	RS-121
PLS15-434	L-675W	117.00	117.50	0.50	490	RS-121
PLS15-434	L-675W	117.50	118.00	0.50	390	RS-121
PLS15-434	L-675W	118.00	118.50	0.50	450	RS-121
PLS15-434	L-675W	118.50	119.00	0.50	680	RS-121
PLS15-434	L-675W	119.00	119.50	0.50	390	RS-121
PLS15-434	L-675W	119.50	120.00	0.50	<300	RS-121
PLS15-434	L-675W	120.00	120.50	0.50	330	RS-121
PLS15-434	L-675W	120.50	121.00	0.50	970	RS-121
PLS15-434	L-675W	121.00	121.50	0.50	340	RS-121
PLS15-434	L-675W	121.50	122.00	0.50	310	RS-121
PLS15-434	L-675W	122.00	122.50	0.50	640	RS-121
PLS15-434	L-675W	122.50	123.00	0.50	600	RS-121
PLS15-434	L-675W	123.00	123.50	0.50	680	RS-121
PLS15-434	L-675W	123.50	126.50	3.00	<300	RS-121
PLS15-434	L-675W	126.50	127.00	0.50	350	RS-121
PLS15-434	L-675W	127.00	128.00	1.00	<300	RS-121
PLS15-434	L-675W	128.00	128.50	0.50	380	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-436	L-600W	98.00	98.50	0.50	440	RS-121
PLS15-436	L-600W	98.50	99.00	0.50	390	RS-121
PLS15-436	L-600W	99.00	99.50	0.50	420	RS-121
PLS15-436	L-600W	99.50	100.00	0.50	350	RS-121
PLS15-436	L-600W	100.00	101.00	1.00	<300	RS-121
PLS15-436	L-600W	101.00	101.50	0.50	340	RS-121
PLS15-436	L-600W	101.50	102.00	0.50	620	RS-121
PLS15-436	L-600W	102.00	102.50	0.50	940	RS-121
PLS15-436	L-600W	102.50	103.00	0.50	1100	RS-121
PLS15-436	L-600W	103.00	103.50	0.50	1000	RS-121
PLS15-436	L-600W	103.50	104.00	0.50	960	RS-121
PLS15-436	L-600W	104.00	104.50	0.50	490	RS-121
PLS15-436	L-600W	104.50	105.00	0.50	660	RS-121
PLS15-436	L-600W	105.00	105.50	0.50	440	RS-121
PLS15-436	L-600W	105.50	106.00	0.50	320	RS-121
PLS15-436	L-600W	106.00	106.50	0.50	<300	RS-121
PLS15-436	L-600W	106.50	107.00	0.50	710	RS-121
PLS15-436	L-600W	107.00	107.50	0.50	310	RS-121
PLS15-436	L-600W	107.50	108.00	0.50	1100	RS-121
PLS15-436	L-600W	108.00	108.50	0.50	340	RS-121
PLS15-436	L-600W	108.50	109.00	0.50	690	RS-121
PLS15-436	L-600W	109.00	109.50	0.50	730	RS-121
PLS15-436	L-600W	109.50	110.00	0.50	490	RS-121
PLS15-436	L-600W	110.00	110.50	0.50	<300	RS-121
PLS15-436	L-600W	110.50	111.00	0.50	460	RS-121
PLS15-436	L-600W	111.00	111.50	0.50	800	RS-121
PLS15-436	L-600W	111.50	112.00	0.50	1000	RS-121
PLS15-436	L-600W	112.00	112.50	0.50	3000	RS-121
PLS15-436	L-600W	112.50	113.00	0.50	1600	RS-121
PLS15-436	L-600W	113.00	113.50	0.50	1700	RS-121
PLS15-436	L-600W	113.50	114.00	0.50	4000	RS-121
PLS15-436	L-600W	114.00	114.50	0.50	4200	RS-121
PLS15-436	L-600W	114.50	114.86	0.36	710	RS-121
PLS15-436	L-600W	114.86	115.00	0.14	10900	RS-121
PLS15-436	L-600W	115.00	115.50	0.50	2100	RS-121
PLS15-436	L-600W	115.50	116.00	0.50	1200	RS-121
PLS15-436	L-600W	116.00	116.50	0.50	2700	RS-121
PLS15-436	L-600W	116.50	117.00	0.50	1100	RS-121
PLS15-436	L-600W	117.00	117.50	0.50	1900	RS-121
PLS15-436	L-600W	117.50	118.00	0.50	510	RS-121
PLS15-436	L-600W	118.00	118.50	0.50	530	RS-121
PLS15-436	L-600W	118.50	119.00	0.50	950	RS-121
PLS15-436	L-600W	119.00	119.50	0.50	770	RS-121
PLS15-436	L-600W	119.50	120.00	0.50	530	RS-121

PLS15-436	L-600W	120.00	120.50	0.50	560	RS-121
PLS15-436	L-600W	120.50	121.00	0.50	1400	RS-121
PLS15-436	L-600W	121.00	121.50	0.50	3000	RS-121
PLS15-436	L-600W	121.50	122.00	0.50	490	RS-121
PLS15-436	L-600W	122.00	125.50	3.50	<300	RS-121
PLS15-436	L-600W	125.50	126.00	0.50	360	RS-121
PLS15-436	L-600W	126.00	126.50	0.50	370	RS-121
PLS15-436	L-600W	126.50	127.00	0.50	360	RS-121
PLS15-436	L-600W	127.00	127.50	0.50	320	RS-121
PLS15-436	L-600W	127.50	129.50	2.00	<300	RS-121
PLS15-436	L-600W	129.50	130.00	0.50	790	RS-121
PLS15-436	L-600W	130.00	130.50	0.50	730	RS-121
PLS15-436	L-600W	130.50	131.00	0.50	380	RS-121
PLS15-436	L-600W	131.00	131.50	0.50	380	RS-121
PLS15-436	L-600W	131.50	132.00	0.50	950	RS-121
PLS15-436	L-600W	132.00	132.50	0.50	390	RS-121
PLS15-436	L-600W	132.50	133.00	0.50	<300	RS-121
PLS15-436	L-600W	133.00	133.50	0.50	1200	RS-121
PLS15-436	L-600W	133.50	134.00	0.50	1200	RS-121
PLS15-436	L-600W	134.00	134.50	0.50	1100	RS-121
PLS15-436	L-600W	134.50	135.00	0.50	3200	RS-121
PLS15-436	L-600W	135.00	135.50	0.50	6300	RS-121
PLS15-436	L-600W	135.50	136.00	0.50	1700	RS-121
PLS15-436	L-600W	136.00	136.50	0.50	1800	RS-121
PLS15-436	L-600W	136.50	137.00	0.50	1300	RS-121
PLS15-436	L-600W	137.00	137.50	0.50	1000	RS-121
PLS15-436	L-600W	137.50	138.00	0.50	520	RS-121
PLS15-436	L-600W	138.00	138.50	0.50	530	RS-121
PLS15-436	L-600W	138.50	139.00	0.50	540	RS-121
PLS15-436	L-600W	139.00	139.50	0.50	600	RS-121
PLS15-436	L-600W	139.50	140.00	0.50	700	RS-121
PLS15-436	L-600W	140.00	140.50	0.50	1600	RS-121
PLS15-436	L-600W	140.50	141.00	0.50	400	RS-121
PLS15-436	L-600W	141.00	141.50	0.50	350	RS-121
PLS15-436	L-600W	141.50	142.00	0.50	610	RS-121
PLS15-436	L-600W	142.00	142.50	0.50	450	RS-121
PLS15-436	L-600W	142.50	143.50	1.00	<300	RS-121
PLS15-436	L-600W	143.50	144.00	0.50	320	RS-121
PLS15-436	L-600W	144.00	199.50	55.50	<300	RS-121
PLS15-436	L-600W	199.50	200.00	0.50	400	RS-121
PLS15-436	L-600W	200.00	200.50	0.50	900	RS-121
PLS15-436	L-600W	200.50	201.00	0.50	2000	RS-121
PLS15-436	L-600W	201.00	201.50	0.50	1000	RS-121
PLS15-436	L-600W	201.50	202.00	0.50	620	RS-121
PLS15-436	L-600W	202.00	202.50	0.50	510	RS-121
PLS15-436	L-600W	202.50	203.00	0.50	380	RS-121
PLS15-436	L-600W	203.00	205.50	2.50	<300	RS-121

PLS15-436	L-600W	205.50	206.00	0.50	420	RS-121
PLS15-436	L-600W	206.00	223.00	17.00	<300	RS-121
PLS15-436	L-600W	223.00	223.50	0.50	340	RS-121
PLS15-436	L-600W	223.50	224.00	0.50	<300	RS-121
PLS15-436	L-600W	224.00	224.50	0.50	550	RS-121
PLS15-436	L-600W	224.50	225.00	0.50	430	RS-121
PLS15-436	L-600W	225.00	225.50	0.50	510	RS-121
PLS15-436	L-600W	225.50	226.00	0.50	820	RS-121
PLS15-436	L-600W	226.00	227.50	1.50	<300	RS-121
PLS15-436	L-600W	227.50	228.00	0.50	320	RS-121
PLS15-436	L-600W	228.00	228.50	0.50	<300	RS-121
PLS15-436	L-600W	228.50	229.00	0.50	350	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-438	L-630W	153.00	153.50	0.50	310	RS-121
PLS15-438	L-630W	153.50	154.00	0.50	<300	RS-121
PLS15-438	L-630W	154.00	154.50	0.50	1300	RS-121
PLS15-438	L-630W	154.50	155.00	0.50	340	RS-121
PLS15-438	L-630W	155.00	222.00	67.00	<300	RS-121
PLS15-438	L-630W	222.00	222.50	0.50	660	RS-121
PLS15-438	L-630W	222.50	223.00	0.50	3600	RS-121
PLS15-438	L-630W	223.00	223.50	0.50	2700	RS-121
PLS15-438	L-630W	223.50	224.00	0.50	610	RS-121
PLS15-438	L-630W	224.00	224.50	0.50	820	RS-121
PLS15-438	L-630W	224.50	225.00	0.50	1700	RS-121
PLS15-438	L-630W	225.00	225.50	0.50	640	RS-121
PLS15-438	L-630W	225.50	226.00	0.50	530	RS-121
PLS15-438	L-630W	226.00	228.00	2.00	<300	RS-121
PLS15-438	L-630W	228.00	228.50	0.50	660	RS-121
PLS15-438	L-630W	228.50	229.00	0.50	420	RS-121
PLS15-438	L-630W	229.00	229.50	0.50	390	RS-121
PLS15-438	L-630W	229.50	323.00	93.50	<300	RS-121
PLS15-438	L-630W	323.00	323.50	0.50	400	RS-121
PLS15-438	L-630W	323.50	325.50	2.00	<300	RS-121
PLS15-438	L-630W	325.50	326.00	0.50	670	RS-121
PLS15-438	L-630W	326.00	326.50	0.50	780	RS-121
PLS15-438	L-630W	326.50	327.00	0.50	1500	RS-121
PLS15-438	L-630W	327.00	327.50	0.50	320	RS-121
PLS15-438	L-630W	327.50	329.50	2.00	<300	RS-121
PLS15-438	L-630W	329.50	330.00	0.50	330	RS-121
PLS15-438	L-630W	330.00	330.50	0.50	380	RS-121
PLS15-438	L-630W	330.50	331.00	0.50	690	RS-121
PLS15-438	L-630W	331.00	331.50	0.50	530	RS-121
PLS15-438	L-630W	331.50	332.00	0.50	<300	RS-121
PLS15-438	L-630W	332.00	332.50	0.50	370	RS-121
PLS15-438	L-630W	332.50	333.00	0.50	840	RS-121

PLS15-438	L-630W	333.00	333.50	0.50	1000	RS-121
PLS15-438	L-630W	333.50	334.00	0.50	2200	RS-121
PLS15-438	L-630W	334.00	338.50	4.50	<300	RS-121
PLS15-438	L-630W	338.50	339.00	0.50	1400	RS-121
PLS15-438	L-630W	339.00	339.50	0.50	2400	RS-121
PLS15-438	L-630W	339.50	340.00	0.50	820	RS-121
PLS15-438	L-630W	340.00	340.50	0.50	1200	RS-121
PLS15-438	L-630W	340.50	343.00	2.50	<300	RS-121
PLS15-438	L-630W	343.00	343.50	0.50	570	RS-121
PLS15-438	L-630W	343.50	344.00	0.50	620	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-439	L-615W	98.00	98.50	0.50	670	RS-121
PLS15-439	L-615W	98.50	99.00	0.50	680	RS-121
PLS15-439	L-615W	99.00	99.50	0.50	360	RS-121
PLS15-439	L-615W	99.50	100.00	0.50	350	RS-121
PLS15-439	L-615W	100.00	100.50	0.50	500	RS-121
PLS15-439	L-615W	100.50	101.00	0.50	640	RS-121
PLS15-439	L-615W	101.00	101.50	0.50	460	RS-121
PLS15-439	L-615W	101.50	102.00	0.50	360	RS-121
PLS15-439	L-615W	102.00	102.50	0.50	340	RS-121
PLS15-439	L-615W	102.50	103.00	0.50	700	RS-121
PLS15-439	L-615W	103.00	103.50	0.50	370	RS-121
PLS15-439	L-615W	103.50	104.00	0.50	370	RS-121
PLS15-439	L-615W	104.00	104.50	0.50	360	RS-121
PLS15-439	L-615W	104.50	105.00	0.50	720	RS-121
PLS15-439	L-615W	105.00	105.50	0.50	630	RS-121
PLS15-439	L-615W	105.50	106.00	0.50	330	RS-121
PLS15-439	L-615W	106.00	108.50	2.50	<300	RS-121
PLS15-439	L-615W	108.50	109.00	0.50	430	RS-121
PLS15-439	L-615W	109.00	109.50	0.50	340	RS-121
PLS15-439	L-615W	109.50	110.00	0.50	390	RS-121
PLS15-439	L-615W	110.00	112.00	2.00	<300	RS-121
PLS15-439	L-615W	112.00	112.50	0.50	380	RS-121
PLS15-439	L-615W	112.50	113.00	0.50	410	RS-121
PLS15-439	L-615W	113.00	113.50	0.50	440	RS-121
PLS15-439	L-615W	113.50	116.50	3.00	<300	RS-121
PLS15-439	L-615W	116.50	117.00	0.50	330	RS-121
PLS15-439	L-615W	117.00	117.50	0.50	420	RS-121
PLS15-439	L-615W	117.50	118.00	0.50	1200	RS-121
PLS15-439	L-615W	118.00	118.50	0.50	2000	RS-121
PLS15-439	L-615W	118.50	119.00	0.50	530	RS-121
PLS15-439	L-615W	119.00	119.50	0.50	5400	RS-121
PLS15-439	L-615W	119.50	120.00	0.50	6800	RS-121
PLS15-439	L-615W	120.00	120.50	0.50	2600	RS-121
PLS15-439	L-615W	120.50	121.00	0.50	14300	RS-121

PLS15-439	L-615W	121.00	121.30	0.30	12800	RS-121
PLS15-439	L-615W	121.30	121.50	0.20	6500	RS-121
PLS15-439	L-615W	121.50	122.00	0.50	8600	RS-121
PLS15-439	L-615W	122.00	122.50	0.50	5600	RS-121
PLS15-439	L-615W	122.50	122.80	0.30	4500	RS-121
PLS15-439	L-615W	122.80	123.00	0.20	52100	RS-121
PLS15-439	L-615W	123.00	123.50	0.50	59400	RS-121
PLS15-439	L-615W	123.50	124.00	0.50	59200	RS-121
PLS15-439	L-615W	124.00	124.50	0.50	2300	RS-121
PLS15-439	L-615W	124.50	125.00	0.50	11400	RS-121
PLS15-439	L-615W	125.00	125.20	0.20	6100	RS-121
PLS15-439	L-615W	125.20	125.50	0.30	24200	RS-121
PLS15-439	L-615W	125.50	126.00	0.50	60100	RS-121
PLS15-439	L-615W	126.00	126.50	0.50	31200	RS-121
PLS15-439	L-615W	126.50	127.00	0.50	31400	RS-121
PLS15-439	L-615W	127.00	127.50	0.50	34900	RS-121
PLS15-439	L-615W	127.50	128.00	0.50	24700	RS-121
PLS15-439	L-615W	128.00	128.15	0.15	11100	RS-121
PLS15-439	L-615W	128.15	128.30	0.15	5400	RS-121
PLS15-439	L-615W	128.30	128.50	0.20	21800	RS-121
PLS15-439	L-615W	128.50	129.00	0.50	22900	RS-121
PLS15-439	L-615W	129.00	129.50	0.50	38700	RS-121
PLS15-439	L-615W	129.50	129.80	0.30	12200	RS-121
PLS15-439	L-615W	129.80	130.00	0.20	6300	RS-121
PLS15-439	L-615W	130.00	130.50	0.50	7200	RS-121
PLS15-439	L-615W	130.50	131.00	0.50	4100	RS-121
PLS15-439	L-615W	131.00	131.50	0.50	5000	RS-121
PLS15-439	L-615W	131.50	131.80	0.30	14900	RS-121
PLS15-439	L-615W	131.80	132.00	0.20	5100	RS-121
PLS15-439	L-615W	132.00	132.50	0.50	8100	RS-121
PLS15-439	L-615W	132.50	133.00	0.50	4200	RS-121
PLS15-439	L-615W	133.00	133.30	0.30	3600	RS-121
PLS15-439	L-615W	133.30	133.50	0.20	27300	RS-121
PLS15-439	L-615W	133.50	134.00	0.50	27700	RS-121
PLS15-439	L-615W	134.00	134.50	0.50	40200	RS-121
PLS15-439	L-615W	134.50	135.00	0.50	31200	RS-121
PLS15-439	L-615W	135.00	135.50	0.50	48600	RS-121
PLS15-439	L-615W	135.50	136.00	0.50	53600	RS-121
PLS15-439	L-615W	136.00	136.50	0.50	60500	RS-121
PLS15-439	L-615W	136.50	137.00	0.50	56600	RS-121
PLS15-439	L-615W	137.00	137.50	0.50	19500	RS-121
PLS15-439	L-615W	137.50	138.00	0.50	46600	RS-121
PLS15-439	L-615W	138.00	138.50	0.50	45700	RS-121
PLS15-439	L-615W	138.50	139.00	0.50	61100	RS-121
PLS15-439	L-615W	139.00	139.50	0.50	32700	RS-121
PLS15-439	L-615W	139.50	140.00	0.50	4300	RS-121
PLS15-439	L-615W	140.00	140.50	0.50	830	RS-121

PLS15-439	L-615W	140.50	141.00	0.50	500	RS-121
PLS15-439	L-615W	141.00	141.50	0.50	490	RS-121
PLS15-439	L-615W	141.50	142.00	0.50	950	RS-121
PLS15-439	L-615W	142.00	142.50	0.50	1400	RS-121
PLS15-439	L-615W	142.50	146.00	3.50	<300	RS-121
PLS15-439	L-615W	146.00	146.50	0.50	490	RS-121
PLS15-439	L-615W	146.50	147.00	0.50	500	RS-121
PLS15-439	L-615W	147.00	147.50	0.50	1600	RS-121
PLS15-439	L-615W	147.50	148.00	0.50	1600	RS-121
PLS15-439	L-615W	148.00	148.50	0.50	590	RS-121
PLS15-439	L-615W	148.50	149.00	0.50	810	RS-121
PLS15-439	L-615W	149.00	149.50	0.50	890	RS-121
PLS15-439	L-615W	149.50	150.00	0.50	790	RS-121
PLS15-439	L-615W	150.00	150.50	0.50	340	RS-121
PLS15-439	L-615W	150.50	151.00	0.50	760	RS-121
PLS15-439	L-615W	151.00	151.50	0.50	<300	RS-121
PLS15-439	L-615W	151.50	152.00	0.50	590	RS-121
PLS15-439	L-615W	152.00	152.50	0.50	<300	RS-121
PLS15-439	L-615W	152.50	153.00	0.50	500	RS-121
PLS15-439	L-615W	153.00	153.50	0.50	1100	RS-121
PLS15-439	L-615W	153.50	154.00	0.50	440	RS-121
PLS15-439	L-615W	154.00	154.50	0.50	<300	RS-121
PLS15-439	L-615W	154.50	155.00	0.50	380	RS-121
PLS15-439	L-615W	155.00	156.50	1.50	<300	RS-121
PLS15-439	L-615W	156.50	157.00	0.50	400	RS-121
PLS15-439	L-615W	157.00	157.50	0.50	1300	RS-121
PLS15-439	L-615W	157.50	258.00	100.50	<300	RS-121
PLS15-439	L-615W	258.00	258.50	0.50	310	RS-121
PLS15-439	L-615W	258.50	259.00	0.50	330	RS-121
PLS15-439	L-615W	259.00	303.00	44.00	<300	RS-121
PLS15-439	L-615W	303.00	303.50	0.50	1200	RS-121
PLS15-439	L-615W	303.50	304.00	0.50	2500	RS-121
PLS15-439	L-615W	304.00	304.50	0.50	790	RS-121
PLS15-439	L-615W	304.50	305.00	0.50	1900	RS-121
PLS15-439	L-615W	305.00	305.14	0.14	12500	RS-121
PLS15-439	L-615W	305.14	305.50	0.36	6300	RS-121
PLS15-439	L-615W	305.50	306.00	0.50	<300	RS-121
PLS15-439	L-615W	306.00	306.50	0.50	630	RS-121
PLS15-439	L-615W	306.50	309.50	3.00	<300	RS-121
PLS15-439	L-615W	309.50	310.00	0.50	440	RS-121
PLS15-439	L-615W	310.00	310.50	0.50	<300	RS-121
PLS15-439	L-615W	310.50	311.00	0.50	310	RS-121
PLS15-439	L-615W	311.00	311.50	0.50	520	RS-121
PLS15-439	L-615W	311.50	312.00	0.50	340	RS-121
PLS15-439	L-615W	312.00	351.50	39.50	<300	RS-121
PLS15-439	L-615W	351.50	352.00	0.50	480	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-441	L-645W	101.00	101.50	0.50	440	RS-121
PLS15-441	L-645W	101.50	153.50	52.00	<300	RS-121
PLS15-441	L-645W	153.50	154.00	0.50	340	RS-121
PLS15-441	L-645W	154.00	244.00	90.00	<300	RS-121
PLS15-441	L-645W	244.00	244.50	0.50	470	RS-121
PLS15-441	L-645W	244.50	248.50	4.00	<300	RS-121
PLS15-441	L-645W	248.50	249.00	0.50	560	RS-121
PLS15-441	L-645W	249.00	306.00	57.00	<300	RS-121
PLS15-441	L-645W	306.00	306.50	0.50	1300	RS-121
PLS15-441	L-645W	306.50	317.00	10.50	<300	RS-121
PLS15-441	L-645W	317.00	317.50	0.50	1300	RS-121
PLS15-441	L-645W	317.50	318.00	0.50	790	RS-121
PLS15-441	L-645W	318.00	318.50	0.50	880	RS-121
PLS15-441	L-645W	318.50	319.00	0.50	950	RS-121
PLS15-441	L-645W	319.00	319.50	0.50	350	RS-121
PLS15-441	L-645W	319.50	323.00	3.50	<300	RS-121
PLS15-441	L-645W	323.00	323.50	0.50	2500	RS-121
PLS15-441	L-645W	323.50	324.00	0.50	1200	RS-121
PLS15-441	L-645W	324.00	324.50	0.50	620	RS-121
PLS15-441	L-645W	324.50	326.00	1.50	<300	RS-121
PLS15-441	L-645W	326.00	326.50	0.50	2800	RS-121
PLS15-441	L-645W	326.50	327.00	0.50	4500	RS-121
PLS15-441	L-645W	327.00	327.50	0.50	2200	RS-121
PLS15-441	L-645W	327.50	329.00	1.50	<300	RS-121
PLS15-441	L-645W	329.00	329.50	0.50	3500	RS-121
PLS15-441	L-645W	329.50	330.00	0.50	3700	RS-121
PLS15-441	L-645W	330.00	331.50	1.50	<300	RS-121
PLS15-441	L-645W	331.50	332.00	0.50	1900	RS-121
PLS15-441	L-645W	332.00	332.50	0.50	1900	RS-121
PLS15-441	L-645W	332.50	333.00	0.50	1800	RS-121
PLS15-441	L-645W	333.00	333.50	0.50	1500	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-442	L-705W	95.50	96.00	0.50	340	RS-121
PLS15-442	L-705W	96.00	96.50	0.50	320	RS-121
PLS15-442	L-705W	96.50	97.00	0.50	410	RS-121
PLS15-442	L-705W	97.00	97.50	0.50	370	RS-121
PLS15-442	L-705W	97.50	98.00	0.50	<300	RS-121
PLS15-442	L-705W	98.00	98.50	0.50	440	RS-121
PLS15-442	L-705W	98.50	99.00	0.50	320	RS-121
PLS15-442	L-705W	99.00	107.50	8.50	<300	RS-121
PLS15-442	L-705W	107.50	108.00	0.50	340	RS-121
PLS15-442	L-705W	108.00	108.50	0.50	320	RS-121
PLS15-442	L-705W	108.50	109.00	0.50	360	RS-121

PLS15-442	L-705W	109.00	109.50	0.50	420	RS-121
PLS15-442	L-705W	109.50	110.00	0.50	380	RS-121
PLS15-442	L-705W	110.00	110.50	0.50	430	RS-121
PLS15-442	L-705W	110.50	111.00	0.50	320	RS-121
PLS15-442	L-705W	111.00	111.50	0.50	520	RS-121
PLS15-442	L-705W	111.50	112.00	0.50	480	RS-121
PLS15-442	L-705W	112.00	112.50	0.50	500	RS-121
PLS15-442	L-705W	112.50	113.00	0.50	520	RS-121
PLS15-442	L-705W	113.00	113.50	0.50	340	RS-121
PLS15-442	L-705W	113.50	114.00	0.50	740	RS-121
PLS15-442	L-705W	114.00	114.50	0.50	470	RS-121
PLS15-442	L-705W	114.50	286.50	172.00	<300	RS-121
PLS15-442	L-705W	286.50	287.00	0.50	770	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-443	L-570W	101.00	101.50	0.50	340	RS-121
PLS15-443	L-570W	101.50	102.00	0.50	<300	RS-121
PLS15-443	L-570W	102.00	102.50	0.50	330	RS-121
PLS15-443	L-570W	102.50	105.00	2.50	<300	RS-121
PLS15-443	L-570W	105.00	105.50	0.50	340	RS-121
PLS15-443	L-570W	105.50	187.50	82.00	<300	RS-121
PLS15-443	L-570W	187.50	188.00	0.50	300	RS-121
PLS15-443	L-570W	188.00	188.50	0.50	540	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS15-444	L-690W	98.00	98.50	0.50	940	RS-121
PLS15-444	L-690W	98.50	99.00	0.50	1800	RS-121
PLS15-444	L-690W	99.00	99.50	0.50	1100	RS-121
PLS15-444	L-690W	99.50	100.00	0.50	910	RS-121
PLS15-444	L-690W	100.00	100.50	0.50	500	RS-121
PLS15-444	L-690W	100.50	101.00	0.50	330	RS-121
PLS15-444	L-690W	101.00	104.00	3.00	<300	RS-121
PLS15-444	L-690W	104.00	104.50	0.50	570	RS-121
PLS15-444	L-690W	104.50	105.00	0.50	<300	RS-121
PLS15-444	L-690W	105.00	105.50	0.50	490	RS-121
PLS15-444	L-690W	105.50	106.00	0.50	2600	RS-121
PLS15-444	L-690W	106.00	106.50	0.50	800	RS-121
PLS15-444	L-690W	106.50	107.00	0.50	1000	RS-121
PLS15-444	L-690W	107.00	107.50	0.50	810	RS-121
PLS15-444	L-690W	107.50	108.00	0.50	1800	RS-121
PLS15-444	L-690W	108.00	108.50	0.50	4100	RS-121
PLS15-444	L-690W	108.50	109.00	0.50	5400	RS-121
PLS15-444	L-690W	109.00	109.50	0.50	7800	RS-121
PLS15-444	L-690W	109.50	110.00	0.50	7900	RS-121
PLS15-444	L-690W	110.00	110.50	0.50	1300	RS-121
PLS15-444	L-690W	110.50	111.00	0.50	1000	RS-121

PLS15-444	L-690W	111.00	111.50	0.50	3800	RS-121
PLS15-444	L-690W	111.50	112.00	0.50	2000	RS-121
PLS15-444	L-690W	112.00	112.15	0.15	4000	RS-121
PLS15-444	L-690W	112.15	112.43	0.28	15900	RS-121
PLS15-444	L-690W	112.43	112.50	0.07	2500	RS-121
PLS15-444	L-690W	112.50	112.57	0.07	19100	RS-121
PLS15-444	L-690W	112.57	112.81	0.24	3900	RS-121
PLS15-444	L-690W	112.81	113.00	0.19	19500	RS-121
PLS15-444	L-690W	113.00	113.50	0.50	3000	RS-121
PLS15-444	L-690W	113.50	114.00	0.50	3300	RS-121
PLS15-444	L-690W	114.00	114.50	0.50	7400	RS-121
PLS15-444	L-690W	114.50	115.00	0.50	3700	RS-121
PLS15-444	L-690W	115.00	115.50	0.50	920	RS-121
PLS15-444	L-690W	115.50	116.00	0.50	870	RS-121
PLS15-444	L-690W	116.00	116.50	0.50	1200	RS-121
PLS15-444	L-690W	116.50	117.00	0.50	1500	RS-121
PLS15-444	L-690W	117.00	117.50	0.50	2000	RS-121
PLS15-444	L-690W	117.50	118.00	0.50	1000	RS-121
PLS15-444	L-690W	118.00	118.50	0.50	1700	RS-121
PLS15-444	L-690W	118.50	119.00	0.50	320	RS-121
PLS15-444	L-690W	119.00	119.50	0.50	1200	RS-121

2016 Winter Drill Program

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-446	L-690W	135.50	136.00	0.50	300	RS-121
PLS16-446	L-690W	136.00	136.50	0.50	670	RS-121
PLS16-446	L-690W	136.50	137.00	0.50	890	RS-121
PLS16-446	L-690W	137.00	150.00	13.00	<300	RS-121
PLS16-446	L-690W	150.00	150.50	0.50	660	RS-121
PLS16-446	L-690W	150.50	151.00	0.50	500	RS-121
PLS16-446	L-690W	151.00	165.00	14.00	<300	RS-121
PLS16-446	L-690W	165.00	165.50	0.50	320	RS-121
PLS16-446	L-690W	165.50	167.00	1.50	<300	RS-121
PLS16-446	L-690W	167.00	167.23	0.23	1900	RS-121
PLS16-446	L-690W	167.23	167.50	0.27	26400	RS-121
PLS16-446	L-690W	167.50	168.00	0.50	840	RS-121
PLS16-446	L-690W	168.00	176.50	8.50	<300	RS-121
PLS16-446	L-690W	176.50	177.00	0.50	390	RS-121
PLS16-446	L-690W	177.00	177.50	0.50	380	RS-121

Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-447	L-615W	136.00	136.50	0.50	380	RS-121
PLS16-447	L-615W	136.50	137.00	0.50	390	RS-121
PLS16-447	L-615W	137.00	137.50	0.50	440	RS-121
PLS16-447	L-615W	137.50	138.00	0.50	430	RS-121
PLS16-447	L-615W	138.00	138.50	0.50	370	RS-121

PLS16-447	L-615W	138.50	140.00	1.50	<300	RS-121
PLS16-447	L-615W	140.00	140.50	0.50	560	RS-121
PLS16-447	L-615W	140.50	141.00	0.50	880	RS-121
PLS16-447	L-615W	141.00	144.50	3.50	<300	RS-121
PLS16-447	L-615W	144.50	145.00	0.50	600	RS-121
PLS16-447	L-615W	145.00	145.50	0.50	880	RS-121
PLS16-447	L-615W	145.50	146.00	0.50	2000	RS-121
PLS16-447	L-615W	146.00	146.50	0.50	3700	RS-121
PLS16-447	L-615W	146.50	147.50	1.00	<300	RS-121
PLS16-447	L-615W	147.50	148.00	0.50	770	RS-121
PLS16-447	L-615W	148.00	148.50	0.50	420	RS-121
PLS16-447	L-615W	148.50	149.00	0.50	330	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-449	L-660W	101.00	101.50	0.50	370	RS-121
PLS16-449	L-660W	101.50	102.00	0.50	330	RS-121
PLS16-449	L-660W	102.00	102.50	0.50	330	RS-121
PLS16-449	L-660W	102.50	103.00	0.50	320	RS-121
PLS16-449	L-660W	103.00	103.50	0.50	360	RS-121
PLS16-449	L-660W	103.50	104.00	0.50	<300	RS-121
PLS16-449	L-660W	104.00	104.50	0.50	530	RS-121
PLS16-449	L-660W	104.50	105.00	0.50	470	RS-121
PLS16-449	L-660W	105.00	105.50	0.50	420	RS-121
PLS16-449	L-660W	105.50	106.00	0.50	500	RS-121
PLS16-449	L-660W	106.00	106.50	0.50	590	RS-121
PLS16-449	L-660W	106.50	107.00	0.50	760	RS-121
PLS16-449	L-660W	107.00	107.50	0.50	670	RS-121
PLS16-449	L-660W	107.50	108.50	1.00	<300	RS-121
PLS16-449	L-660W	108.50	109.00	0.50	480	RS-121
PLS16-449	L-660W	109.00	109.50	0.50	420	RS-121
PLS16-449	L-660W	109.50	110.00	0.50	450	RS-121
PLS16-449	L-660W	110.00	110.50	0.50	490	RS-121
PLS16-449	L-660W	110.50	111.00	0.50	1400	RS-121
PLS16-449	L-660W	111.00	111.50	0.50	1700	RS-121
PLS16-449	L-660W	111.50	112.00	0.50	450	RS-121
PLS16-449	L-660W	112.00	112.50	0.50	4400	RS-121
PLS16-449	L-660W	112.50	113.00	0.50	3100	RS-121
PLS16-449	L-660W	113.00	113.50	0.50	540	RS-121
PLS16-449	L-660W	113.50	114.00	0.50	5300	RS-121
PLS16-449	L-660W	114.00	114.50	0.50	1600	RS-121
PLS16-449	L-660W	114.50	115.00	0.50	2100	RS-121
PLS16-449	L-660W	115.00	115.50	0.50	2300	RS-121
PLS16-449	L-660W	115.50	116.00	0.50	31000	RS-121
PLS16-449	L-660W	116.00	116.50	0.50	4900	RS-121
PLS16-449	L-660W	116.50	117.00	0.50	1800	RS-121
PLS16-449	L-660W	117.00	117.50	0.50	5100	RS-121

PLS16-449	L-660W	117.50	118.00	0.50	8200	RS-121
PLS16-449	L-660W	118.00	118.50	0.50	8600	RS-121
PLS16-449	L-660W	118.50	119.00	0.50	5400	RS-121
PLS16-449	L-660W	119.00	119.50	0.50	5900	RS-121
PLS16-449	L-660W	119.50	120.00	0.50	6300	RS-121
PLS16-449	L-660W	120.00	120.50	0.50	2600	RS-121
PLS16-449	L-660W	120.50	121.00	0.50	1600	RS-121
PLS16-449	L-660W	121.00	121.50	0.50	3400	RS-121
PLS16-449	L-660W	121.50	122.00	0.50	1900	RS-121
PLS16-449	L-660W	122.00	122.46	0.46	20100	RS-121
PLS16-449	L-660W	122.46	122.50	0.04	3300	RS-121
PLS16-449	L-660W	122.50	123.00	0.50	5200	RS-121
PLS16-449	L-660W	123.00	123.50	0.50	1700	RS-121
PLS16-449	L-660W	123.50	124.00	0.50	840	RS-121
PLS16-449	L-660W	124.00	124.50	0.50	1900	RS-121
PLS16-449	L-660W	124.50	125.00	0.50	5900	RS-121
PLS16-449	L-660W	125.00	125.50	0.50	2000	RS-121
PLS16-449	L-660W	125.50	126.00	0.50	2800	RS-121
PLS16-449	L-660W	126.00	126.50	0.50	6500	RS-121
PLS16-449	L-660W	126.50	127.00	0.50	2300	RS-121
PLS16-449	L-660W	127.00	127.50	0.50	4100	RS-121
PLS16-449	L-660W	127.50	127.94	0.44	9200	RS-121
PLS16-449	L-660W	127.94	128.00	0.06	22700	RS-121
PLS16-449	L-660W	128.00	128.50	0.50	5000	RS-121
PLS16-449	L-660W	128.50	129.00	0.50	2600	RS-121
PLS16-449	L-660W	129.00	129.50	0.50	1500	RS-121
PLS16-449	L-660W	129.50	130.00	0.50	2700	RS-121
PLS16-449	L-660W	130.00	130.50	0.50	2100	RS-121
PLS16-449	L-660W	130.50	131.00	0.50	7000	RS-121
PLS16-449	L-660W	131.00	131.50	0.50	2500	RS-121
PLS16-449	L-660W	131.50	132.00	0.50	3700	RS-121
PLS16-449	L-660W	132.00	132.50	0.50	3400	RS-121
PLS16-449	L-660W	132.50	133.00	0.50	4800	RS-121
PLS16-449	L-660W	133.00	133.50	0.50	1900	RS-121
PLS16-449	L-660W	133.50	134.00	0.50	500	RS-121
PLS16-449	L-660W	134.00	134.50	0.50	4600	RS-121
PLS16-449	L-660W	134.50	135.00	0.50	2000	RS-121
PLS16-449	L-660W	135.00	135.50	0.50	2100	RS-121
PLS16-449	L-660W	135.50	136.00	0.50	3700	RS-121
PLS16-449	L-660W	136.00	136.50	0.50	600	RS-121
PLS16-449	L-660W	136.50	137.00	0.50	3000	RS-121
PLS16-449	L-660W	137.00	137.50	0.50	4100	RS-121
PLS16-449	L-660W	137.50	138.00	0.50	7700	RS-121
PLS16-449	L-660W	138.00	138.50	0.50	2100	RS-121
PLS16-449	L-660W	138.50	139.00	0.50	4700	RS-121
PLS16-449	L-660W	139.00	139.50	0.50	2700	RS-121
PLS16-449	L-660W	139.50	140.00	0.50	1300	RS-121

PLS16-449	L-660W	140.00	140.50	0.50	600	RS-121
PLS16-449	L-660W	140.50	141.00	0.50	760	RS-121
PLS16-449	L-660W	141.00	141.50	0.50	440	RS-121
PLS16-449	L-660W	141.50	147.00	5.50	<300	RS-121
PLS16-449	L-660W	147.00	147.50	0.50	1400	RS-121
PLS16-449	L-660W	147.50	148.00	0.50	2000	RS-121
PLS16-449	L-660W	148.00	148.50	0.50	2900	RS-121
PLS16-449	L-660W	148.50	149.00	0.50	720	RS-121
PLS16-449	L-660W	149.00	149.50	0.50	820	RS-121
PLS16-449	L-660W	149.50	295.00	145.50	<300	RS-121
PLS16-449	L-660W	295.00	295.50	0.50	300	RS-121
PLS16-449	L-660W	295.50	297.00	1.50	<300	RS-121
PLS16-449	L-660W	297.00	297.50	0.50	320	RS-121
PLS16-449	L-660W	297.50	307.00	9.50	<300	RS-121
PLS16-449	L-660W	307.00	307.50	0.50	510	RS-121
PLS16-449	L-660W	307.50	319.50	12.00	<300	RS-121
PLS16-449	L-660W	319.50	320.00	0.50	1600	RS-121
PLS16-449	L-660W	320.00	320.50	0.50	520	RS-121
PLS16-449	L-660W	320.50	321.00	0.50	780	RS-121
PLS16-449	L-660W	321.00	321.50	0.50	520	RS-121
PLS16-449	L-660W	321.50	322.00	0.50	1400	RS-121
PLS16-449	L-660W	322.00	322.50	0.50	550	RS-121
PLS16-449	L-660W	322.50	326.50	4.00	<300	RS-121
PLS16-449	L-660W	326.50	327.00	0.50	700	RS-121
PLS16-449	L-660W	327.00	327.50	0.50	<300	RS-121
PLS16-449	L-660W	327.50	328.00	0.50	520	RS-121
PLS16-449	L-660W	328.00	330.00	2.00	<300	RS-121
PLS16-449	L-660W	330.00	330.50	0.50	920	RS-121
PLS16-449	L-660W	330.50	331.00	0.50	880	RS-121
PLS16-449	L-660W	331.00	332.50	1.50	<300	RS-121
PLS16-449	L-660W	332.50	333.00	0.50	1200	RS-121
PLS16-449	L-660W	333.00	333.50	0.50	2900	RS-121
PLS16-449	L-660W	333.50	335.00	1.50	<300	RS-121
PLS16-449	L-660W	335.00	335.50	0.50	810	RS-121
PLS16-449	L-660W	335.50	336.00	0.50	<300	RS-121
PLS16-449	L-660W	336.00	336.50	0.50	750	RS-121
PLS16-449	L-660W	336.50	337.00	0.50	380	RS-121
PLS16-449	L-660W	337.00	338.50	1.50	<300	RS-121
PLS16-449	L-660W	338.50	339.00	0.50	630	RS-121
PLS16-449	L-660W	339.00	339.50	0.50	350	RS-121
PLS16-449	L-660W	339.50	340.00	0.50	<300	RS-121
PLS16-449	L-660W	340.00	340.50	0.50	1100	RS-121
PLS16-449	L-660W	340.50	341.50	1.00	<300	RS-121
PLS16-449	L-660W	341.50	342.00	0.50	1000	RS-121
PLS16-449	L-660W	342.00	342.50	0.50	2700	RS-121
PLS16-449	L-660W	342.50	343.00	0.50	<300	RS-121
PLS16-449	L-660W	343.00	343.50	0.50	2700	RS-121

PLS16-449	L-660W	343.50	344.00	0.50	590	RS-121
PLS16-449	L-660W	344.00	345.00	1.00	<300	RS-121
PLS16-449	L-660W	345.00	345.50	0.50	1100	RS-121
PLS16-449	L-660W	345.50	346.00	0.50	730	RS-121
PLS16-449	L-660W	346.00	346.50	0.50	2300	RS-121
PLS16-449	L-660W	346.50	347.00	0.50	3400	RS-121
PLS16-449	L-660W	347.00	347.50	0.50	1000	RS-121
PLS16-449	L-660W	347.50	366.50	19.00	<300	RS-121
PLS16-449	L-660W	366.50	367.00	0.50	380	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-450	L-555W	105.50	106.00	0.50	360	RS-121
PLS16-450	L-555W	106.00	106.50	0.50	410	RS-121
PLS16-450	L-555W	106.50	107.00	0.50	480	RS-121
PLS16-450	L-555W	107.00	107.50	0.50	360	RS-121
PLS16-450	L-555W	107.50	108.00	0.50	300	RS-121
PLS16-450	L-555W	108.00	108.50	0.50	330	RS-121
PLS16-450	L-555W	108.50	109.00	0.50	310	RS-121
PLS16-450	L-555W	109.00	109.50	0.50	300	RS-121
PLS16-450	L-555W	109.50	110.00	0.50	320	RS-121
PLS16-450	L-555W	110.00	110.50	0.50	340	RS-121
PLS16-450	L-555W	110.50	111.00	0.50	<300	RS-121
PLS16-450	L-555W	111.00	111.50	0.50	300	RS-121
PLS16-450	L-555W	111.50	112.00	0.50	430	RS-121
PLS16-450	L-555W	112.00	113.00	1.00	<300	RS-121
PLS16-450	L-555W	113.00	113.50	0.50	420	RS-121
PLS16-450	L-555W	113.50	114.00	0.50	<300	RS-121
PLS16-450	L-555W	114.00	114.50	0.50	330	RS-121
PLS16-450	L-555W	114.50	115.00	0.50	340	RS-121
PLS16-450	L-555W	115.00	116.00	1.00	<300	RS-121
PLS16-450	L-555W	116.00	116.50	0.50	340	RS-121
PLS16-450	L-555W	116.50	132.00	15.50	<300	RS-121
PLS16-450	L-555W	132.00	132.50	0.50	1400	RS-121
PLS16-450	L-555W	132.50	133.00	0.50	2100	RS-121
PLS16-450	L-555W	133.00	133.50	0.50	<300	RS-121
PLS16-450	L-555W	133.50	134.00	0.50	410	RS-121
PLS16-450	L-555W	134.00	134.50	0.50	480	RS-121
PLS16-450	L-555W	134.50	135.50	1.00	<300	RS-121
PLS16-450	L-555W	135.50	136.00	0.50	630	RS-121
PLS16-450	L-555W	136.00	140.00	4.00	<300	RS-121
PLS16-450	L-555W	140.00	140.50	0.50	450	RS-121
PLS16-450	L-555W	140.50	144.00	3.50	<300	RS-121
PLS16-450	L-555W	144.00	144.50	0.50	960	RS-121
PLS16-450	L-555W	144.50	145.00	0.50	360	RS-121
PLS16-450	L-555W	145.00	146.00	1.00	<300	RS-121
PLS16-450	L-555W	146.00	146.50	0.50	310	RS-121

PLS16-450	L-555W	146.50	147.00	0.50	<300	RS-121
PLS16-450	L-555W	147.00	147.50	0.50	470	RS-121
PLS16-450	L-555W	147.50	148.00	0.50	670	RS-121
PLS16-450	L-555W	148.00	148.50	0.50	1000	RS-121
PLS16-450	L-555W	148.50	149.00	0.50	540	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-451	L-705W	136.00	136.50	0.50	360	RS-121
PLS16-451	L-705W	136.50	137.50	1.00	<300	RS-121
PLS16-451	L-705W	137.50	138.00	0.50	350	RS-121
PLS16-451	L-705W	138.00	138.50	0.50	970	RS-121
PLS16-451	L-705W	138.50	142.50	4.00	<300	RS-121
PLS16-451	L-705W	142.50	143.00	0.50	370	RS-121
PLS16-451	L-705W	143.00	143.50	0.50	<300	RS-121
PLS16-451	L-705W	143.50	144.00	0.50	320	RS-121
PLS16-451	L-705W	144.00	145.00	1.00	<300	RS-121
PLS16-451	L-705W	145.00	145.50	0.50	320	RS-121
PLS16-451	L-705W	145.50	146.00	0.50	810	RS-121
PLS16-451	L-705W	146.00	146.50	0.50	910	RS-121
PLS16-451	L-705W	146.50	147.00	0.50	310	RS-121
PLS16-451	L-705W	147.00	147.50	0.50	330	RS-121
PLS16-451	L-705W	147.50	148.00	0.50	360	RS-121
PLS16-451	L-705W	148.00	151.00	3.00	<300	RS-121
PLS16-451	L-705W	151.00	151.50	0.50	360	RS-121
PLS16-451	L-705W	151.50	167.50	16.00	<300	RS-121
PLS16-451	L-705W	167.50	168.00	0.50	300	RS-121
PLS16-451	L-705W	168.00	168.50	0.50	460	RS-121
PLS16-451	L-705W	168.50	169.00	0.50	470	RS-121
PLS16-451	L-705W	169.00	169.50	0.50	<300	RS-121
PLS16-451	L-705W	169.50	170.00	0.50	500	RS-121
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used
PLS16-454	L-630W	126.50	127.00	0.50	310	RS-121
PLS16-454	L-630W	127.00	127.50	0.50	510	RS-121
PLS16-454	L-630W	127.50	128.00	0.50	630	RS-121
PLS16-454	L-630W	128.00	128.50	0.50	740	RS-121
PLS16-454	L-630W	128.50	129.00	0.50	440	RS-121
PLS16-454	L-630W	129.00	129.50	0.50	680	RS-121
PLS16-454	L-630W	129.50	130.00	0.50	320	RS-121
PLS16-454	L-630W	130.00	130.50	0.50	340	RS-121
PLS16-454	L-630W	130.50	136.50	6.00	<300	RS-121
PLS16-454	L-630W	136.50	137.00	0.50	360	RS-121
PLS16-454	L-630W	137.00	137.50	0.50	<300	RS-121
PLS16-454	L-630W	137.50	138.00	0.50	320	RS-121
PLS16-454	L-630W	138.00	138.50	0.50	<300	RS-121
PLS16-454	L-630W	138.50	139.00	0.50	610	RS-121

PLS16-454	L-630W	139.00	139.50	0.50	610	RS-121
PLS16-454	L-630W	139.50	140.00	0.50	360	RS-121
PLS16-454	L-630W	140.00	140.50	0.50	1400	RS-121
PLS16-454	L-630W	140.50	141.00	0.50	1200	RS-121
PLS16-454	L-630W	141.00	141.50	0.50	370	RS-121
PLS16-454	L-630W	141.50	144.00	2.50	<300	RS-121
PLS16-454	L-630W	144.00	144.50	0.50	580	RS-121
PLS16-454	L-630W	144.50	145.00	0.50	1700	RS-121
PLS16-454	L-630W	145.00	145.50	0.50	940	RS-121
PLS16-454	L-630W	145.50	145.60	0.10	1000	RS-121
PLS16-454	L-630W	145.60	145.75	0.15	11500	RS-121
PLS16-454	L-630W	145.75	146.00	0.25	7500	RS-121
PLS16-454	L-630W	146.00	146.50	0.50	3900	RS-121
PLS16-454	L-630W	146.50	147.00	0.50	6000	RS-121
PLS16-454	L-630W	147.00	147.50	0.50	2300	RS-121
PLS16-454	L-630W	147.50	148.00	0.50	3200	RS-121
PLS16-454	L-630W	148.00	148.18	0.18	11100	RS-121
PLS16-454	L-630W	148.18	148.50	0.32	1400	RS-121
PLS16-454	L-630W	148.50	149.00	0.50	8600	RS-121
PLS16-454	L-630W	149.00	149.18	0.18	11400	RS-121
PLS16-454	L-630W	149.18	149.50	0.32	1100	RS-121
PLS16-454	L-630W	149.50	150.00	0.50	490	RS-121
PLS16-454	L-630W	150.00	150.50	0.50	<300	RS-121
PLS16-454	L-630W	150.50	151.00	0.50	1000	RS-121
PLS16-454	L-630W	151.00	151.50	0.50	1600	RS-121
PLS16-454	L-630W	151.50	319.50	168.00	<300	RS-121
PLS16-454	L-630W	319.50	320.00	0.50	440	RS-121
PLS16-454	L-630W	320.00	320.50	0.50	<300	RS-121
PLS16-454	L-630W	320.50	321.00	0.50	730	RS-121
PLS16-454	L-630W	321.00	321.50	0.50	1100	RS-121
PLS16-454	L-630W	321.50	324.50	3.00	<300	RS-121
PLS16-454	L-630W	324.50	325.00	0.50	320	RS-121
PLS16-454	L-630W	325.00	328.50	3.50	<300	RS-121
PLS16-454	L-630W	328.50	329.00	0.50	420	RS-121
PLS16-454	L-630W	329.00	329.50	0.50	600	RS-121
PLS16-454	L-630W	329.50	330.00	0.50	740	RS-121
PLS16-454	L-630W	330.00	330.50	0.50	840	RS-121
PLS16-454	L-630W	330.50	333.00	2.50	<300	RS-121
PLS16-454	L-630W	333.00	333.50	0.50	870	RS-121
PLS16-454	L-630W	333.50	334.00	0.50	<300	RS-121
PLS16-454	L-630W	334.00	334.50	0.50	1400	RS-121
PLS16-454	L-630W	334.50	335.00	0.50	<300	RS-121
PLS16-454	L-630W	335.00	335.50	0.50	930	RS-121
PLS16-454	L-630W	335.50	336.00	0.50	3700	RS-121
PLS16-454	L-630W	336.00	336.50	0.50	4200	RS-121
PLS16-454	L-630W	336.50	337.00	0.50	2600	RS-121
PLS16-454	L-630W	337.00	337.50	0.50	710	RS-121

PLS16-454	L-630W	337.50	338.00	0.50	400	RS-121	
PLS16-454	L-630W	338.00	342.00	4.00	<300	RS-121	
PLS16-454	L-630W	342.00	342.50	0.50	680	RS-121	
PLS16-454	L-630W	342.50	343.00	0.50	3100	RS-121	
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS16-456	L-555W	96.00	96.50	0.50	320	RS-121	
PLS16-456	L-555W	96.50	97.50	1.00	<300	RS-121	
PLS16-456	L-555W	97.50	98.00	0.50	360	RS-121	
PLS16-456	L-555W	98.00	98.50	0.50	670	RS-121	
PLS16-456	L-555W	98.50	99.00	0.50	410	RS-121	
PLS16-456	L-555W	99.00	99.50	0.50	480	RS-121	
PLS16-456	L-555W	99.50	100.00	0.50	450	RS-121	
PLS16-456	L-555W	100.00	100.50	0.50	470	RS-121	
PLS16-456	L-555W	100.50	101.00	0.50	430	RS-121	
PLS16-456	L-555W	101.00	101.50	0.50	410	RS-121	
PLS16-456	L-555W	101.50	102.00	0.50	880	RS-121	
PLS16-456	L-555W	102.00	102.50	0.50	650	RS-121	
PLS16-456	L-555W	102.50	103.00	0.50	380	RS-121	
PLS16-456	L-555W	103.00	103.50	0.50	490	RS-121	
PLS16-456	L-555W	103.50	104.00	0.50	530	RS-121	
PLS16-456	L-555W	104.00	104.50	0.50	1400	RS-121	
PLS16-456	L-555W	104.50	105.00	0.50	3000	RS-121	
PLS16-456	L-555W	105.00	105.50	0.50	2100	RS-121	
PLS16-456	L-555W	105.50	106.00	0.50	3200	RS-121	
PLS16-456	L-555W	106.00	106.50	0.50	4500	RS-121	
PLS16-456	L-555W	106.50	106.76	0.26	5700	RS-121	
PLS16-456	L-555W	106.76	106.94	0.18	11200	RS-121	
PLS16-456	L-555W	106.94	107.00	0.06	3200	RS-121	
PLS16-456	L-555W	107.00	107.50	0.50	4000	RS-121	
PLS16-456	L-555W	107.50	108.00	0.50	1900	RS-121	
PLS16-456	L-555W	108.00	108.50	0.50	1400	RS-121	
PLS16-456	L-555W	108.50	109.00	0.50	1400	RS-121	
PLS16-456	L-555W	109.00	109.50	0.50	350	RS-121	
PLS16-456	L-555W	109.50	110.00	0.50	360	RS-121	
2016 Summer Drill Program							
Hole ID	Line	From (m)	To (m)	Interval (m)	CPS (Maximum)	Scintillometer used	
PLS16-499	L-525W	No anomalous radioactivity					RS-121