



Drill Core Assay Summary: R1155E - Patterson Lake South

Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-090	188.00	188.50	0.50	0.009
PLS13-090	188.50	189.00	0.50	0.016
PLS13-090	189.00	189.50	0.50	0.043
PLS13-090	189.50	190.00	0.50	0.057
PLS13-090	190.00	190.50	0.50	0.014
PLS13-090	190.50	191.00	0.50	0.046
PLS13-090	191.00	191.50	0.50	0.064
PLS13-090	191.50	192.00	0.50	0.019
PLS13-090	192.00	192.50	0.50	0.070
PLS13-090	192.50	193.00	0.50	0.058
PLS13-090	193.00	193.50	0.50	0.048
PLS13-090	193.50	194.00	0.50	0.103
PLS13-090	194.00	194.50	0.50	0.050
PLS13-090	194.50	195.00	0.50	0.047
PLS13-090	195.00	195.50	0.50	0.187
PLS13-090	195.50	196.00	0.50	0.083
PLS13-090	196.00	196.50	0.50	0.120
PLS13-090	196.50	197.00	0.50	0.100
PLS13-090	197.00	197.50	0.50	0.055
PLS13-090	197.50	198.00	0.50	0.123
PLS13-090	198.00	198.50	0.50	0.023
PLS13-090	198.50	199.00	0.50	0.038
PLS13-090	199.00	199.50	0.50	0.135
PLS13-090	199.50	200.00	0.50	0.126
PLS13-090	200.00	200.50	0.50	0.185
PLS13-090	200.50	201.00	0.50	0.099
PLS13-090	201.00	201.50	0.50	0.324
PLS13-090	201.50	202.00	0.50	0.029
PLS13-090	202.00	202.50	0.50	0.001
PLS13-090	202.50	203.00	0.50	0.029
PLS13-090	203.00	203.50	0.50	0.009
PLS13-090	203.50	204.00	0.50	0.009
PLS13-090	204.00	204.50	0.50	0.008
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS13-103	173.00	173.50	0.50	0.005
PLS13-103	173.50	174.00	0.50	0.021
PLS13-103	174.00	174.50	0.50	0.021
PLS13-103	174.50	175.00	0.50	0.010

PLS13-103	175.00	175.50	0.50	0.016
PLS13-103	175.50	176.00	0.50	0.046
PLS13-103	176.00	176.50	0.50	0.061
PLS13-103	176.50	177.00	0.50	0.093
PLS13-103	177.00	177.50	0.50	0.068
PLS13-103	177.50	178.00	0.50	0.014
PLS13-103	178.00	178.50	0.50	0.020
PLS13-103	178.50	179.00	0.50	0.005
PLS13-103	179.00	179.50	0.50	0.004
PLS13-103	186.00	186.50	0.50	0.004
PLS13-103	186.50	187.00	0.50	0.020
PLS13-103	187.00	187.50	0.50	0.010
PLS13-103	187.50	188.00	0.50	0.017
PLS13-103	188.00	188.50	0.50	0.065
PLS13-103	188.50	189.00	0.50	0.058
PLS13-103	189.00	189.50	0.50	0.085
PLS13-103	189.50	190.00	0.50	0.113
PLS13-103	190.00	190.50	0.50	0.016
PLS13-103	190.50	191.00	0.50	0.011
PLS13-103	191.00	191.50	0.50	0.078
PLS13-103	191.50	192.00	0.50	0.020
PLS13-103	192.00	192.50	0.50	0.012
PLS13-103	192.50	193.00	0.50	0.012
PLS13-103	193.00	193.50	0.50	0.014
PLS13-103	193.50	194.00	0.50	0.008
PLS13-103	194.00	194.50	0.50	0.008
PLS13-103	194.50	195.00	0.50	0.013
PLS13-103	195.00	195.50	0.50	0.007
PLS13-103	195.50	196.00	0.50	0.014
PLS13-103	196.00	196.50	0.50	0.002
PLS13-103	196.50	197.00	0.50	0.002
PLS13-103	197.00	197.50	0.50	0.012
PLS13-103	197.50	198.00	0.50	0.028
PLS13-103	198.00	198.50	0.50	0.008
PLS13-103	198.50	199.00	0.50	0.007
PLS13-103	199.00	199.50	0.50	0.035
PLS13-103	199.50	200.00	0.50	0.054
PLS13-103	200.00	200.50	0.50	0.063
PLS13-103	200.50	201.00	0.50	0.068
PLS13-103	201.00	201.50	0.50	0.002
PLS13-103	201.50	202.00	0.50	0.029
PLS13-103	202.00	202.50	0.50	0.023
PLS13-103	202.50	203.00	0.50	0.012
PLS13-103	203.00	203.50	0.50	0.047
PLS13-103	203.50	204.00	0.50	0.031
PLS13-103	204.00	204.50	0.50	0.013
PLS13-103	204.50	205.00	0.50	0.005

PLS13-103	205.00	205.50	0.50	0.008
PLS13-103	205.50	206.00	0.50	0.010
PLS13-103	206.00	206.50	0.50	0.003
PLS13-103	206.50	207.00	0.50	0.003
PLS13-103	207.00	207.50	0.50	0.004
PLS13-103	207.50	208.00	0.50	0.005
PLS13-103	208.00	208.50	0.50	0.005
PLS13-103	208.50	209.00	0.50	0.024
PLS13-103	209.00	209.50	0.50	0.050
PLS13-103	209.50	210.00	0.50	0.013
PLS13-103	210.00	210.50	0.50	0.002
PLS13-103	210.50	211.00	0.50	0.016
PLS13-103	211.00	211.50	0.50	0.007
PLS13-103	363.50	364.00	0.50	0.013
PLS13-103	364.00	364.50	0.50	0.005
PLS13-103	364.50	365.00	0.50	0.003
PLS13-103	365.00	365.50	0.50	0.017
PLS13-103	365.50	366.00	0.50	0.059
PLS13-103	366.00	366.50	0.50	0.023
PLS13-103	366.50	367.00	0.50	0.235
PLS13-103	367.00	367.50	0.50	0.002
PLS13-103	367.50	368.00	0.50	0.001
Hole ID	From (m)	To (m)	Interval (m)	U3O8 (wt%)
PLS14-190	181.50	182.00	0.50	0.004
PLS14-190	182.00	182.50	0.50	0.004
PLS14-190	182.50	183.00	0.50	0.005
PLS14-190	183.00	183.50	0.50	0.002
PLS14-190	183.50	184.00	0.50	0.003
PLS14-190	184.00	184.50	0.50	0.076
PLS14-190	184.50	185.00	0.50	0.006
PLS14-190	185.00	185.50	0.50	0.001
PLS14-190	185.50	186.00	0.50	0.012
PLS14-190	186.00	186.50	0.50	0.004
PLS14-190	186.50	187.00	0.50	0.007
PLS14-190	187.00	187.50	0.50	0.024
PLS14-190	187.50	188.00	0.50	0.005
PLS14-190	188.00	188.50	0.50	0.019
PLS14-190	188.50	189.00	0.50	0.001
PLS14-190	189.00	189.50	0.50	0.002
PLS14-190	189.50	190.00	0.50	0.003
PLS14-190	190.00	190.50	0.50	0.008
PLS14-190	190.50	191.00	0.50	0.009
PLS14-190	191.00	191.50	0.50	0.008
PLS14-190	191.50	192.00	0.50	0.112
PLS14-190	192.00	192.50	0.50	0.122
PLS14-190	192.50	193.00	0.50	0.038

PLS14-190	193.00	193.50	0.50	0.175
PLS14-190	193.50	194.00	0.50	0.267
PLS14-190	194.00	194.50	0.50	0.015
PLS14-190	194.50	195.00	0.50	0.005
PLS14-190	195.00	195.50	0.50	0.007
PLS14-190	195.50	196.00	0.50	0.006
PLS14-190	196.00	196.50	0.50	0.007
PLS14-190	196.50	197.00	0.50	0.002
PLS14-190	197.00	197.50	0.50	0.006
PLS14-190	197.50	198.00	0.50	0.095
PLS14-190	198.00	198.50	0.50	0.110
PLS14-190	198.50	199.00	0.50	0.021
PLS14-190	199.00	199.50	0.50	0.096
PLS14-190	199.50	200.00	0.50	0.007
PLS14-190	200.00	200.50	0.50	0.070
PLS14-190	200.50	201.00	0.50	0.131
PLS14-190	201.00	201.50	0.50	0.095
PLS14-190	201.50	202.00	0.50	0.021
PLS14-190	202.00	202.50	0.50	0.016
PLS14-190	202.50	203.00	0.50	0.112
PLS14-190	203.00	203.50	0.50	0.213
PLS14-190	203.50	204.00	0.50	0.535
PLS14-190	204.00	204.50	0.50	0.253
PLS14-190	204.50	205.00	0.50	0.907
PLS14-190	205.00	205.50	0.50	0.474
PLS14-190	205.50	206.00	0.50	0.011
PLS14-190	206.00	206.50	0.50	0.002
PLS14-190	206.50	207.00	0.50	0.025
PLS14-190	207.00	207.50	0.50	0.018
PLS14-190	207.50	208.00	0.50	0.019
PLS14-190	208.00	208.50	0.50	0.017
PLS14-190	208.50	209.00	0.50	0.012
PLS14-190	209.00	209.50	0.50	0.016
PLS14-190	209.50	210.00	0.50	<0.001
PLS14-190	210.00	210.50	0.50	0.002
PLS14-190	210.50	211.00	0.50	0.016
PLS14-190	211.00	211.50	0.50	0.225
PLS14-190	211.50	212.00	0.50	0.266
PLS14-190	212.00	212.50	0.50	0.180
PLS14-190	212.50	213.00	0.50	0.062
PLS14-190	213.00	213.50	0.50	0.084
PLS14-190	213.50	214.00	0.50	0.241
PLS14-190	214.00	214.50	0.50	1.280
PLS14-190	214.50	215.00	0.50	0.026
PLS14-190	215.00	215.50	0.50	0.006
PLS14-190	215.50	216.00	0.50	<0.001
PLS14-190	216.00	216.50	0.50	<0.001

PLS14-190	216.50	217.00	0.50	0.001
PLS14-190	345.50	346.00	0.50	0.002
PLS14-190	346.00	346.50	0.50	0.003
PLS14-190	346.50	347.00	0.50	0.008
PLS14-190	347.00	347.50	0.50	0.020
PLS14-190	347.50	348.00	0.50	0.082
PLS14-190	348.00	348.50	0.50	0.264
PLS14-190	348.50	349.00	0.50	0.008
PLS14-190	349.00	349.50	0.50	0.044
PLS14-190	349.50	350.00	0.50	0.044
PLS14-190	350.00	350.50	0.50	0.023
PLS14-190	350.50	351.00	0.50	0.005
PLS14-190	351.00	351.50	0.50	0.011
PLS14-190	351.50	352.00	0.50	0.006
PLS14-190	352.00	352.50	0.50	0.005
PLS14-190	352.50	353.00	0.50	0.004
PLS14-190	353.00	353.50	0.50	0.002
PLS14-190	353.50	354.00	0.50	0.002
PLS14-190	354.00	354.50	0.50	0.005
PLS14-190	354.50	355.00	0.50	0.002
PLS14-190	355.00	355.50	0.50	0.010
PLS14-190	355.50	356.00	0.50	0.006
PLS14-190	356.00	356.50	0.50	0.004
PLS14-190	356.50	357.00	0.50	0.001
PLS14-190	357.00	357.50	0.50	0.002
PLS14-190	357.50	358.00	0.50	0.015
PLS14-190	358.00	358.50	0.50	<0.001
PLS14-190	358.50	359.00	0.50	0.041
PLS14-190	359.00	359.50	0.50	0.069
PLS14-190	359.50	360.00	0.50	0.253
PLS14-190	360.00	360.50	0.50	0.212
PLS14-190	360.50	361.00	0.50	0.019
PLS14-190	361.00	361.50	0.50	0.025
PLS14-190	361.50	362.00	0.50	0.237
PLS14-190	362.00	362.50	0.50	0.022
PLS14-190	362.50	363.00	0.50	0.092
PLS14-190	363.00	363.50	0.50	0.030
PLS14-190	363.50	364.00	0.50	0.032
PLS14-190	364.00	364.50	0.50	0.103
PLS14-190	364.50	365.00	0.50	0.012
PLS14-190	365.00	365.50	0.50	0.006
PLS14-190	365.50	366.00	0.50	0.018
PLS14-190	366.00	366.50	0.50	0.011
PLS14-190	366.50	367.00	0.50	0.022
PLS14-190	367.00	367.50	0.50	0.037
PLS14-190	367.50	368.00	0.50	0.020
PLS14-190	368.00	368.50	0.50	0.006

PLS14-190	368.50	369.00	0.50	0.013
PLS14-190	369.00	369.50	0.50	0.006
PLS14-190	369.50	370.00	0.50	0.007
PLS14-190	370.00	370.50	0.50	0.011